

- [I.1] Coeuret F., Storck A., *Eléments de génie électrochimique*, Technique et Documentation (Lavoisier), 1984.
- [I.2] Frank, Walsh, *A First Course in Electrochemical Engineering*, The Electrochemical Consultancy, 1993.
- [I.3] Derek, Pletcher, *A First Course in electrode Processes*, The Electrochemical Consultancy, 1991.
- [I.4] Genders J.D., Weinberg N.L., *Electrochemistry for a cleaner environment*, The Electrosynthesis Company Inc., 1992.
- [I.5] Rajeshwar K., Ibanez J., *Fundamentals and Applications in Pollution Abatement*, Environmental Electrochemistry, Academic Press, 1997.
- [I.6] Pletcher D., Walsh, F.C., *Industrial Electrochemistry*, second edition, Chapman and Hall, 1990.
- [I.7] Bard A. J., Faulkner L.R., *Electrochimie: Principes, méthodes et applications*, Masson, 1983.
- [I.8] Pourbaix M., *Atlas d'équilibres électrochimiques*, Gauthier-Villars&C^{ie} Editeur Paris, 1963.
- [I.9] Genders J.D., Pletcher D., *Electrosynthesis from laboratory, to pilot, to production*, Electrosynthesis Company Incorporated, 1990.
- [I.10] Leroy C., *Elaboration d'anodes en composite pour des applications en milieu sulfurique ou chlorhydrique*, Thèse UCL, Unité des Procédés, 1996.
- [I.11] Fockedey E., *Développement de structures à grande surface réactive*, Thèse UCL, Unité PCIM, 2002.
- [I.12] Claes P., *Chimie analytique II*, UCL, 2000.
- [I.13] Van Lierde A., *Hydrométallurgie*, UCL, 1998.
- [I.14] Storck A., Enriquez-Granados N.A., Roger M., Coeuret F., *The behaviour of porous electrodes in a flow-by regime-I. Theoretical study.*, *Electrochimica Acta*, vol. 27, N°2, 1982, 293-301.

Bibliographie
Chapitre I : Notions d'électrochimie

- [I.15] Langlois S., Coeuret F., *Flow-through and flow-by porous electrodes of nickel foam. I. Material characterization*, Journal of Applied Electrochemistry, vol.19, 1989, 43-50.
- [I.16] Langlois S., Coeuret F., *Flow-through and flow-by porous electrodes of nickel foam. II. Diffusion-convection mass transfer between the electrolyte and the foam*, Journal of Applied Electrochemistry, vol.19, 1989, 51-60.
- [I.17] Langlois S., Coeuret F., *Flow-through and flow-by porous electrodes of nickel foam. Part III: theoretical electrode potential distribution in the flow-by configuration*, Journal of Applied Electrochemistry, vol.20, 1990, 740-748.
- [I.18] Langlois S., Coeuret F., *Flow-through and flow-by porous electrodes of nickel foam. Part IV: experimental electrode potential distributions in the flow-through and in the flow-by configurations*, Journal of Applied Electrochemistry, vol.20, 1990, 749-755.
- [I.19] Fedkiw P.S., *Ohmic Potential Drop, in Flow-Through and Flow-By Porous Electrodes*, Journal of electrochemical Society: Electrochemical Science and Technology, vol. 128, N°4, 1981, 831-838.
- [I.20] Fedkiw P.S. and Safemazandarani P., *Porous electrode theory analysis of a variable-depth, flow-by porous electrode*, Chemical Engineering Communication, vol.36, 1985, 27-43.
- [I.21] Risch T., Newman J., *A Theoretical Comparison of Flow-Through and Flow-By Porous Electrodes at the Limiting Current*, Journal of electrochemical Society: Electrochemical Science and Technology, vol.131, N°11, 1984, 2551-2556.
- [I.22] Alkire R. and Ng P.K., *Studies on Flow-By Porous Electrodes Having Perpendicular Directions of Current and Electrolyte Flow*, Journal of electrochemical Society: Electrochemical Science and Technology, vol 124, N°8, 1977, 1220-1227.

Bibliographie
Chapitre II : Applications des méthodes électrochimiques au
traitement d'effluents industriels

- [II.1] Frank, Walsh, *A First Course in Electrochemical Engineering*, The Electrochemical Consultancy, 1993.
- [II.2] Rajeshwar K., Ibanez J., *Fundamentals and Applications in Pollution Abatement*, Environmental Electrochemistry, Academic Press, 1997.
- [II.3] Pletcher D., Walsh, F.C., *Industrial Electrochemistry*, second edition, Chapman and Hall, 1990.
- [II.4] Jüttner K, Galla U, Schmieder H, *Electrochemical approaches to environmental problems in the process industry*, *Electrochemical Acta*, 2000, 45, 2575-2594.
- [II.5] Janssen L.J.J., Koene L., *The role of electrochemistry and electrochemical technology in environmental protection*, *Chemical Engineering Journal*, 2002, 85, 137 – 146.
- [II.6] Rajeshwar K., Ibanez J. G., Swain G. M., *Electrochemistry and the environment*, *Journal of Applied Electrochemistry*, 1994, 24, 1077-1091.
- [II.7] Pletcher D., *The green potentiel of electrochemistry. part II: The applications*, *Chemical Engineering*, 1992, 132 – 141.
- [II.8] Walsh F.C., *Electrochemical technology for environmental treatment and clean energy conversion*, *Pure and Applied Chemistry*, 2001, 73(12), 1819 – 1837.
- [II.9] Simonsson D., *Electrochemistry for a cleaner environment*, *Chemical Society Reviews*, 1997, 26, 181 – 198.
- [II.10] Bersier P.M., Carlsson L., Bersier J., *Electrochemistry for a Better Environment*, *Topics in Current Chemistry*, *Electrochemistry V*, Springer-Verlag Berlin Heidelberg 1994, Vol 170, 114-228.
- [II.11] Sequeira, Araujo, *Electrochemical removal of environmental pollutants*, *Environnemental pollution*, 1-ICEP.1, 692-699.

Bibliographie
Chapitre II : Applications des méthodes électrochimiques au
traitement d'effluents industriels

- [II.12] Pletcher D., Weinberg N.L., *The green potentiel of electrochemistry. Part 1: The fundamentals*, Chemical Engineering , 1992, 98 – 103.
- [II.13] Henry Ph., *Conception et mise au point d'un réacteur électrochimique pour l'électrolxiviation de mati ères solides et l'électro-écahnge d'ions sur résine*, Thèse UCL, Sciences des procédés, 1999.
- [II.14] Genders J.D., Weinberg N.L., *Electrochemistry for a cleaner environment*, The Electrosynthesis Company Inc., 1992.

Bibliographie
Chapitre III : Synthèse bibliographique des mécanismes d'électro-
oxydation de composés organiques

- [III.1] Saracco G., Solarino L., Aigotti R., Specchia V., Maja M., *Electrochemical oxidation of organic pollutants at low electrolyte concentrations*, *Electrochimica acta*, 2000, 46, 373-800.
- [III.2] Comninellis, Nerini, *Anodic oxidation of phenol in the presence of NaCl for wastewater treatment*, *Journal of Applied Electrochemistry*, 1995, 25, 23-28.
- [III.3] Saracco G., Solarino L., Specchia V., Maja M., *Electrolytic abatement of biorefractory organics by combining bulk and electrode oxidation processes*, *Chemical Eng. Science*, 2001, 56, 1571-1578.
- [III.4] A. Alvarez - Gallegos, D. Pletcher, *The removal of low organics via hydrogen peroxide formed in a reticulated vitreous carbon cathode cell. Part 2 : The removal of phenols and related compounds from aqueous effluents*, *Electrochemical Acta*, 1999, 44, 2483-2492.
- [III.5] Comninellis C., *Electrocatalysis in the electrochemical conversion/combustion of organic pollutants for waste water treatment*, *Electrochimica acta*, 1994, Vol 39, n°11/12, 1857-1862.
- [III.6] Rajeshwar K., Ibanez J., *Fundamentals and Applications in Pollution Abatement*, *Environmental Electrochemistry*, Academic Press, 1997.
- [III.7] Fletcher, *Indirect oxidations using electrogenerated hydrogen peroxide*, *Acta Chemica Scandinavica*, 1999, 53, 745-750.
- [III.8] Comninellis, Pulgarin, *Anodic oxidation of phenol for waste water treatment*, *J. of applied electrochemistry*, 1991, 21, 703-708.
- [III.9] Foti, Gandini, Comninellis, *Oxidation of organics by intermediates of water discharge on IrO₂ and synthetic diamond anodes*, *Electrochemical and Solid-State Letters*, 1999, 2, 5, 228-230.

Bibliographie
Chapitre III : Synthèse bibliographique des mécanismes d'électro-
oxydation de composés organiques

- [III.10] Pelegriño R.L., *Comparative study of commercial oxide electrodes performance in electrochemical degradation of organics in aqueous solutions*, J. Braz. chem. Soc., 2002, 13(1), 60 – 65.
- [III.11] C. Seignez, C. Pulgarin, P. Péringer, C. Comninellis, E. Plattner, *Dégradation des polluants organiques industriels Traitements électrochimique, biologique, et leur couplage*, Swiss Chem., 1992, 14, 1, 25-30.
- [III.12] Kots, Stucki, *Electrochemical waste water treatment using high overvoltage anodes Part I: Physical and electrochemical properties of SnO₂ anodes*, J. of Applied Electrochemistry, 1991, 21, 14-20.
- [III.13] Stucki, Kotz, *Electrochemical waste water treatment using high overvoltage anodes Part II : Anode performance and applications*, J. of Applied Electrochemistry, 1991, 21, 99-104.
- [III.14] Comninellis, Pulgarin, *Electrochemical oxidation of phenol for wastewater treatment using SnO₂ anodes*, J. of Applied Electrochemistry 1993, 23, 108-112.
- [III.15] Polcaro A.M., *On the performance of Ti/SnO₂ and Ti/PbO₂ anodes in electrochemical degradation of 2-chlorophenol for wastewater treatment*, Journal of applied electrochemistry, 1999, 29, 147–51.
- [III.16] Cossu, Polcaro, *Electrochemical treatment of landfill leachate : oxidation at Ti/PbO₂ and Ti/SnO₂ Anodes*, Environmental Sciences Technology 1998, 32, 3570-3573.
- [III.17] Pulgarin, Kiwi, *Overview on Photocatalytic and electrocatalytic pretreatment of industrial non-biodegradable pollutants and pesticides*, Chimia, 1996, 50, 50-55.
- [III.18] Iniesta, Michaud, Comninellis, *Electrochemical oxidation of phenol at boron-doped diamond electrode*, Electrochimica Acta, 2001, 46, 3573-3578.

- [III.19] Belhadj Tahar N., Savall A., *Electrochemical degradation of phenol in aqueous solution on bismuth doped lead dioxide: a comparison of the activity of various electrodes formulations*, J. of applied electrochemistry, 1999, 29, 277-283.
- [III.20] Correa-Lozano B., Comninellis Ch., De Battisti A., *Electrochemical properties of Ti/SnO₂-Sb₂O₅ electrodes prepared by the spray pyrolysis technique*, Journal of applied electrochemistry, 1996, 26, 683-688.
- [III.21] Heinzl, Holze, *The electrooxidation of methanol and formaldehyde at a platinum electrode: a SEESR study of radical intermediates_I*, Electrochimica Acta, 1989, 34, 5, 657-661.
- [III.22] Breiter, *A study of intermediates adsorbed on platinized-platinum during the steady-state oxidation of methanol, formic acid, and formaldehyde*, Electroanalytical chemistry and interfacial electrochemistry, 1967, 14, 407-413.
- [III.23] Hiroshi Okamoto, *Potential oscillation mechanism for formaldehyde oxidation on platinum*, Electrochimica Acta, 1993, 38, 4, 503-509.
- [III.24] Etwaree T., Savall A., Comninellis C., *Comparison of the chemical and electrochemical oxidation of phenol for wastewater*, Récents progrès en génie des procédés, Technologies innovantes en épuration des eaux, 1992, 6, 20, 215-224.
- [III.25] Leffrang, Ebert, *Organic waste destruction by indirect electrooxidation*, Separation science and technology, 1995, 30, (7-9), 1883-1899.
- [III.26] Farmer, Chiba, *Fundamental studies of the mediated electrochemical oxidation of wastes*, Proc.-Electrochem. Soc., 1994, 94, 19, 144-51.

Bibliographie
Chapitre III : Synthèse bibliographique des mécanismes d'électro-
oxydation de composés organiques

- [III.27] Chung, Park, *Electrochemical treatment of organic wastes by mediated electrochemical oxidation*, Electrochemical Society Proceedings, 2000, 99, 39, 67-74.
- [III.28] Dhooge, Catalyzed, *Mediated electrochemical oxidation of organic compounds with iron(III)*, Electrochemical Society Proceedings, 1994, 94, 19, 152-163.
- [III.29] Gray, *Mediated electrochemical oxidation of organics*, Solvent substitution, Annu. Int. Workshop Solvent Substitution, 1st, 1990, 281-284.
- [III.30] Bindu, *Mediated electrochemical oxidation of organic pollutants in waste water treatment*, Indian Journal of Environmental Health, 2000, 42, 4, 185-191.
- [III.31] Galla, Kritzer, *Process for total degradation of organic wastes by mediated electrooxidation*, Chem. Eng. Technol., 2000, 23, 3, 230-233.
- [III.32] Falgayrac, Savall, *Alkylaromatics auto-oxidation improved by electrochemistry*, Ninth International Forum On Electrolysis in the chemical industry, November 5-9, 1995, Clearwater beach, Florida.
- [III.33] Denil ludivine, *Electrooxydation du phenol à l'aide de couples médiateurs*, Mémoire 2003, Unité PCIM, UCL.
- [III.34] D. Genders, N. Weinberg, *Electrochemistry for a cleaner environment*, Electrosynthesis Company 1992.
- [III.35] Do J-S. and Yeh W-C., *In situ degradation of formaldehyde with electrogenerated hypochlorite ion*, J Applied Electrochemistry, 1995, 25, 483-489.
- [III.36] Do, Yeh, *Paired electrooxidative degradation of phenol with in situ generated hydrogen peroxide and hypochlorite*, Journal of applied electrochemistry, 1996, 26, 673-678.
- [III.37] Do J-S., Yeh W-C., *In situ paired electrooxidative degradation of formaldehyde with electrogenerated hydrogen*

Bibliographie
Chapitre III : Synthèse bibliographique des mécanismes d'électro-
oxydation de composés organiques

- peroxide and hypochlorite ion*, Journal of applied electrochemistry, 1998, 28, pp 703-710.
- [III.38] Pourbaix M., *Atlas d'équilibres électrochimiques*, Gauthier-Villars & C^{ie} Editeur Paris, 1963.
- [III.39] Allen J. Bard, Roger Parsons, Joseph Jordan, *Standard Potentials in Aqueous Solution*, International union of Pure and Applied Chemistry, Marcel Dekker, INC, 1985.
- [III.40] Esplugas S., Rodriguez M., *Comparaison of different advanced oxidation processes for phenol degradation*, Water research, 2002, 36, 1034-1042.
- [III.41] Carl H. Hamann, Andrew Hamnett, Wolf Vielstich, *Electrochemistry*, Wiley-VCH, 1998.
- [III.42] A. Alvarez-Gallegos, D. Pletcher, *The removal of low level organics via hydrogen peroxide formed in a reticulated vitreous carbon cathode cell, Part 1. The electrosynthesis of hydrogen peroxide in aqueous acidic solutions*, Electrochimica Acta, 1998, 44, 853-861.
- [III.43] Do J-S. and Chen C-P., *In situ oxidative degradation of formaldehyde with electrogenerated hydrogen peroxide*, J. Electrochem. Soc., June 1993, vol. 140, n°6, 1632-1637.
- [III.44] Do J-S. and Chen C-P., *In situ oxidative degradation of formaldehyde with hydrogen peroxide electrogenerated on the modified graphites*, J. Applied Electrochemistry, 1994, 24, 936-942.
- [III.45] C. Ponce de Leon, D. Pletcher, *Removal of formaldehyde from aqueous solutions via oxygen reduction using a reticulated vitreous carbon cathode cell*, J. of Applied Electrochemistry, 1995, 25, 307-314.
- [III.46] E. Brillas, R.M. Basida, E. Llosa, *Electrochemical destruction of aniline and 4-chloroaniline for wastewater treatment using*

Bibliographie
Chapitre III : Synthèse bibliographique des mécanismes d'électro-
oxydation de composés organiques

a carbon ptfе O2 fe cathode, J. of the electrochem. soc., june 1995, vol 142, n°6, 1733- 1741.

- [III.47] Pletcher Derek, *Electrogenerated hydrogen peroxide-from history to new opportunities*, Electrosynthesis, January, 1999, 4, 1.
- [III.48] Burke L. D. and O'Dwyer K.J., *Oxidation of some reactive small molecules on copper and platinum in solutions of high pH*, Electrochimica Acta, 1991, vol.36, n°13, pp 1937-1945.
- [III.49] Gallard, De Laat, Legube, *Influence du pH sur la vitesse d'oxydation de composés organiques par FeII/H2O2. Mécanismes réactionnels et modélisation*, New J. Chem., 1998, 263-268.
- [III.50] Lombrana, Varona, Martinez, *Analysis of hydrogen peroxide efficiency in a chemical oxidation model system in presence of Fe(II) as catalyst*, Recent Res. Devel. in Chemical Engg., 1997, 1, 41-48.
- [III.51] Gallegos, Pletcher, *Oxidation of organic wastewater with electrogenerated Fenton's Reagent*, Official proceedings The international water conference 61st annual meeting, october 22-26, 2000, 514-521.
- [III.52] Y.H. Huang, S. Chou, M.G. Perng, G.H. Huang, S.S. Cheng, *Case study on the bioeffluent of petrochemical wastewater by electro fenton method*, Water science technology, 1999, n°10-11, 145-149.
- [III.53] Kornienko G.V., *Indirect electrooxidation of organic substrates by hydrogen peroxide generated in an oxygen gas-diffusion electrode*, Russian journal of Electrochemistry, 2004, 40, 2, 148–152.
- [III.54] Murphy, Boegil, Price, Moody, *A Fenton-like reaction to neutralize formaldehyde waste solutions*, Environ. Sci. Technol., 1989, 23, 166-169.

- [III.55] Fockedey E., Développement de structures à grande surface réactive, Thèse UCL, Unité PCIM, 2002.
- [III.56] E. Brillas, R. Sauleda, *Degradation of 4-Chlorophenol by anodic oxidation, electro-fenton, photoelectro-fenton, and peroxi-coagulation processes*, Journal of electrochemical society, march 1998, vol 145, n°3, 759-765.
- [III.57] Brillas, Mur, Casado, *Iron (II) catalysis fo the mineralization of aniline using a carbon-ptfe O2-Fed cathode*, Journal of the electrochemical society, march 1996, vol 143, n°3, 49-53.
- [III.58] Goi Anna, Trapido Marina, *Hydrogen peroxide photolysis, Fenton reagent and photo-fenton for the degradation of nitrophenols: a comparative study*, Chemosphere, 2002, 46, 913-922.
- [III.59] Harrington Tomas, Pletcher Derek, *The removal of low levels of organics from aqueous solutions using Fe(II) and hydrogen peroxide formed in situ at gas diffusion electrodes*, Journal of The electrochemical society, 1999, 146, 8, 2983-2989.
- [III.60] Wardman P., Candeias L.P., *Fenton centennial symposium*, Radiation Research, 1996, 145, 523-531.
- [III.61] Zhou, Wu, Xuan, *Anodic-Cathodic electrocatalytic degradation of phenol with oxygen sparged in the presence of iron*, Chemical research in Chinese Universities, 2002, 18, 262-266.
- [III.62] Kavitha V., Palanivelu K., *The role of ferrous ion in fenton and photo-fenton processes for the degradation of phenol*, Chemosphere, 2004, 55, 1235-1243.
- [III.63] Brillas E., Mur E., Casado J., *Aniline mineralization by AOP's: anodic oxidation, photocatalysis, electro-Fenton and photoelectro-Fenton processes*, Applied catalysis B: Environmental, 1998, 16, 31-42.

Bibliographie
Chapitre III : Synthèse bibliographique des mécanismes d'électro-
oxydation de composés organiques

- [III.64] Al-Hayek, Dore, *Oxydation des composés organiques par le réactif de Fenton : possibilités et limites*, Environmental Technology Letters, 1985, 6, 37-50.
- [III.65] Prousek, *Fenton reaction after a century*, Chem. Lisy 1995, 89, 11-21.
- [III.66] Saracco G., Solarino L., Aigotti R., Specchia V., Maja M., *Electrochemical oxidation of organic pollutants at low electrolyte concentrations*, Electrochimica acta, 2000, 46, 373-800.
- [III.67] Y.H. Huang, S. Chou, M.G. Perng, G.H. Huang, S.S. Cheng, *Case study on the bioeffluent of petrochemical wastewater by electro fenton method*, Water Science Technology, 1999, n°10-11, 145-149.
- [III.68] E. Brillas, R. Sauleda, J. Casado, *Use of an acidic Fe/O₂ cell for wastewater treatment : degradation of aniline*, Journal of the electrochemical society, 1999, 146, 12 , 4539-4543.

- [IV.1] Comninellis C., *Electrocatalysis in the electrochemical conversion/combustion of organic pollutants for waste water treatment*, *Electrochimica acta*, 1994, Vol 39, n°11/12, 1857-1862.
- [IV.2] Pelegrino R.L., *Comparative study of commercial oxide electrodes performance in electrochemical degradation of organics in aqueous solutions*, *J. Braz. chem. Soc.*, 2002, 13(1), 60 – 65.
- [IV.3] Foti, Gandini, Comninellis, *Oxidation of organics by intermediates of waster discharge on IrO₂ and synthetic diamond anodes*, *Electrochemical and Solid-State Letters*, 1999, 2, 5, 228-230.
- [IV.4] Pourbaix M., *Atlas d'équilibres électrochimiques*, Gauthier-Villars&C^{ie} Editeur Paris, 1963.
- [IV.5] Kots, Stucki, *Electrochemical waste water treatment using high overvoltage anodes Part I: Physical and electrochemical properties of SnO₂ anodes*, *J. of Applied Electrochemistry*, 1991, 21, 14-20.
- [IV.6] Rajeshwar K., Ibanez J., *Fundamentals and Applications in Pollution Abatement*, *Environmental Electrochemistry*, Academic Press, 1997.
- [IV.7] Stucki, Kotz, *Electrochemical waste water treatment using high overvoltage anodes Part II : Anode performance and applications*, *J. of Applied Electrochemistry*, 1991, 21, 99-104.
- [IV.8] Polcaro A.M., *On the performance of Ti/SnO₂ and ti/PbO₂ anodes in electrochemical degradation of 2-chlorophenol for wastewater treatment*, *Journal of applied electrochemistry*, 1999, 29, 147–51.
- [IV.9] Iniesta, Michaud, Comninellis, *Electrochemical oxidation of phenol at boron-doped diamond electrode*, *Electrochimica Acta*, 2001, 46, 3573-3578.

- [IV.10] Vincent F. and al ; *Characterisation and stability of doped SnO₂ anodes*, Journal of Applied Electrochemistry, Vol 28, 1998, 607-612.
- [IV.11] Etwaree T., Savall A., Comninellis C., *Comparison of the chemical and electrochemical oxidation of phenol for wastewater*, Récents progrès en génie des procédés, Technologies innovantes en épuration des eaux, 1992, 6, 20, 215-224.
- [IV.12] Comninellis, Pulgarin, *Electrochemical oxidation of phenol for wastewater treatment using SnO₂ anodes*, J. of Applied Electrochemistry 1993, 23, 108-112.
- [IV.13] A. Alvarez - Gallegos, D. Pletcher, *The removal of low organics via hydrogen peroxide formed in a reticulated vitreous carbon cathode cell. Part 2 : The removal of phenols and related compounds from aqueous effluents*, Electrochemical Acta, 1999, 44, 2483-2492.
- [IV.14] Lipp, Pletcher, *The preparation and characterization of tin dioxide coated titanium electrodes*, Electrochemica Acta, 42, 7, 1997, 1091-1099.
- [IV.15] Jarzebski Z.M. and Marton J.P., *Physical properties of SnO₂ materials*, Journal of Electrochemical Society, Vol 123, n°7, 1976, 199C-205C.
- [IV.16] Correa-Lozano, Comninellis, Da Battisti ; *Preparation of SnO₂-Sb₂O₃ films by the spray pyrolysis technique*, Journal of applied electrochemistry, Vol 26, 1996, 83-89.
- [IV.17] Fockedey E., Van Lierde A., *Coupling of anodic and cathodic reactions for phenol electro-oxidation using three-dimensional electrodes*, Water Research, 2002, 36, 4169–4175.
- [IV.18] Bartholomew, Garfinkel, *Preparation of thick crystalline films of tin oxide and porous glass partially filled with tin oxide*, J. Electrochem. Soc., 1969, 116, 9, 1205-1208.

- [IV.19] Correa-Lozano B., Comninellis CH., De Battista A, *Electrochemical properties of Ti/SnO₂-Sb₂O₅ electrodes prepared by the spray pyrolysis technique*, Journal of applied electrochemistry, vol. 26, 1996, 683-688.
- [IV.20] Sekhar C. Ray, Malay K. Karanjai, Dhruva DasGupta, *Tin dioxide based transparent semiconducting films deposited by the dip-coating technique*, Surface and coatings technology, 1998, 102, 73–80.
- [IV.21] Correa-Lozano B., Comninellis Ch., De Battisti A, *Service life of Ti/SnO₂-Sb₂O₅ anodes*, Journal of Applied Electrochemistry , 1997, 27, 970–974.
- [IV.22] Grosvenor, Pinsky, Clough ; *Process for coating a substrate with tin oxide*, Us Patent 5.204.140.
- [IV.23] Genders D. and Weinberg N., *Electrochemistry for a cleaner environment*, Electrosynthesis Company Incorporated, 1992.
- [IV.24] Lipp L., Pletcher D., *Extended area electrodes based on stacked expanded titanium meshes*, Electrochimica Acta, vol 42, n°7, 1997, 1101-111.
- [IV.25] Fokedey E. ; *Développement de structures à grande surface réactive*, thèse, UCL, 2002.
- [IV.26] <http://www.ergaerospace.com/duocel/rvc.htm>
- [IV.27] http://www.ergaerospace.com/literature/erg_rvc.pdf
- [IV.28] Wang Joseph, *Reticulated vitreous carbon-a new versatile electrode material*, Electrochemical acta, 1981, 26, 12, 1721–1726.
- [IV.29] Cowlard F.C., Lewis J.C., *Vitreous carbon - a new form of carbon*, Journal of materials science , 1967, 2, 507–512.
- [IV.30] Tokiti Noda, Michio Inagaki, Shigehiko Yamada, *Glass-like carbons*, *Journal of Non-crystalline solids*, 1969, 1, 285–302.
- [IV.31] Fletcher, *Indirect oxidations using electrogenerated hydrogen peroxide*, Acta Chemica Scandinavica, 1999, 53, 745-750.

- [IV.32] Belhadj Tahar N., Savall A., *Electrochemical degradation of phenol in aqueous solution on bismuth doped lead dioxide: a comparison of the activity of various electrodes formulations*, J. of applied electrochemistry, 1999, 29, 277-283.
- [IV.33] Do, Yeh, *Paired electrooxidative degradation of phenol with in situ generated hydrogen peroxide and hypochlorite*, Journal of applied electrochemistry, 1996, 26, 673-678.
- [IV.34] Comninellis, Pulgarin, *Anodic oxidation of phenol for waste water treatment*, J. of applied electrochemistry, 1991, 21, 703-708.
- [IV.35] Comninellis, Nerini, *Anodic oxidation of phenol in the presence of NaCl for wastewater treatment*, Journal of Applied Electrochemistry, 1995, 25, 23-28.
- [IV.36] M. Sudoh, T.Kodera, H. Hino, H. Shimamura, *Effect of anodic and cathodic reactions on oxidative degradation of phenol in an undivided bipolar electrolyzer*, J. of Chemical Engineering of Japan, 1988, 21, 2, 198-203.
- [IV.37] Boudenne, Cercler, Galea, Van der Vlist, *Electrochemical oxidation of aqueous phenol at a carbon black slurry electrode*, Applied catalysis A : General 1996, 143, 185-202.
- [IV.38] Gallegos, Pletcher, *Oxidation of organic wastewater with electrogenerated Fenton's Reagent*, Official proceedings The international water conference 61st annual meeting, october 22-26, 2000, 514-521.
- [IV.39] Zhou, Wu, Xuan, *Anodic-Cathodic electrocatalytic degradation of phenol with oxygen sparged in the presence of iron*, Chemical research in Chinese Universities, 2002, 18, 262-266.
- [IV.40] Esplugas S., Rodriguez M., *Comparaison of different advanced oxidation processes for phenol degradation*, Water research, 2002, 36, 1034-1042.

- [IV.41] Kavitha V., Palanivelu K., *The role of ferrous ion in fenton and photo-fenton processes for the degradation of phenol*, Chemosphere, 2004, 55, 1235-1243.
- [IV.42] Wayman M. J. V., *Chemical treatment methods for industrial effluent: Treatment of phenols: a case history*, Chemistry and Industry, 1983, 18, 549–551.
- [IV.43] C. Ponce de Leon, D. Pletcher, *Removal of formaldehyde from aqueous solutions via oxygen reduction using a reticulated vitreous carbon cathode cell*, J. of Applied Electrochemistry, 1995, 25, 307-314.
- [IV.44] Do J-S., Yeh W-C., *In situ paired electrooxidative degradation of formaldehyde with electrogenerated hydrogen peroxide and hypochlorite ion*, Journal of applied electrochemistry, 1998, 28, pp 703-710.
- [IV.45] Do J-S. and Chen C-P., *In situ oxidative degradation of formaldehyde with electrogenerated hydrogen peroxide*, J. Electrochem. Soc., June 1993, vol. 140, n°6, 1632-1637.
- [IV.46] Do J-S. and Chen C-P., *In situ oxidative degradation of formaldehyde with hydrogen peroxide electrogenerated on the modified graphites*, J. Applied Electrochemistry, 1994, 24, 936-942.
- [IV.47] Burke L. D. and O'Dwyer K.J., *Oxidation of some reactive small molecules on copper and platinum in solutions of high pH*, Electrochimica Acta, 1991, vol.36, n°13, pp 1937-1945.
- [IV.48] Murphy, Boegil, Price, Moody, *A Fenton-like reaction to neutralize formaldehyde waste solutions*, Environ. Sci. Technol., 1989, 23, 166-169.
- [IV.49] Cathro K. J., *The oxidation of water-soluble organic fuels using Platinum-Tin Catalysts*, J. Electrochem. Soc.: Electrochemical technology, November 1969, 116, 11, 1608-1611.

- [IV.50] Heinzl, Holze, *The electrooxidation of methanol and formaldehyde at a platinum electrode: a SEESR study of radical intermediates_I*, *Electrochimica Acta*, 1989, 34, 5, 657-661.
- [IV.51] Hiroshi Okamoto, *Potential oscillation mechanism for formaldehyde oxidation on platinum*, *Electrochimica Acta*, 1993, 38, 4, 503-509.
- [IV.52] Breiter, *A study of intermediates adsorbed on platinized-platinum during the steady-state oxidation of methanol, formic acid, and formaldehyde*, *Electroanalytical chemistry and interfacial electrochemistry*, 1967, 14, 407-413.
- [IV.53] Satoshi Motoo, *Electrocatalysis by ad-atoms. Part IX. A fast parallel path for formaldehyde oxidation on a platinum electrode by oxygen absorbing ad-atoms*, *J Electroanal. Chem.*, 1982, 139, 119-130.
- [IV.54] Van Den Meerakker, *On the mechanism of electroless plating. I. Oxidation of formaldehyde at different electrode surface*, *J Applied Electrochemistry*, 1981, 11, 387-393.
- [IV.55] Do J-S. and Yeh W-C., *In situ degradation of formaldehyde with electrogenerated hypochlorite ion*, *J Applied Electrochemistry*, 1995, 25, 483-489.
- [IV.56] http://www.mflohc.mb.ca/fact_sheets_folder/formaldehyde.html
- [IV.57] <http://www.sfc.fr/donnees/orga/cumene/texcum.htm>
- [IV.58] Denil ludivine, *Electrooxydation du phenol à l'aide de couples médiateurs*, Mémoire 2003, Unité PCIM, UCL.
- [IV.59] <http://www.sargentwelch.com/pdf/msds/sch96139.pdf>
- [IV.60] <http://www.nsc.org/ehc/chemical/Phenol.htm>
- [IV.61] *Memento technique de l'eau - Tome 1*, Degremont, Edition du Cinquantenaire 1989.

- [IV.62] Piron J., *Principes et methods de Chimie analytique et quantitative*, université du travail Paul paster-Charleroi, 1962.
- [IV.63] Basset J. and al., *Vogel's textbook of quantitative inorganic analysis*, fourth edition, Longman Scientific & Technical, 1978.
- [IV.64] Clesceri Lenore S., Greenberg Arnold E., Eaton Andrew D., *Standard Methods for the examination of water and Wastewater 20th Edition* 1998, American public Health association.
- [IV.65] <http://formation.etu.u-psud.fr/chimie/experiences/tp-s1sm/3absorptiometrie.htm>
- [IV.66] http://formation.etud.u-psud.fr/chimie/experiences/tp-101a/documents_TP/c3absorptiometrie.htm
- [IV.67] http://chimie.scola.ac-paris.fr/Sitedechimie/chi_exp/chromato/chromato_ioniq.htm#Principe
- [IV.68] http://www.unil.ch/cam/page28573_fr.html
- [IV.69] <http://www.ipgp.jussieu.fr/pages/0303090205.php>
- [IV.70] Montillet A., Comitty J. and Legrand J., *Application of metallic foams in electrochemical reactors of filter-press type – Part 1 : Flow characterization*, Journal of Applied Electrochemistry, 1993, 23, 1045-1050.
- [IV.71] Montillet A., Comitty J. and Legrand J., *Application of metallic foams in electrochemical reactors of filter-press type – Part : Mass transfer performance*, Journal of Applied Electrochemistry, 1994, 24, 384-389.
- [IV.72] Langlois S., Coeuret F., *Flow-through and flow-by porous electrodes of nickel foam. II. Diffusion-convection mass transfer between the electrolyte and the foam*, Journal of Applied Electrochemistry, vol.19, 1989, 51-60.
- [IV.73] Frank, Walsh, *A First Course in Electrochemical Engineering*, The Electrochemical Consultancy, 1993.

Bibliographie

Chapitre IV : Schéma expérimental et caractérisation des électrodes
utilisées dans le système électrochimique étudié

- [V.1] Do J-S. and Chen C-P., *In situ oxidative degradation of formaldehyde with hydrogen peroxide electrogenerated on the modified graphites*, J. Applied Electrochemistry, 1994, 24, 936-942.
- [V.2] Do J-S. and Chen C-P., *In situ oxidative degradation of formaldehyde with electrogenerated hydrogen peroxide*, J. Electrochem. Soc., June 1993, vol. 140, n°6, 1632-1637.
- [V.3] C. Ponce de Leon, D. Pletcher, *Removal of formaldehyde from aqueous solutions via oxygen reduction using a reticulated vitreous carbon cathode cell*, J. of Applied Electrochemistry, 1995, 25, 307-314.
- [V.4] Do J-S., Yeh W-C., *In situ paired electrooxidative degradation of formaldehyde with electrogenerated hydrogen peroxide and hypochlorite ion*, Journal of applied electrochemistry, 1998, 28, pp 703-710.
- [V.5] Rajeshwar K., Ibanez J., *Fundamentals and Applications in Pollution Abatement*, Environmental Electrochemistry, Academic Press, 1997.
- [V.6] Murphy, Boegil, Price, Moody, *A Fenton-like reaction to neutralize formaldehyde waste solutions*, Environ. Sci. Technol., 1989, 23, 166-169.
- [V.7] Hiroshi Okamoto, *Potential oscillation mechanism for formaldehyde oxidation on platinum*, Electrochimica Acta, 1993, 38, 4, 503-509.
- [V.8] Heinzl, Holze, *The electrooxidation of methanol and formaldehyde at a platinum electrode: a SEESR study of radical intermediates_I*, Electrochimica Acta, 1989, 34, 5, 657-661.

Bibliographie

Chapitre V : : Comportement du formol à l'électro-oxydation couplée

Bibliographie
Chapitre VI : Comportement du phénol à la destruction
électrochimique anodique, cathodique et couplée

- [VI.1] Do J-S., Yeh W-C., *In situ paired electrooxidative degradation of formaldehyde with electrogenerated hydrogen peroxide and hypochlorite ion*, Journal of applied electrochemistry, 1998, 28, pp 703-710.
- [VI.2] Do J-S. and Chen C-P., *In situ oxidative degradation of formaldehyde with electrogenerated hydrogen peroxide*, J. Electrochem. Soc., June 1993, vol. 140, n°6, 1632-1637.
- [VI.3] Perry's Chemical engineer's Handbook, sixth edition, Robert H. Perry, Don W. Green, International Student edition, 1984.
- [VI.4] *CRC, Handbook of Chemistry and Physics*, 83rd edition, 2002-2003, David R. Lide, CRC Press.
- [VI.5] E. Brillas, R. Sauleda, *Degradation of 4-Chlorophenol by anodic oxidation, electro-fenton, photoelectro-fenton, and peroxi-coagulation processes*, Journal of electrochemical society, march 1998, vol 145, n°3, 759-765.
- [VI.6] Brillas, Mur, Casado, *Iron (II) catalysis fo the mineralization of aniline using a carbon-ptfe O2-Fed cathode*, Journal of the electrochemical society, march 1996, vol 143, n°3, 49-53.
- [VI.7] E. Brillas, R.M.Basida, E. Llosa, *Electrochemical destruction of aniline and 4-chloroaniline for wastewater treatment using a carbon ptfe O2 fe cathode*, J. of the electrochem. soc., june 1995, vol 142, n°6, 1733- 1741.
- [VI.8] Fletcher, *Indirect oxidations using electrogenerated hydrogen peroxide*, Acta Chemica Scandinavica, 1999, 53, 745-750.
- [VI.9] Comninellis C., *Electrocatalysis in the electrochemical conversion/combustion of organic pollutants for waste water treatment*, Electrochemica acta, 1994, Vol 39, n°11/12, 1857-1862.
- [VI.10] Stucki, Kotz, *Electrochemical waste water treatment using high overvoltage anodes Part II : Anode performance and*

- applications*, J. of Applied Electrochemistry, 1991, 21, 99-104.
- [VI.11] Do, Yeh, *Paired electrooxidative degradation of phenol with in situ generated hydrogen peroxide and hypochlorite*, Journal of applied electrochemistry, 1996, 26, 673-678.
- [VI.12] Zhou, Wu, Xuan, *Anodic-Cathodic electrocatalytic degradation of phenol with oxygen sparged in the presence of iron*, Chemical research in Chinese Universities, 2002, 18, 262-266.
- [VI.13] Gallegos, Pletcher, *Oxidation of organic wastewater with electrogenerated Fenton's Reagent*, Official proceedings The international water conference 61st annual meeting, october 22-26, 2000, 514-521.
- [VI.14] Al-Hayek, Dore, *Oxydation des composés organiques par le réactif de Fenton : possibilités et limites*, Environmental Technology Letters, 1985, 6, 37-50.
- [VI.15] Comninellis, Pulgarin, *Anodic oxidation of phenol for waste water treatment*, J. of applied electrochemistry, 1991, 21, 703-708.
- [VI.16] A. Alvarez - Gallegos, D. Pletcher, *The removal of low organics via hydrogen peroxide formed in a reticulated vitreous carbon cathode cell. Part 2 : The removal of phenols and related compounds from aqueous effluents*, Electrochemical Acta, 1999, 44, 2483-2492.
- [VI.17] Namgoo K, Dong S.L., Jeyong Y., *Kinetic modeling of Fenton oxidation of phenol and monochlorophenols*, Chemosphere, 2002, 47, 915-924.
- [VI.18] Comninellis, Pulgarin, *Electrochemical oxidation of phenol for wastewater treatment using SnO₂ anodes*, J. of Applied Electrochemistry 1993, 23, 108-112.

Bibliographie
Chapitre VI : Comportement du phénol à la destruction
électrochimique anodique, cathodique et couplée

- [VI.19] Etwaree T., Savall A., Comninellis C., *Comparison of the chemical and electrochemical oxidation of phenol for wastewater*, Récents progrès en génie des procédés, Technologies innovantes en épuration des eaux, 1992, 6, 20, 215-224.

Bibliographie
Chapitre VI : Comportement du phénol à la destruction
électrochimique anodique, cathodique et couplée

Bibliographie
Chapitre VII : Etude scientifique détaillée de la destruction
électrochimique cathodique du phénol

- [VII.1] Do J-S. and Chen C-P., *In situ oxidative degradation of formaldehyde with electrogenerated hydrogen peroxide*, J. Electrochem. Soc., June 1993, vol. 140, n°6, 1632-1637.
- [VII.2] Gallard, De Laat, Legube, *Influence du pH sur la vitesse d'oxydation de composés organiques par FeII/H₂O₂. Mécanismes réactionnels et modélisation*, New J. Chem., 1998, 263-268.
- [VII.3] Stucki, Kotz, *Electrochemical waste water treatment using high overvoltage anodes Part II : Anode performance and applications*, J. of Applied Electrochemistry, 1991, 21, 99-104.
- [VII.4] Genders J.D., Weinberg N.L., *Electrochemistry for a cleaner environment*, The Electrosynthesis Company Inc., 1992.
- [VII.5] Coeuret F., Storck A., *Eléments de génie électrochimique*, Technique et Documentation (Lavoisier), 1984.
- [VII.6] Storck A., Enriquez-Granados N.A., Roger M., Coeuret F., *The behaviour of porous electrodes in a flow-by regime-I. Theoretical study.*, Electyrochemica Acta, vol. 27, N°2, 1982, 293-301.
- [VII.7] Langlois S., Coeuret F., *Flow-through and flow-by porous electrodes of nickel foam. I. Material characterization*, Journal of Applied Electrochemistry, vol.19, 1989, 43-50.
- [VII.8] Langlois S., Coeuret F., *Flow-through and flow-by porous electrodes of nickel foam. II. Diffusion-convection mass transfer between the electrolyte and the foam*, Journal of Applied Electrochemistry, vol.19, 1989, 51-60.
- [VII.9] Langlois S., Coeuret F., *Flow-through and flow-by porous electrodes of nickel foam. Part III: theoretical electrode potential distribution in the flow-by configuration*, Journal of Applied Electrochemistry, vol.20, 1990, 740-748.

Bibliographie
Chapitre VII : Etude scientifique détaillée de la destruction
électrochimique cathodique du phénol

- [VII.10] Langlois S., Coeuret F., *Flow-through and flow-by porous electrodes of nickel foam. Part IV: experimental electrode potential distributions in the flow-through and in the flow-by configurations*, Journal of Applied Electrochemistry, vol.20, 1990, 749-755.
- [VII.11] Fedkiw P.S., *Ohmic Potentiel Drop, in Flow-Through and Flow-By Porous Electrodes*, Journal of electrochemical Society: Electrochemical Science and Technology, vol. 128, N°4, 1981, 831-838.
- [VII.12] [http : // www . ergaerospace . com /literature/erg_rvc.pdf](http://www.ergaerospace.com/literature/erg_rvc.pdf)

Bibliographie
Chapitre VIII : Vérification par voltampérométrie cyclique des réactions de
réduction de O₂ et de l'ion Fe³⁺ à la surface du RVC

- [VIII.1] Bard A. J., Faulkner L.R., *Electrochimie: Principes, méthodes et applications*, Masson, 1983.
- [VIII.2] Frank, Walsh, *A First Course in Electrochemical Engineering*, The Electrochemical Consultancy, 1993.
- [VIII.3] Derek, Pletcher, *A First Course in electrode Processes*, The Electrochemical Consultancy, 1991.
- [VIII.4] Girault H. H., *Electrochimie physique et analytique*, presses polytechniques et universitaires romandes.
- [VIII.5] Rajeshwar K., Ibanez J., *Environmental Electrochemistry : Fundamentals and Applications in Pollution Abatement*, Academic Press, 1997.
- [VIII.6] Claes P., Chimie analytique II, UCL, 2000.
- [VIII.7] Pede L., *Etude de la structure et des propriétés d'une cathode capable de dégrader les ions nitrates en ammoniacale dans les effluents industriels*, Mémoire UCL, Unité d'ingénierie des matériaux et des procédés, 2005.
- [VIII.8] Henry Ph., *Conception et mise au point d'un réacteur électrochimique pour l'électrolixiviation de matières solides et l'électro-échange d'ions sur résine*, Thèse UCL, Unité de physico-chimie et d'ingénierie des matériaux, 1999.
- [VIII.9] Leroy C., *Elaboration d'anodes en composite pour des applications en milieu sulfurique ou chlorhydrique*, Thèse UCL, Unité des Procédés, 1996.
- [VIII.10] Derek Pletcher, *A First Course in Electrode Processes*, The Electrochemical Consultancy, 1991.
- [VIII.11] Alvarez-Gallegos A., Pletcher D., *The removal of low level organics via hydrogen peroxide formed in a reticulated vitreous carbon cathode cell, Part 1 . The electrosynthesis of hydrogen peroxide in aqueous acidic solutions*, *Electrochimica Acta*, 44, 1998, 853-861.

Bibliographie
Chapitre VIII : Vérification par voltampérométrie cyclique des réactions de
réduction de O₂ et de l'ion Fe³⁺ à la surface du RVC

- [VIII.12] Bard Allen J., Parsons Roger, Jordan Joseph, *Standard Potentials in Aqueous Solution*, International Union of pure and applied chemistry, 1985.
- [VIII.13] Pourbaix M., *Atlas d'équilibres électrochimiques à 25°C*, Gauthier-Villars & C^{ie}.Editeur, 1963.
- [VIII.14] Hamann Carl H., Hamnett Andrew, Vielstich Wolf, *Electrochemistry*, Wiley-VCH.
- [VIII.15] Ponce de Leon C., Pletcher D., *Removal of formaldehyde from aqueous solutions via oxygen reduction using a reticulated vitreous carbon cathode cell*, J. of Applied Electrochemistry 25, 1995, 307-314.
- [VIII.16] Baez Victor B., Pletcher Derek, *Preparation and characterization of carbon/titanium dioxide surfaces-the reduction of oxygen*, Journal of electroanalytical chemistry, 1995, 382(), 59–64.
- [VIII.17] Harrington Tomas, Pletcher Derek, *The removal of low levels of organics from aqueous solutions using Fe(II) and hydrogen peroxide formed in situ at gas diffusion electrodes*, Journal of The electrochemical society, 1999, 146(8), 2983–2989.
- [VIII.18] Adrian F. Gil, *Predominance-zone diagrams of Fe(III) and Fe(II) sulfate complexes in acidic media. Voltammetric and spectrophotometric studies.*, Talania, 1995, 42(3), 407–414.
- [VIII.19] Taylor R.J., Humffray A.A., *Electrochemical studies on glassy carbon electrodes - I. Electron transfert kinetics*, Electroanalytical Chemistry and Interfacial Electrochemistry, 1973, 42(), 347 – 354.
- [VIII.20] Taylor R.J., Humffray A.A., *Electrochemical studies on glassy carbon electrodes - II. oxygen reduction in solutions of high pH (pH>10)*, Journal of electroanalytical Chemistry, 1975, 64(1), 63 – 84.

Bibliographie
Chapitre VIII : Vérification par voltampérométrie cyclique des réactions de
réduction de O₂ et de l'ion Fe³⁺ à la surface du RVC

- [VIII.21] Taylor R.J., Humffray A.A., *Electrochemical studies on glassy carbon electrodes - III. Oxygen reduction in solution of low pH (pH<10)*, Journal of Electroanalytical Chemistry, 1975, 64(), 85–94.
- [VIII.22] Taylor R.J., Humffray A.A., *Electrochemical studies on glassy carbon electrodes - IV. Influence of solution pH and buffer capacity on reduction of oxygen*, Journal of Electroanalytic chemistry, 1975, 64(), 95–105.

