

Contents

Summary

Chapter I:	Introduction	1
I	General context	2
I.1	Purpose of the work	2
I.2	Literature survey	3
I.2.1	Advantages in using alkanes as feedstock	4
I.2.2	Dehydrogenation versus Oxidative dehydrogenation	6
I.2.2.1	Major industrial aspects	6
I.2.2.2	ODH of paraffins to olefins	9
I.3	Hydrocarbon activation	12
I.4	Selectivity in hydrocarbon oxidation catalysis	13
I.5	Effect of additives on the physico-chemical and catalytic properties of oxide catalysts in selective oxidation reactions	16
I.6	Catalysts in propane oxidative dehydrogenation	18
I.6.1	Molybdenum-based catalysts	19
I.6.1.1	General context	19
I.6.1.2	Ni and Co molybdates	20
I.6.1.2.1	Crystal structure	20
I.6.1.2.2	Effect of the preparation method on the structure and catalytic performances of bulk catalysts	21
I.6.1.2.3	The effect of the support	22
I.6.1.2.4	Catalytic activity	23
I.6.1.3	Molybdena supported on different oxides	27
I.7	Lanthanides in catalytic oxidation	28
I.8	Methodology of the thesis	30
I.8.1	Solid solutions of Ni and Co molybdates in silica-dispersed and bulk catalysts prepared by sol-gel, impregnation and citrate method: characterization and catalytic activity in propane oxidative dehydrogenation	30
I.8.2	Modified Ni and/or Co molybdates by bismuth and/or lanthanides: characterization and catalytic activity in propane ODH	32
I.8.3	Preparation and Catalytic Activity of Ni-Co molybdates supported on alumina, magnesia, titania, zirconia and mixed alumina-magnesia	34

Chapter II:	Experimental	35
II.	Experimental	36
II.1	Catalysts prepared by citrate method	36
II.1.1	General principles	36
II.1.2	Preparation of Ni-Co molybdates	36
II.1.3	Preparation of M-Ln(Bi)-Mo catalysts (M = Ni, Co; Ln = La, Ce, Pr, Sm, Tb)	37
II.1.4	Preparation of α -Bi ₂ Mo ₃ O ₁₂ and Pr ₂ Mo ₃ O ₁₂	37
II.2	Catalysts prepared by sol-gel method	38
II.2.1	Preparation of Silica-dispersed Ni-Co molybdates	38
II.2.2	Preparation of Ni(Co)-Ln(Bi)-Mo-Si, Ni-Co-Ln(Bi)-Mo-Si and Ni-Co-Ln-Ln'(Bi)-Mo-Si (Ln, Ln' = La, Ce, Pr, Sm, Tb)	39
II.2.3	Preparation of Alumina-dispersed Ni-Co molybdates	39
II.2.4	Preparation of Magnesia-dispersed Ni-Co molybdates	40
II.2.5	Preparation of Ni-Co molybdates dispersed on a mixed Al ₂ O ₃ -MgO support	40
II.2.6	Preparation of Silica-supported α -Bi ₂ Mo ₃ O ₁₂ , β -Bi ₂ Mo ₂ O ₉ and CeO ₂	41
II.2.7	Preparation of pure supports by sol-gel method	42
II.2.7.1	Preparation of Silica	42
II.2.7.2	Preparation of Alumina	42
II.2.7.3	Preparation of Magnesia	42
II.2.7.4	Preparation of Al ₂ O ₃ -MgO	42
II.3	Catalysts prepared by Impregnation	43
II.4	Pure Phases prepared by Ceramic Method	43
II.5	Description of the analytical techniques	44
II.5.1	Thermogravimetric analysis (TGA)	44
II.5.2	X-ray diffraction (XRD)	44
II.5.3	X-ray photoelectron spectroscopy (XPS)	44
II.5.4	Raman spectroscopy	46
II.5.5	U.V.-visible diffuse reflectance spectroscopy (UV-Vis DRS)	46
II.5.6	Specific surface area measurements (BET), pore size distribution and total pore volume (BJH)	46
II.6	Catalytic testing and reaction conditions	47
II.7	Expression of the catalytic results	49
Chapter III:	A General View of Structural and Catalytic Results	51
III.1	Overview of the structural and textural results	52
III.1.1	Introduction	52
III.1.2	Solid solutions of Ni and Co molybdates in silica-dispersed and bulk catalysts prepared by sol-gel, impregnation and citrate method	53
III.1.2.1	Citrate prepared catalysts	53
III.1.2.1.1	X-ray diffraction and BET specific surface areas	53
III.1.2.1.2	Raman spectroscopy	57

III.1.2.2	Catalysts prepared by sol-gel and impregnation method	57
III.1.2.2.1	X-ray diffraction and BET specific surface areas	57
III.1.2.2.2	General comments on specific surface area and porosity measurements	58
III.1.2.2.3	X-ray photoelectron spectroscopy	60
III.1.2.2.4	Raman spectroscopy	62
III.1.2.2.5	Discussion of the structural and physico-chemical aspects	65
III.1.3	Preparation of Ni-Co molybdates supported on alumina, magnesia, titania, zirconia and mixed alumina-magnesia	68
III.1.3.1	Alumina-, magnesia- and mixed Al ₂ O ₃ -MgO-dispersed catalysts prepared by impregnation and sol-gel methods	68
III.1.3.1.1	X-ray diffraction	69
III.1.3.1.2	General comments on specific surface area and porosity measurements	70
III.1.3.1.3	X-ray photoelectron spectroscopy	73
III.1.3.2	Titania- and zirconia-supported catalysts prepared by impregnation	74
III.1.3.2.1	X-ray diffraction, Raman spectroscopy and S _{BET} measurements	75
III.1.3.2.2	X-ray photoelectron spectroscopy	76
III.1.4	Ni and/or Co molybdates modified by bismuth and/or lanthanides	77
III.1.4.1	Characterization of (Ni,Co)-Ln(Bi)-Mo-catalysts prepared by the citrate method	77
III.1.4.1.1	X-ray diffraction and BET specific surface areas	77
III.1.4.1.2	Raman spectroscopy	80
III.1.4.2	Characterization of (Ni,Co)-Ln(Bi)-Mo-Si (1:1:2.5:20) prepared by the sol-gel method	82
III.1.4.2.1	X-ray diffraction and BET specific surface areas	82
III.1.4.2.2	X-ray photoelectron spectroscopy	82
III.1.4.2.3	Raman spectroscopy	83
III.1.4.3	Characterization of Ni-Co-Ln(Bi)-Mo-Si (1:1:1:2.5:20) and Ni-Co-Ln-Ln'(Bi)-Mo-Si (1:1:1:1:2.5:20) prepared by the sol-gel method	83
III.1.4.3.1	X-ray diffraction and specific surface areas	83
III.1.4.4	Discussion	84
III.1.4.4.1	Stabilization of the β-MMoO ₄ (M = Ni or Co) by incorporation of lanthanide ions and formation of quaternary phases	84
III.1.4.4.2	Overall picture of the multiphase catalysts	84
III.1.5	Conclusions	87
III.2	Overview of the catalytic results	88
III.2.1	Introduction	88
III.2.2	Silica-dispersed solid solutions of Ni and Co molybdates	90
III.2.2.1	Influence of Ni/Co composition	90
III.2.2.2	Influence of Silica loading	92

III.2.2.3	Comparison between catalysts prepared by impregnation and sol-gel method	93
III.2.2.4	Comparison with the catalysts from the literature	94
III.2.2.5	On the catalytic performances of solid solutions of Ni and Co molybdates supported on silica	96
III.2.3	Catalytic behaviour of alumina-supported Ni and Co molybdates	101
III.2.4	Catalytic behaviour magnesia-supported Ni and Co molybdates	102
III.2.5	Catalytic behaviour of Al ₂ O ₃ -MgO-supported Ni and Co molybdates	104
III.2.6	Catalytic behaviour of TiO ₂ -supported Ni and Co molybdates	105
III.2.7	Catalytic behaviour of ZrO ₂ -supported Ni and Co molybdates	106
III.2.8	Selectivity-conversion relationships	106
III.2.9	General comments and remarks on the role of the support	108
III.2.10	Influence of the acid-base properties	108
III.2.11	Discussion of the catalytic results of Al ₂ O ₃ -, MgO- and Al ₂ O ₃ -MgO- supported Ni and Co molybdates prepared by impregnation and sol-gel method	111
III.2.12	Discussion of the catalytic results of TiO ₂ - and ZrO ₂ -supported Ni and Co molybdates prepared by impregnation method	114
III.2.13	Catalytic performances of Ni and Co molybdates modified by lanthanides	115
III.2.13.1	Catalytic performances of “non-stoichiometric” Ni-Co-Ln(Bi)-Mo-Si (1:1:1:2.5:20)	115
III.2.13.2	Catalytic performances of “non stoichiometric” Ni-Co-M-M'(Bi)-Mo-Si (1:1:1:1:2.5:20)	116
III.2.14	On the catalytic behaviour of modified mixed Ni and Co molybdates (Ni:Co:Ln(Bi):Mo:Si, 1:1:1:2.5:20)	120
III.2.14.1	Ionization Energy	120
III.2.14.2	Absolute Hardness	122
III.2.14.3	Redox Potential	123
III.2.15	On the catalytic behaviour of multi-modified mixed Ni and Co molybdates (Ni:Co:Ln:Ln':Mo:Si, 1: 1: 1: 1: 2.5: 20)	125
III.2.15.1	Ionization Energy	125
III.2.15.2	Absolute Hardness	128
III.2.15.3	Redox Potential	130
III.2.16	Conclusions	132

Chapter IV:	Conclusions and Perspectives	135
IV.1	Conclusions	136
IV.2	Perspectives	140
Appendix I:	Literature Survey and Theoretical Concepts	145
I.1	Major classes of catalysts for propane ODH	146
I.1.1	Vanadium based catalysts	146
I.1.1.1	V-Mg-O and VO _x /Al ₂ O ₃ catalysts	146
I.1.1.2	ZrO ₂ -supported VO _x catalysts	147
I.1.1.3	Other supported Vanadium catalysts	147
I.1.2	Niobium-based catalysts	148
I.1.2.1	Nb-V oxide catalysts	148
I.1.2.1.1	Structural characterizations	148
I.1.2.1.2	Preparation methods	150
I.1.2.2	Nb-V-Mo catalysts	150
I.1.2.2.1	Major crystalline phases	150
I.1.2.2.2	Catalytic activity	151
I.1.2.3	Nb-V-Sb catalysts	151
I.2	Sol-gel method and its potentiality in catalysis	152
I.2.1	General principles	152
I.2.2	Application of the sol-gel method to the preparation of supported molybdate catalysts	154
I.2.3	Sol-gel preparation of mixed supports	156
I.3	Overview of the basic physico-chemical concepts used	156
I.3.1	Ionization energy (IE)	156
I.3.2	Standard enthalpy of oxide formation	157
I.3.3	Acido-basicity: the absolute hardness	158
I.3.4	Acido-basicity: the optical basicity of catalyst oxygen	159
I.4	Basic concepts on the role of the acido-basicity in catalytic oxidation	162
Appendix II:	Experimental	165
Appendix III:	Solid Solutions of Ni and Co Molybdates in Silica-dispersed and Bulk Catalysts prepared by Sol-gel, Impregnation and Citrate Method: Characterization and Catalytic Activity in Propane Oxidative Dehydrogenation	171
III.1	Characterization of bulk Ni, Co and mixed Ni-Co molybdates prepared by the citrate method	172
III.1.1	Thermal behaviour	172

III.1.2	X-ray photoelectron spectroscopy	173
III.1.3	Raman spectroscopy	174
III.1.4	UV-visible diffuse reflectance spectroscopy	174
III.2	Characterization of silica dispersed Ni, Co and mixed Ni-Co molybdates prepared by the sol-gel method	175
III.2.1	Thermal behaviour	175
III.2.2	X-ray diffraction and BET specific surface areas	176
III.2.3	Specific surface area and porosity measurements	177
III.2.4	Raman spectroscopy	179
III.3	Characterization of silica-dispersed Ni-Co molybdates by impregnation method	180
III.3.1	X-ray diffraction and specific surface areas	180
III.3.2	Specific surface area and porosity measurements	181
III.3.3	Raman spectroscopy	181
III.3.4	X-ray photoelectron spectroscopy	181
III.4	Catalytic results	183
III.4.1	General comments and comparison bulk/supported Catalysts	183
III.4.2	Influence of Ni/Co composition	187
III.4.3	Influence of silica loading	188
III.4.4	On the catalytic performances of solid solutions of Ni and Co molybdates supported on silica	189

Appendix IV: Ni and/or Co Molybdates Modified by Bismuth and/or Lanthanides: Characterization and Catalytic Activity in Propane ODH

193

IV.1	Characterization of M-Ln(Bi)-Mo-catalysts prepared by the citrate method	194
IV.1.1	Thermal behaviour	194
IV.1.2	X-ray photoelectron spectroscopy	194
IV.1.3	Raman spectroscopy	195
IV.1.4	UV-visible diffuse reflectance spectroscopy	197
IV.2	Characterization of M-Ln(Bi)-Mo-Si (1:1:2.5:20) prepared by the sol-gel method	199
IV.2.1	Thermal behaviour	199
IV.2.2	X-ray diffraction and BET specific surface areas	200
IV.2.3	X-ray photoelectron spectroscopy	201
IV.2.4	Raman spectroscopy	202
IV.3	Characterization of Ni-Co-Ln(Bi)-Mo-Si (1:1:1:2.5:20) and Ni-Co-Ln-Ln'(Bi)-Mo-Si (1:1:1:1:2.5:20) prepared by the sol-gel method	202
IV.3.1	Thermal behaviour	202
IV.3.2	X-ray diffraction and specific surface areas	203
IV.3.3	Raman spectroscopy and X-ray photoelectron spectroscopy	204
IV.4	Catalytic Results	209

IV.4.1	Catalytic performances of “stoichiometric” M-Ln(Bi)-Mo-Si (M= Ni, Co) (1:1:2.5:20)	209
IV.4.2	Catalytic performances of “non-stoichiometric” Ni-Co-Ln(Bi)-Mo-Si (1:1:1:2.5:20)	212
IV.4.3	Catalytic performances of “non stoichiometric” Ni-Co-M-M' (Bi)-Mo-Si (1:1:1:1:2.5:20)	213
IV.5	Characterization of used catalysts	216
IV.5.1	X-ray diffraction	216
IV.5.2	X-ray photoelectron spectroscopy	216
IV.6	On the catalytic performances of Ni and Co molybdates modified by bismuth and/or lanthanides	219
IV.6.1	Explanation of the catalytic behaviour of modified Ni or Co molybdates (Ni(Co):Ln(Bi)Mo:Si, 1:1:2.5:20) by the hypothesis of a single multicomponent phase	219
IV.6.2	On the catalytic behaviour of modified mixed Ni and Co molybdates (Ni:Co:Ln(Bi)Mo:Si, 1:1:1:2.5:20)	221
IV.6.2.1	Heat of formation of the oxides	222
IV.6.2.2	Absolute ardness	224
IV.6.2.3	Redox Potential	224
IV.6.3	On the catalytic behaviour of multi-modified mixed Ni and Co molybdates (Ni:Co:Ln:Ln':Mo:Si, 1:1:1:1:2.5:20)	225
IV.6.3.1	Ionization Energy	226
IV.6.3.2	Redox Potential	226
Appendix V:	Preparation and Catalytic Activity of Ni-Co Molybdates Supported on Alumina, Magnesia, Titania, Zirconia and Mixed Alumina-Magnesia	229
V.1	Alumina-, magnesia- and mixed Al₂O₃-MgO-dispersed catalysts prepared by impregnation and sol-gel methods	230
V.1.1	Characterization of the pure supports	230
V.1.2	Thermal behaviour of all sol-gel precursors	231
V.1.3	X-ray diffraction and Raman spectroscopy	233
V.1.4	Specific surface area and porosity measurements	235
V.1.5	X-Ray photoelectron spectroscopy	235
V.2	Titania- and zirconia-supported catalysts prepared by impregnation	238
V.2.1	Characterization of the pure supports	238
V.2.2	X-ray diffraction, Raman spectroscopy and S _{BET} measurements	238
V.2.3	X-ray photoelectron spectroscopy	241
V.3	Catalytic performances	242
V.3.1	Catalytic behavior of alumina-supported Ni and Co molybdates	242
V.3.2	Catalytic behavior of magnesia-supported Ni and Co molybdates	242
V.3.3	Catalytic behavior of Al ₂ O ₃ -MgO-supported Ni and	

	Co molybdates	245
V.3.4	Catalytic behavior of TiO ₂ -supported Ni and Co molybdates	247
V.3.5	Catalytic behavior of ZrO ₂ -supported Ni and Co molybdates	247
V.4	Evaluation of the catalytic performances of Ni:Co:Mo:Supp with respect to the amount of Mg included in the formulation	249
V.5	Al₂O₃-, MgO- and Al₂O₃-MgO-supported Ni and Co molybdates prepared by impregnation and sol-gel method	250
V.6	TiO₂ and ZrO₂-supported Ni and Co molybdates prepared by impregnation	253
	Publications and Communications at International Meetings	255
	References	257