

Bibliography

- Abel, N. O. J., & Blaikie, P. M. (1989). Land degradation, stocking rates and conservation policies in the communal rangelands of Botswana and Zimbabwe. *Land Degradation & Development*, 1(2), 101-123. <https://doi.org/10.1002/ldr.3400010204>
- Abrahms, B., Jordan, N. R., Golabek, K. A., McNutt, J. W., Wilson, A. M., & Brashares, J. S. (2016). Lessons from integrating behaviour and resource selection: activity-specific responses of African wild dogs to roads. *Animal Conservation*, 19(3), 247-255. <https://doi.org/10.1111/acv.12235>
- Agha, M., Batter, T., Bolas, E. C., Collins, A. C., Gomes da Rocha, D., Monteza-Moreno, C. M.,...Sollmann, R. (2018). A review of wildlife camera trapping trends across Africa. *African Journal of Ecology*, 56(4), 694-701. <https://doi.org/10.1111/aje.12565>
- Ahlswede, S., Fabiano, E. C., Keeping, D., & Birkhofer, K. (2019). Using the Formozov–Malyshev–Pereleshin formula to convert mammal spoor counts into density estimates for long-term community-level monitoring. *African Journal of Ecology*, 57(2), 177-189. <https://doi.org/10.1111/aje.12587>
- Alessandrello, V. L. (2022). *A Second Chance? Movement Pattern of Resident versus Translocated Leopards (Panthera pardus) in Botswana*. M.Sc. Thesis, University of Zurich, Zurich.
- Allendorf, T. D. (2022). A global summary of local residents' perceptions of benefits and problems of protected areas. *Biodiversity and Conservation*, 31(2), 379-396. <https://doi.org/10.1007/s10531-022-02359-z>
- Anderson, D. R. (2001). The need to get the basics right in wildlife field studies. *Wildlife Society Bulletin*, 29(4), 1294-1297. <https://www.jstor.org/stable/3784156>
- Anderson, S. C., Ward, E. J., English, P. A., Barnett, L. A. K., & Thorson, J. T. (2024). sdmTMB: An R Package for Fast, Flexible, and User-Friendly Generalized Linear Mixed Effects Models with Spatial and Spatiotemporal Random Fields. *bioRxiv*, 2022.2003.2024.485545. <https://doi.org/10.1101/2022.03.24.485545>
- Aparício, M., Moraes, C. d. P., Py-Daniel, A. R., & Neves, E. G. (2024). Amazonia in symbiosis: traces of humankind facing the Anthropocene. *Estudos Avançados*, 38(112), 7-30. <https://doi.org/10.1590/s0103-4014.202438112.002-en>
- Apps, P. J., & McNutt, J. W. (2018). How camera traps work and how to work them. *African Journal of Ecology*, 56(4), 702-709. <https://doi.org/10.1111/aje.12563>
- Aswani, S., Lemahieu, A., & Sauer, W. H. H. (2018). Global trends of local ecological knowledge and future implications. *PLOS ONE*, 13(4), e0195440. <https://doi.org/10.1371/journal.pone.0195440>

- Barker, R. J., & Sauer, J. R. (1995). Statistical aspects of point count sampling. In C. J. Ralph, J. R. Sauer, & S. Droege (Eds.), *Monitoring bird populations by point counts* (Vol. Gen. Tech. Rep. PSW-GTR-149, pp. 125-130). U.S. Forest Service, Pacific Southwest Research Station, Albany.
- Barnosky, A. D., Matzke, N., Tomiya, S., Wogan, G. O. U., Swartz, B., Quental, T. B.,...Ferrer, E. A. (2011). Has the Earth's sixth mass extinction already arrived? *Nature*, 471, 51. <https://doi.org/10.1038/nature09678>
- Barrow, E., & Fabricius, C. (2002). Do rural people really benefit from protected areas - Rhetoric or reality? *Parks*, 12, 67-79.
- Batisani, N., & Yarnal, B. (2010). Rainfall variability and trends in semi-arid Botswana: Implications for climate change adaptation policy. *Applied Geography*, 30(4), 483-489. <https://doi.org/https://doi.org/10.1016/j.apgeog.2009.10.007>
- Bauer, D., Schiess-Meier, M., Mills, D., & Gusset, M. (2014). Using spoor and prey counts to determine temporal and spatial variation in lion (*Panthera leo*) density. *Canadian Journal of Zoology*, 92(2), 97-104. <https://doi.org/10.1139/cjz-2013-0176>
- Bauer, H., Chardonnet, B., Scholte, P., Kamgang, S. A., Tiomoko, D. A., Tehou, A. C.,...Bobo, K. S. (2021). Consider divergent regional perspectives to enhance wildlife conservation across Africa. *Nature Ecology & Evolution*, 5(2), 149-152. <https://doi.org/10.1038/s41559-020-01343-6>
- Beauvais, G. P., & Buskirk, S. W. (1999). An Improved Estimate of Trail Detectability for Snow-Trail Surveys. *Wildlife Society Bulletin (1973-2006)*, 27(1), 32-38.
- Becker, E. F., Spindler, M. A., & Osborne, T. O. (1998). A population estimator based on network sampling of tracks in the snow. *The Journal of wildlife management*, 62(3), 968-977. <https://doi.org/10.2307/3802549>
- Begg, C. M., Begg, K. S., Du Toit, J. T., & Mills, M. G. L. (2005). Spatial organization of the honey badger *Mellivora capensis* in the southern Kalahari: home-range size and movement patterns. *Journal of Zoology*, 265(1), 23-35. <https://doi.org/10.1017/S0952836904005989>
- Belova, O., & Sezikas, K. (2017). Dynamics and Sustainable Use of Moose (*Alces alces* L.) Population. *Baltic Forestry*, 23(3), 711-723.
- Bergström, R., & Skarpe, C. (1999). The abundance of large wild herbivores in a semi-arid savanna in relation to seasons, pans and livestock. *African Journal of Ecology*, 37(1), 12-26. <https://doi.org/10.1046/j.1365-2028.1999.00165.x>
- Berry, P. E., Dammhahn, M., & Blaum, N. (2023). Keeping cool on hot days: activity responses of African antelope to heat extremes. *Frontiers in Ecology and Evolution*, 11, 1172303. <https://doi.org/10.3389/fevo.2023.1172303>
- Beukes, M., Radloff, F. G. T., & Ferreira, S. M. (2020). Spatial and seasonal variation in lion (*Panthera leo*) diet in the southwestern Kgalagadi Transfrontier Park. *African Journal of Wildlife Research*, 50(1), 55-68. <https://doi.org/10.3957/056.050.0055>

- Bigalke, R. C. (1972). Observations on the behaviour and feeding habits of the springbok, *Antidorcas marsupialis*. *African Zoology*, 7(1), 333-359. <https://doi.org/10.1080/00445096.1972.11447448>
- Blaum, N., Rossmannith, E., Popp, A., & Jeltsch, F. (2007). Shrub encroachment affects mammalian carnivore abundance and species richness in semiarid rangelands. *Acta Oecologica*, 31(1), 86-92. <https://doi.org/10.1016/j.actao.2006.10.004>
- Boast, L. K. (2014). *Exploring the causes of and mitigation options for human-predator conflict on game ranches in Botswana: How is coexistence possible?* Ph.D. Thesis, University of Cape Town, Cape Town.
- Bond, I., Child, B., de la Harpe, D., Jones, B., Barnes, J., & Anderson, H. (2004). Private Land Contribution to Conservation in South Africa. In B. Child (Ed.), *Parks in Transition: Biodiversity, Rural Development and the Bottom Line (1st ed.)*. Routledge, London.
- Bonifica. (1992). *Initial Measures for the Conservation of the Kalahari Ecosystem: Final Report*. Bonifica Iritecna, Gruppo IRI.
- Boocock, C., & Van Straten, O. J. (1962). Notes on the geology and hydrogeology of the central Kalahari region, Bechuanaland Protectorate. *Transactions and Proceedings of the geological Society of South Africa*, 65(1), 125-176.
- Bothma, J. d. P. (2005). Water-use by southern Kalahari leopards. *South African Journal of Wildlife Research*, 35(2), 131-137. <https://hdl.handle.net/10520/EJC117220>
- Bothma, J. D. P., & Le Riche, E. A. N. (1984). Aspects of the ecology and the behaviour of the leopard *Panthera pardus* in the Kalahari Desert. *Koedoe*, 27(2), 259-279. <https://doi.org/10.4102/koedoe.v27i2.585>
- Bothma, J. d. P., & Walker, C. (1999). *Larger Carnivores of the African Savannas*. Springer Berlin Heidelberg.
- Boyers, M., Parrini, F., Owen-Smith, N., Erasmus, B. F. N., & Hetem, R. S. (2019). How free-ranging ungulates with differing water dependencies cope with seasonal variation in temperature and aridity. *Conservation Physiology*, 7(1), coz064. <https://doi.org/10.1093/conphys/coz064>
- Brandišauskas, D. (2016). *Leaving footprints in the taiga: luck, spirits and ambivalence among the Siberian Orochen reindeer herders and hunters*. Berghahn Books, Oxford/New York.
- Brehme, C. S., Tracey, J. A., McClenaghan, L. R., & Fisher, R. N. (2013). Permeability of roads to movement of scrubland lizards and small mammals. *Conservation Biology*, 27(4), 710-720. <https://doi.org/10.1111/cobi.12081>
- Brett, R. (2000). *Wildlife conservation and utilisation in central and southern Botswana: Final report, Senior wildlife biologist (population monitoring) (1999-2000)*. Department of Wildlife and National Parks, Gaborone.

- Brito, B. P., Jori, F., Dwarka, R., Maree, F. F., Heath, L., & Perez, A. M. (2016). Transmission of foot-and-mouth disease SAT2 viruses at the wildlife–livestock interface of two major transfrontier conservation areas in southern Africa. *Frontiers in microbiology*, 7, 528. <https://doi.org/10.3389/fmicb.2016.00528>
- Broughton, J. M. (1999). *Resource depression and intensification during the late Holocene, San Francisco Bay: Evidence from the Emeryville Shellmound vertebrate fauna*. University of California Press, Berkeley.
- Brown, M. B., Fennessy, J. T., Crego, R. D., Fleming, C. H., Alves, J., Brandlová, K.,...Stabach, J. (2023). Ranging behaviours across ecological and anthropogenic disturbance gradients: a pan-African perspective of giraffe (*Giraffa* spp.) space use. *Proceedings of the Royal Society B*, 290(2021), 20230912. <https://doi.org/10.1098/rspb.2023.0912>
- Buckland, S., Anderson, D., Burnham, K., & Laake, J. (1993). *Distance Sampling: Estimating Abundance of Biological Populations*. Chapman and Hall, London.
- Burns, P. A., McCall, C., Rowe, K. C., Parrott, M. L., & Phillips, B. L. (2019). Accounting for detectability and abundance in survey design for a declining species. *Diversity and Distributions*, 25(10), 1655-1665. <https://doi.org/10.1111/ddi.12966>
- Butchart, S. H. M., Walpole, M., Collen, B., Van Strien, A., Scharlemann, J. P. W., Almond, R. E. A.,...Bruno, J. (2010). Global biodiversity: indicators of recent declines. *Science*, 328(5982), 1164-1168. <https://doi.org/10.1126/science.1187512>
- Butler, V. P. (2017). *Feeding ecology of the greater kudu (Tragelaphus strepsiceros) in the central Free State* M.Sc. Thesis, University of the Free State, Bloemfontein.
- Campbell, A. (1981). A Comment on Kalahari Wildlife and the Khukhe Fence. *Botswana Notes and Records*, 13, 111-118. <http://www.jstor.org/stable/40979642>
- Campbell, A. (1997). A History of Wildlife in Botswana to 1966. In F. Monggae (Ed.), *Proceedings of a National Conference on Conservation and Management of Wildlife in Botswana: Strategies for the Twenty First Century* (pp. 7-31). Department of Wildlife and National Parks of Botswana and the Kalahari Conservation Society, Gaborone.
- Campbell, A. (2004). Establishment of Botswana's National Park and Game Reserve System. *Botswana Notes and Records*, 36, 55-66. <https://www.jstor.org/stable/40980360>
- Campbell, A., & Child, G. (1971). The impact of man on the environment of Botswana. *Botswana Notes and Records*, 3, 91-110. <https://www.jstor.org/stable/40979281>
- Campbell, A. C. (1978). The 1960's drought in Botswana. In M. Hinchey (Ed.), *Proceedings of the symposium on drought in Botswana* (pp. 98-109). The Botswana Society in collaboration with Clark University Press, Gaborone.
- Cappelle, N., Howe, E. J., Boesch, C., & Kühl, H. S. (2021). Estimating animal abundance and effort–precision relationship with camera trap distance sampling. *Ecosphere*, 12(1), e03299. <https://doi.org/10.1002/ecs2.3299>

- Carbone, C., Cowlshaw, G., Isaac, N. J. B., & Rowcliffe, J. M. (2005). How far do animals go? Determinants of day range in mammals. *The American Naturalist*, 165(2), 290-297. <https://doi.org/10.1086/426790>
- Carlsson, K. (2005). *Mammal communities in the southern Kalahari: differences between land use types and seasons* M.Sc. Thesis, Uppsala University, Uppsala.
- Carson, R. (1962). *Silent Spring*. Houghton Mifflin, Boston.
- Caughley, G. (1974). Bias in aerial survey. *The Journal of Wildlife Management*, 38(4), 921-933. <https://doi.org/10.2307/3800067>
- Cavallini, P. (1993). Activity of the yellow mongoose *Cynictis penicillata* in a coastal area. *Zeitschrift für Säugetierkunde*, 58, 281-285.
- CCB. (2025). *GH10 Land Use Management Plan. Prepared on behalf of Xwiskurusa Natural Resources Conservation by Trust Arthur Albertson Consulting with support from Cheetah Conservation Botswana*. Cheetah Conservation Botswana, Gaborone.
- Chan, E. K. F., Timmermann, A., Baldi, B. F., Moore, A. E., Lyons, R. J., Lee, S.-S.,...Förtsch, H. E. A. (2019). Human origins in a southern African palaeo-wetland and first migrations. *Nature*, 575(7781), 185-189. <https://doi.org/10.1038/s41586-019-1714-1>
- Chatibura, D. M. (2023). Beef as intangible cultural heritage in Botswana: a documentary review. *Journal of Ethnic Foods*, 10(1), 41. <https://doi.org/10.1186/s42779-023-00199-y>
- Chawla, L. (2009). Growing up green: Becoming an agent of care for the natural world. *The Journal of Developmental Processes*, 4(1), 6-23.
- Chawla, L. (2015). Benefits of nature contact for children. *Journal of planning literature*, 30(4), 433-452. <https://doi.org/10.1177/0885412215595441>
- Chelintsev, N. G. (1995). Mathematical principles of winter censuses of mammals. *Byulleten Moskovskogo Obschestva Ispytatelei Prirody (In Russian)*, 100, 3–19.
- Chen, Y., & Gillieson, D. (2009). Evaluation of Landsat TM vegetation indices for estimating vegetation cover on semi-arid rangelands: a case study from Australia. *Canadian Journal of Remote Sensing*, 35(5), 435-446. <https://doi.org/10.5589/m09-037>
- Child, G. (1970). Wildlife utilization and management in Botswana. *Biological Conservation*, 3(1), 18-22. [https://doi.org/10.1016/0006-3207\(70\)90053-4](https://doi.org/10.1016/0006-3207(70)90053-4)
- Child, G. (1972). Observations on a wildebeest die-off in Botswana. *Arnoldia (Rhodesia)*, 5(31), 1-13.
- CI. (2008). *An Assessment of Human Wildlife Conflict in the Western Kgalagadi Conservation Corridor Project Area. Prepared for Conservation International by Rebecca Klein*. Conservation International Botswana, Gaborone.

- CI. (2010a). *Consultancy to identify important habitats for key wildlife in the Western Kgalagadi Conservation Corridor (WKCC)*. Conservation International Botswana, Gaborone.
- CI. (2010b). *Tourism Development Plan for the Western Kgalagadi Corridor - Final Draft*. Prepared by Arthur Albertson Consulting (Pty) Ltd for Conservation International. Conservation International Botswana, Gaborone.
- Clobert, J. (1995). Capture-recapture and evolutionary ecology: A difficult wedding? *Journal of Applied Statistics*, 22(5-6), 989-1008. <https://doi.org/10.1080/02664769524757>
- Cooke, H. J. (1985). The Kalahari Today: A Case of Conflict over Resource Use. *The Geographical Journal*, 151(1), 75-85. <https://doi.org/10.2307/633282>
- Cowie, R. H., Bouchet, P., & Fontaine, B. (2022). The Sixth Mass Extinction: fact, fiction or speculation? *Biological Reviews*, 97(2), 640-663. <https://doi.org/10.1111/brv.12816>
- Dario, F. R. (2019). The relationship between Bororo Indigenous and the wildlife in the Brazilian Savannah. *World News of Natural Sciences*, 24, 239-249.
- Darkoh, M. B. K. (2009). An overview of environmental issues in Southern Africa. *African Journal of Ecology*, 47(s1), 93-98. <https://doi.org/10.1111/j.1365-2028.2008.01054.x>
- Darkoh, M. B. K., & Mbaiwa, J. E. (2002). Globalisation and the livestock industry in Botswana. *Singapore Journal of Tropical Geography*, 23(2), 149-166. <https://doi.org/10.1111/1467-9493.00123>
- Deacon, F. (2015). *The spatial ecology, habitat preference and diet selection of giraffe (Giraffa camelopardalis giraffa) in the Kalahari region of South Africa*. Ph.D. Thesis, University of the Free State, Bloemfontein.
- Denbow, J. R., & Wilmsen, E. N. (1986). Advent and course of pastoralism in the Kalahari. *Science*, 234(4783), 1509-1515. <https://doi.org/10.1126/science.234.4783.1509>
- Department of Lands. (2009). *Review of the National Land Use Map*. Prepared by LANDflow Solutions (Pty) Ltd for the Department of Lands, Ministry of Lands and Housing. Departement of Lands, Ministry of Lands and Housing, Gaborone.
- DG Ecological Consulting. (2010). *Animal Distribution, Numbers and Trends in the Kalahari Ecosystem 1989-2005: A report to the Kalahari Ecosystems Corridor Project*. Prepared by G.C. Craig. DG Ecological Consulting, Windhoek.
- DHV. (1980). *Countrywide animal and range assessment project, Final Report (7 Volumes)*. DHV Consulting Engineers, Amersfoort.
- Dickman, A., Cotterill, A., Asecheka, S., Mlaponi, Z., Mbugi, H., Grau, A.,...Cascio, B. (2025). Community Camera Trapping: A Novel Method for Encouraging Human-Big Cat Coexistence on Human-Dominated Land. *Wildlife Letters*, 1-8. <https://doi.org/10.1002/wl12.70006>

- Dickman, A. J., Macdonald, E. A., & Macdonald, D. W. (2011). A review of financial instruments to pay for predator conservation and encourage human–carnivore coexistence. *Proceedings of the national academy of Sciences*, 108(34), 13937-13944. <https://doi.org/10.1073/pnas.1012972108>
- DMS. (2021). *Daily rainfall data from meteorological stations of the Ghanzi District and Kgalagadi North District. Years 2018-2021*. Department of Meteorological Services, Gaborone.
- DNMM. (2022). *Okwa valley consolidated findings trip report 2022*. Department of National Museum and Monuments, Ministry of Environment, Natural Resources Conservation and Tourism, Gaborone.
- Doran-Myers, D., Kenney, A. J., Krebs, C. J., Lamb, C. T., Menzies, A. K., Murray, D.,...Boutin, S. (2021). Density estimates for Canada lynx vary among estimation methods. *Ecosphere*, 12(10), e03774. <https://doi.org/10.1002/ecs2.3774>
- Dorfman, A., Subach, A., & Scharf, I. (2023). Tracking spoor and field signs as a zoological research method. *Animal Behaviour*, 203, 133-141. <https://doi.org/10.1016/j.anbehav.2023.07.006>
- Dougill, A. J., Akanyang, L., Perkins, J. S., Eckardt, F. D., Stringer, L. C., Favretto, N.,...Mulale, K. (2016). Land use, rangeland degradation and ecological changes in the southern Kalahari, Botswana. *African journal of ecology*, 54(1), 59-67. <https://doi.org/10.1111/aje.12265>
- Dröge, E., Creel, S., Becker, M. S., Loveridge, A. J., Sousa, L. L., & Macdonald, D. W. (2020). Assessing the performance of index calibration survey methods to monitor populations of wide-ranging low-density carnivores. *Ecology and evolution*, 10(7), 3276-3292. <https://doi.org/doi.org/10.1002/ece3.6065>
- du Plessis, P. (2004). *Forced Integration: Pros and Cons of Culture Change Among Resettled San at New !Xade, Botswana*. Senior Thesis, George Washington University, Washington.
- Du Plessis, S. F. (1969). *The past and present geographical distribution of the Perissodactyla and Artiodactyla in southern Africa*. University of Pretoria, Pretoria.
- DWNP. (2012). *Aerial census of animals in Botswana - Dry season 2012*. Department of Wildlife and National Parks, Gaborone.
- DWNP. (2015). *Aerial survey of animals in south-west Botswana - Dry season 2015*. Department of Wildlife and National Parks, Gaborone.
- DWNP. (2018). *Botswana Wildlife Aerial Survey - Dry season 2018*. Department of Wildlife and National Parks, Gaborone.
- Edwards, G. P., De Preu, N. D., Shakeshaft, B. J., & Crealy, I. V. (2000). An evaluation of two methods of assessing feral cat and dingo abundance in central Australia. *Wildlife Research*, 27(2), 143-149. <https://doi.org/10.1071/WR98067>
- Efron, B., & Tibshirani, R. (1993). *An introduction to the bootstrap*. Chapman & Hall, New York.

- Elbroch, L. M., Mwampamba, T., Santos, M., Zylberberg, M., Liebenberg, L., Minye, J.,...Reddy, E. (2011). The value, limitations, and challenges of employing local experts in conservation research. *Conservation Biology*, 25(6), 1195-1202. <https://doi.org/10.1111/j.1523-1739.2011.01740.x>
- Eloff, F. C. (1984). The Kalahari ecosystem. *Koedoe*, 27(2), 11-20. <https://doi.org/10.4102/koedoe.v27i2.565>
- Emery, K. F., & Brown, L. A. (2011). Maya hunting sustainability: Perspectives from past and present. In *The ethics of anthropology and Amerindian research: Reporting on environmental degradation and warfare* (pp. 79-116). Springer, New York.
- Engelbrecht, F., Adegoke, J., Bopape, M.-J., Naidoo, M., Garland, R., Thatcher, M.,...Gatebe, C. (2015). Projections of rapidly rising surface temperatures over Africa under low mitigation. *Environmental Research Letters*, 10(8), 085004. <https://doi.org/10.1088/1748-9326/10/8/085004>
- Engeman, R. M., Constantin, B., Nelson, M., Woolard, J., & Bourassa, J. (2001). Monitoring changes in feral swine abundance and spatial distribution. *Environmental Conservation*, 28(3), 235-240. <https://doi.org/10.1017/S0376892901000248>
- Ens, E. J., Pert, P., Clarke, P. A., Budden, M., Clubb, L., Doran, B.,...Leonard, S. (2015). Indigenous biocultural knowledge in ecosystem science and management: review and insight from Australia. *Biological Conservation*, 181, 133-149. <https://doi.org/10.1016/j.biocon.2014.11.008>
- Esbach, M. S. (2023). Estimating mammal density from track counts collected by Indigenous Amazonian hunters. *Perspectives in Ecology and Conservation*, 21(3), 247-252. <https://doi.org/10.1016/j.pecon.2023.07.005>
- Esbach, M. S., Urgilés-Verdugo, C., Townsend, W. R., & Yiyoguajé, C. (2024). Hunting for Sustainability: Indigenous Stewardship in the Cofán Territory of Zábaló. *Conservation Letters*, 17, e13065. <https://doi.org/10.1111/conl.13065>
- Etnier, M. A. (2007). Defining and identifying sustainable harvests of resources: Archaeological examples of pinniped harvests in the eastern North Pacific. *Journal for Nature Conservation*, 15(3), 196-207. <https://doi.org/10.1016/j.jnc.2007.04.003>
- Evans, J. W., Evans, C. A., Packard, J. M., Calkins, G., & Elbroch, M. (2009). Determining observer reliability in counts of river otter tracks. *The Journal of Wildlife Management*, 73(3), 426-432. <https://doi.org/10.2193/2007-514>
- Fabricius, C. (1989). *Habitat suitability assessment for indigenous browsing ungulates in the Northern Cape* M.Sc. Thesis, University of the Witwatersrand, Johannesburg.
- Finerty, G. E., Borrego, N., Alibhai, S. K., Jewell, Z. C., Tschanz, P., Balone, T.,...Schiess-Meier, M. (2024). The crossroads of tradition and modern technology: integrative approaches to studying carnivores in low density ecosystems. *Frontiers in Conservation Science*, 5, 1402500. <https://doi.org/10.3389/fcsc.2024.1402500>

- Fitzhugh, E. L., & Gorenzel, W. P. (1985). Design and analysis of mountain lion track surveys. *Transactions of the Western Section of the Wildlife Society*, 21, 78-87.
- Fletcher, J. R. J., & Hutto, R. L. (2006). Estimating detection probabilities of river birds using double surveys. *The Auk*, 123(3), 695-707. [https://doi.org/10.1642/0004-8038\(2006\)123\[695:EDPORB\]2.0.CO;2](https://doi.org/10.1642/0004-8038(2006)123[695:EDPORB]2.0.CO;2)
- Fletcher, R. (2017). Connection with nature is an oxymoron: A political ecology of “nature-deficit disorder”. *The Journal of Environmental Education*, 48(4), 226-233. <https://doi.org/10.1080/00958964.2016.1139534>
- Flynn, E. G., Laland, K. N., Kendal, R. L., & Kendal, J. R. (2013). Target Article with Commentaries: Developmental niche construction. *Developmental Science*, 16(2), 296-313. <https://doi.org/https://doi.org/10.1111/desc.12030>
- Formozov, A. (1932). Formula for quantitative censusing of mammals by tracks. *Russian Journal of Zoology*, 11, 66-69.
- Forster, E. M. (1910). *Howards End*. Edward Arnold, London.
- Frazier, J. (2007). Sustainable use of wildlife: The view from archaeozoology. *Journal for Nature Conservation*, 15(3), 163-173. <https://doi.org/10.1016/j.jnc.2007.08.001>
- Frimpong, K. A. (1995). A Review of the Tribal Grazing Land Policy in Botswana. *Pula: Botswana Journal of African Studies*, 9(1), 1-16.
- Funston, P. J., Frank, L., Stephens, T., Davidson, Z., Loveridge, A., Macdonald, D. M.,...Ferreira, S. M. (2010). Substrate and species constraints on the use of track incidences to estimate African large carnivore abundance. *Journal of Zoology*, 281(1), 56-65. <https://doi.org/10.1111/j.1469-7998.2009.00682.x>
- Furman, B. L. S., Scheffers, B. R., & Paszkowski, C. A. (2011). The use of fluorescent powdered pigments as a tracking technique for snakes. *Herpetological Conservation and Biology*, 6(3), 473-478.
- Fynn, R. W. S., & Bonyongo, M. C. (2011). Functional conservation areas and the future of Africa's wildlife. *African Journal of Ecology*, 49(2), 175-188. <https://doi.org/10.1111/j.1365-2028.2010.01245.x>
- Garland, T. J. (1983). Scaling the ecological cost of transport to body mass in terrestrial mammals. *The American Naturalist*, 121(4), 571-587. <https://www.jstor.org/stable/2460983>
- Garnett, S. T., Burgess, N. D., Fa, J. E., Fernández-Llamazares, Á., Molnár, Z., Robinson, C. J.,...Leiper, I. (2018). A spatial overview of the global importance of Indigenous lands for conservation. *Nature Sustainability*, 1(7), 369-374. <https://doi.org/10.1038/s41893-018-0100-6>
- Gielen, M.-C., Johannes, X., Kashe, N., Khumo, G., Zoronxhogo, Z., & Shtickzelle, N. (2024). Monitoring wildlife abundance through track surveys: A capture-mark-recapture inspired

- approach to assess track detection by certified trackers in the Kalahari, Botswana. *Global Ecology and Conservation*, 51, e02924. <https://doi.org/https://doi.org/10.1016/j.gecco.2024.e02924>
- Glentworth, J., Gilchrist, A., & Avery, R. (2024). The place for people in rewilding. *Conservation Biology*, 38(6), e14318. <https://doi.org/10.1111/cobi.14318>
- Goddard, J. (1967). Home range, behaviour, and recruitment rates of two black rhinoceros populations. *African Journal of Ecology*, 5(1), 133-150. <https://doi.org/10.1111/j.1365-2028.1967.tb00768.x>
- Gompper, M. E., Kays, R. W., Ray, J. C., LaPoint, S. D., Bogan, D. A., & Cryan, J. R. (2006). A comparison of noninvasive techniques to survey carnivore communities in northeastern North America. *Wildlife Society Bulletin*, 34(4), 1142-1151. [https://doi.org/10.2193/0091-7648\(2006\)34\[1142:ACONTT\]2.0.CO;2](https://doi.org/10.2193/0091-7648(2006)34[1142:ACONTT]2.0.CO;2)
- Government of Botswana. (1975). *National policy on tribal grazing land, Botswana - Government paper 2 of 1975*. Government of Botswana, Gaborone.
- Government of Botswana. (1979). *Fauna Conservation (Unified Hunting) Regulations - Fauna Conservation Act (Cap. 38:01)*. Government of Botswana, Gaborone.
- Government of Botswana. (1986). *Wildlife Conservation Policy (A Paper on the Utilization of the Wildlife Resource of Botswana on a Sustainable Basis) - Government paper 1 of 1986*. Government of Botswana, Gaborone.
- Government of Botswana. (1992). *Wildlife Conservation and National Parks Act*. Government of Botswana, Gaborone.
- Government of Botswana. (2022a). *Allocation of Tribal Land*. Government of Botswana. Retrieved 29-01-2025 from <https://www.gov.bw/land-management/allocation-tribal-land>
- Government of Botswana. (2022b). *Subsidies*. Government of Botswana. Retrieved 29-01-2025 from <https://www.gov.bw/taxonomy/term/99>
- Government of Botswana. (2024). *Public notice as per Wildlife Conservation and National Parks Act (Act n°28 of 1992): Wildlife hunting quota 2025*. Department of Wildlife and National Parks, Gaborone.
- Gross, E., Jayasinghe, N., Brooks, A., Polet, G., Wadhwa, R., & Hilderink-Koopmans, F. (2021). *A future for all: the need for human-wildlife coexistence*. The United Nations Environment Programme (UNEP) and World Wide Fund for Nature (WWF), Gland.
- Grove, A. T. (1969). Landforms and Climatic Change in the Kalahari and Ngamiland. *The Geographical Journal*, 135(2), 191-212. <https://doi.org/10.2307/1796824>
- Gu, J., Yu, L., Hua, Y., Ning, Y., Heng, B., Qi, J.,...Li, Z. (2018). A comparison of food habits and prey preferences of Amur tiger (*Panthera tigris altaica*) at the southwest Primorskii Krai in

- Russia and Hunchun in China. *Integrative Zoology*, 13(5), 595-603. <https://doi.org/10.1111/1749-4877.12322>
- Guenther, M. (2020). Animals in San Dance and Play: Between Mimesis and Metamorphosis. In M. Guenther (Ed.), *Human-Animal Relationships in San and Hunter-Gatherer Cosmology, Volume I: Therianthropes and Transformation* (pp. 203-222). Springer International Publishing. https://doi.org/10.1007/978-3-030-21182-0_6
- Gupta, A. C. (2012). *Conservation's Complexities: A Study of Livelihoods and People-Park Relations around Chobe National Park, Botswana* Ph.D. Thesis, University of California, Berkeley.
- Hagen, R., van der Ploeg, J., & Minter, T. (2016). How do hunter-gatherers learn? The transmission of indigenous knowledge among the Agta of The Philippines. *Hunter Gatherer Research*, 2(4), 389-413. <https://doi.org/10.3828/hgr.2016.27>
- Hailey, A., & Coulson, I. M. (1996). Differential scaling of home-range area to daily movement distance in two African tortoises. *Canadian Journal of Zoology*, 74(1), 97-102. <https://doi.org/10.1139/z96-013>
- Hamm, J., Holmes, G., Mabele, M. B., & Martin-Ortega, J. (2025). "Milking the lions": An analysis of conservation performance payments in eastern and southern Africa. *Conservation Science and Practice*, 7(3), e70015. <https://doi.org/10.1111/csp2.70015>
- Hayashida, F. M. (2005). Archaeology, ecological history, and conservation. *Annual Review of Anthropology*, 34(1), 43-65. <https://doi.org/10.1146/annurev.anthro.34.081804.120515>
- Hayward, G. D., Miquelle, D. G., Smirnov, E. N., & Nations, C. (2002). Monitoring Amur tiger populations: characteristics of track surveys in snow. *Wildlife Society Bulletin*, 30(4), 1150-1159. <https://www.jstor.org/stable/3784284>
- Hayward, M. W., Boitani, L., Burrows, N. D., Funston, P. J., Karanth, K. U., MacKenzie, D. I.,...Yarnell, R. W. (2015). FORUM: Ecologists need robust survey designs, sampling and analytical methods. *Journal of Applied Ecology*, 52(2), 286-290. <https://doi.org/10.1111/1365-2664.12408>
- Hebblewhite, M., & Haydon, D. T. (2010). Distinguishing technology from biology: a critical review of the use of GPS telemetry data in ecology. *Philosophical Transactions of the Royal Society B*, 365(1550), 2303-2312. <https://doi.org/10.1098/rstb.2010.0087>
- Heinz, H. J. (1971). The ethno-biology of the !ko bushmen: the anatomical and physiological knowledge. *South African Journal of Science*, 67(2), 43-50.
- Heinz, H. J. (1978). The ethno-biology of the !Xo Bushmen: knowledge concerning medium and smaller mammals. *Ethnomedicine*, 5(3/4), 319-340.
- Helle, P., Ikonen, K., & Kantola, A. (2016). Wildlife monitoring in Finland: online information for game administration, hunters, and the wider public. *Canadian Journal of Forest Research*, 46(12), 1491-1496. <https://doi.org/10.1139/cjfr-2015-0454>

- Herbst, M. (2009). *Behavioural ecology and population genetics of the African wild cat, Felis silvestris Forster 1870, in the southern Kalahari* Ph.D. Thesis, University of Pretoria, Pretoria.
- Hertel, A. G., Niemelä, P. T., Dingemanse, N. J., & Mueller, T. (2020). A guide for studying among-individual behavioral variation from movement data in the wild. *Movement Ecology*, 8(1), 30. <https://doi.org/10.1186/s40462-020-00216-8>
- Hines, J. E., Nichols, J. D., Royle, J. A., MacKenzie, D. I., Gopalaswamy, A. M., Kumar, N. S., & Karanth, K. U. (2010). Tigers on trails: occupancy modeling for cluster sampling. *Ecological Applications*, 20(5), 1456-1466. <https://doi.org/10.1890/09-0321.1>
- Hitchcock, R. K. (1987). Socioeconomic change among the Basarwa in Botswana: an ethnohistorical analysis. *Ethnohistory*, 34(3), 219-255. <https://doi.org/10.2307/482234>
- Hitchcock, R. K. (1996). Subsistence Hunting and Special Game Licenses in Botswana. *Botswana Notes and Records*, 28, 55-64. <https://www.jstor.org/stable/40980133>
- Hitchcock, R. K. (1999). A chronology of major events relating to the Central Kalahari Game Reserve. *Botswana Notes and Records*, 31, 105-117. <https://www.jstor.org/stable/40980243>
- Hitchcock, R. K. (2002). 'We are the first people': land, natural resources and identity in the Central Kalahari, Botswana. *Journal of Southern African Studies*, 28(4), 797-824. <https://doi.org/10.1080/0305707022000043520>
- Hitchcock, R. K., Winer, N., & Kelly, M. C. (2020). Hunter-Gatherers, Farmers, and Environmental Degradation in Botswana. *Conservation & Society*, 18(3), 226-237. <https://doi.org/10.4103/cs.cs.19.87>
- Hockey, P. A. R., Dean, W. R. J., Ryan, P. G., Maree, S., & Brickman, B. M. (2005). *Roberts' birds of southern Africa, 7th ed.* Trustees of the John Voelcker Bird Book Fund, Cape Town.
- Hofmeyr, M. (1985). Thermal properties of the pelages of selected African ungulates. *South African Journal of Zoology*, 20(2), 179-189. <https://doi.org/10.1080/02541858.1985.11447933>
- Honorato, V., & Rocha, B. (2024). An Archaeology of Forest Peoples. *Estudos Avançados*, 38(112), 31-54. <https://doi.org/10.1590/s0103-4014.202438112.003-en>
- Houser, A. M., Somers, M. J., & Boast, L. K. (2009). Spoor density as a measure of true density of a known population of free-ranging wild cheetah in Botswana. *Journal of Zoology*, 278(2), 108-115.
- Howe, H. R. (2017). Making Wild Law Work—The Role of 'Connection with Nature' and Education in Developing an Ecocentric Property Law. *Journal of Environmental Law*, 29(1), 19-45. <https://doi.org/10.1093/jel/eqw029>
- Hubel, T. Y., Myatt, J. P., Jordan, N. R., Dewhirst, O. P., McNutt, J. W., & Wilson, A. M. (2016). Energy cost and return for hunting in African wild dogs and cheetahs. *Nature Communications*, 7(1), 11034. <https://doi.org/10.1038/ncomms11034>

- Huffman, T. N. (1998). Presidential address: the antiquity of lobola. *The South African Archaeological Bulletin*, 53(168), 57-62. <https://doi.org/10.2307/3889180>
- Hägerling, H. G., & Ebersole, J. J. (2017). Roads as travel corridors for mammals and ground birds in Tarangire National Park, Tanzania. *African Journal of Ecology*, 55(4), 701-704. <https://doi.org/10.1111/aje.12386>
- Iijima, H. (2020). A review of wildlife abundance estimation models: comparison of models for correct application. *Mammal study*, 45(3), 177-188. <https://doi.org/10.3106/ms2019-0082>
- IPBES. (2018). *The IPBES regional assessment report on biodiversity and ecosystem services for Africa*. Secretariat of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services, Bonn.
- IPBES. (2019). *Global assessment report of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services*. Secretariat of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services, Bonn.
- IUCN. (2022). *Decade on Ecosystem Restoration 2021-2030. IUCN Policy Brief*. Retrieved 23rd April from <https://iucn.org/resources/policy-brief/decade-ecosystem-restoration-2021-2030>
- IUCN CEC, & FLEDGE. (2020). *Strategy on Education for Conservation (EfC) - A Contribution from IUCN CEC and FLEDGE in support of Realizing the Future Conservation Goals*. IUCN CEC and FLEDGE.
- Jachmann, H. (2002). Comparison of aerial counts with ground counts for large African herbivores. *Journal of Applied Ecology*, 39(5), 841-852. <https://doi.org/10.1046/j.1365-2664.2002.00752.x>
- Jeffress, M. R., Paukert, C. P., Sandercock, B. K., & Gipson, P. S. (2011). Factors affecting detectability of river otters during sign surveys. *The Journal of Wildlife Management*, 75(1), 144-150. <https://doi.org/10.1002/jwmg.12>
- Jensen, D. (2016). *The myth of human supremacy*. Seven Stories Press, New York.
- Jewell, Z. C., Alibhai, S. K., Weise, F., Munro, S., Van Vuuren, M., & Van Vuuren, R. (2016). Spotting Cheetahs: Identifying Individuals by Their Footprints. *Journal of Visualized Experiments*(111), e54034. <https://doi.org/10.3791/54034>
- Jhariya, M. K., Meena, R. S., Banerjee, A., & Meena, S. N. (2021). *Natural resources conservation and advances for sustainability*. Elsevier, San Diego.
- Johnson, D. D., & Ganskopp, D. C. (2008). GPS collar sampling frequency: effects on measures of resource use. *Rangeland Ecology & Management*, 61(2), 226-231. <https://doi.org/10.2111/07-044.1>
- Johnson, D. H. (2008). In Defense of Indices: The Case of Bird Surveys. *The Journal of Wildlife Management*, 72(4), 857-868. <https://doi.org/10.2193/2007-294>

- Johnston, A., Fink, D., Reynolds, M. D., Hochachka, W. M., Sullivan, B. L., Bruns, N. E.,...Kelling, S. (2015). Abundance models improve spatial and temporal prioritization of conservation resources. *Ecological Applications*, 25(7), 1749-1756. <https://doi.org/10.1890/14-1826.1>
- Jones, T. L. (2013). Archaeological perspectives on prehistoric conservation in western North America. *International journal of environmental studies*, 70(3), 350-357. <https://doi.org/10.1080/00207233.2013.800296>
- Jordan, N. R., Golabek, K. A., Marneweck, C. J., Marneweck, D. G., Mbizah, M. M., Ngatia, D.,...Watermeyer, J. (2023). Hunting behavior and social ecology of African wild dogs. In M. Srinivasan & B. Würsig (Eds.), *Social strategies of carnivorous mammalian predators: Hunting and surviving as families* (pp. 177-227). Springer, Cham. https://doi.org/10.1007/978-3-031-29803-5_6
- Jousimo, J., & Ovaskainen, O. (2016). A spatio-temporally explicit random encounter model for large-scale population surveys. *PloS one*, 11(9), e0162447. <https://doi.org/10.1371/journal.pone.0162447>
- Kalikawe, M. C. (1997). Wildlife friendly fencing. National conference on conservation and management of wildlife in Botswana: strategies for the twenty first century, Gaborone, Botswana.
- Kamjing, A., Ngoprasert, D., Steinmetz, R., Chutipong, W., Savini, T., & Gale, G. A. (2017). Determinants of smooth-coated otter occupancy in a rapidly urbanizing coastal landscape in Southeast Asia. *Mammalian Biology*, 87, 168-175. <https://doi.org/10.1016/j.mambio.2017.08.006>
- Kapuka, A., & Hlásny, T. (2021). Climate change impacts on ecosystems and adaptation options in nine countries in southern Africa: What do we know? *Ecosphere*, 12(12), e03860. <https://doi.org/10.1002/ecs2.3860>
- Karanth, K. U., Gopalaswamy, A. M., Kumar, N. S., Vaidyanathan, S., Nichols, J. D., & MacKenzie, D. I. (2011). Monitoring carnivore populations at the landscape scale: occupancy modelling of tigers from sign surveys. *Journal of Applied Ecology*, 48(4), 1048-1056. <https://doi.org/10.1111/j.1365-2664.2011.02002.x>
- Karanth, K. U., Nichols, J. D., Seidenstricker, J., Dinerstein, E., Smith, J. L. D., McDougal, C.,...Thapar, V. (2003). Science deficiency in conservation practice: the monitoring of tiger populations in India. *Animal Conservation*, 6(2), 141-146. <https://doi.org/10.1017/S1367943003003184>
- Karunya Consulting, Cheetah Conservation Botswana, & Kalahari Research and Conservation. (2020). *Final Scoping Report: Research on Human-Wildlife Conflict in the Kalahari Landscape. Under UNDP Kgalagadi & Ghanzi Drylands Ecosystem Project: Managing the human-wildlife interface to sustain the flow of agro-ecosystem services and prevent illegal trafficking in the Kgalagadi and Ghanzi Drylands*. Karunya Consulting, Maun.
- Kaunda, S. K. K. (1998). *Black backed jackal (Canis mesomelas) predation on impala (Aepyceros melampus) at Mokolodi nature reserve Botswana*. M.Sc. Thesis, University of Pretoria, Pretoria.

- Kaunda, S. K. K. (2001). Spatial utilization by black-backed jackals in southeastern Botswana. *African Zoology*, 36(2), 143-152. <https://doi.org/10.1080/15627020.2001.11657132>
- Kays, R., Crofoot, M. C., Jetz, W., & Wikelski, M. (2015). Terrestrial animal tracking as an eye on life and planet. *Science*, 348(6240), aaa2478. <https://doi.org/10.1126/science.aaa2478>
- Keeping, D. (2014). Rapid assessment of wildlife abundance: estimating animal density with track counts using body mass–day range scaling rules. *Animal conservation*, 17(5), 486-497. <https://doi.org/10.1111/acv.12113>
- Keeping, D. (2020). *Tracking a better way to count wildlife: testing the Formozov-Malyshev-Pereleshin (FMP) formula in the Kalahari*. Ph.D. Thesis, University of Alberta, Edmonton.
- Keeping, D., Burger, J. H., Keitsile, A. O., Gielen, M.-C., Mudongo, E., Wallgren, M.,...Foote, A. L. (2018). Can trackers count free-ranging wildlife as effectively and efficiently as conventional aerial survey and distance sampling? Implications for citizen science in the Kalahari, Botswana. *Biological Conservation*, 223, 156-169. <https://doi.org/10.1016/j.biocon.2018.04.027>
- Keeping, D., Kashe, N., Karoha) Langwane, H., Sebati, P., Molese, N., Gielen, M.-C.,...Shortie) Brahman, N. (2019). *Botswana's wildlife losing ground as Kalahari Wildlife Management Areas (WMAs) are dezoned for livestock expansion*. <https://doi.org/10.1101/576496>
- Keeping, D., Kaszta, Z., & Cushman, S. A. (2022a). *Kalahari Wildlife Landscape Connectivity Analysis - Phase 1 Report*. United Nations Development Programme (UNDP) Kgalagadi-Ghanzi Drylands Ecosystem Project, Gaborone.
- Keeping, D., Kaszta, Z., & Cushman, S. A. (2022b). *Kalahari Wildlife Landscape Connectivity Analysis - Phase 2 (Final) Report*. United Nations Development Programme (UNDP) Kgalagadi-Ghanzi Drylands Ecosystem Project, Gaborone.
- Keeping, D., Keitsile, A. O., & Burger, J. H. (2018). Eland in Botswana's Kalahari: now the largest free-ranging population in Africa? *Gnusletter*, 35(1), 21-26.
- Keeping, D., & Pelletier, R. (2014). Animal density and track counts: understanding the nature of observations based on animal movements. *PloS one*, 9(5), e96598. <https://doi.org/10.1371/journal.pone.0096598>
- Kendall, K. C., Metzgar, L. H., Patterson, D. A., & Steele, B. M. (1992). Power of sign surveys to monitor population trends. *Ecological Applications*, 2(4), 422-430. <https://doi.org/10.2307/1941877>
- Kent, V. T. (2011). *The status and conservation potential of carnivores in semi-arid rangelands, Botswana the Ghanzi Farmlands: A case study*. Ph.D. Thesis, Durham University, Durham.
- Kesch, K. M., Bauer, D. T., & Loveridge, A. J. (2014). Undermining game fences: who is digging holes in K alahari sands? *African Journal of Ecology*, 52(2), 144-150. <https://doi.org/10.1111/aje.12096>

- Kingdon, J. (1997). *The Kingdon Field Guide to African Mammals*. Academic Press, San Diego.
- Kingston, L. (2015). The destruction of identity: Cultural genocide and indigenous peoples. *Journal of Human Rights*, 14(1), 63-83. <https://doi.org/10.1080/14754835.2014.886951>
- Kinzig, A. P., & McShane, T. O. (2015). Conservation in Africa: exploring the impact of social, economic and political drivers on conservation outcomes. *Environmental Research Letters*, 10(9), 90201. <https://doi.org/10.1088/1748-9326/10/9/090201>
- Klein, R. (2007). Status report for the cheetah in Botswana. *CAT News Special*, 3, 14-21.
- Klein, R. A. (2013). *An Assessment of Human Carnivore Conflict in the Kalahari Region of Botswana*. M.Sc. Thesis, Rhodes University, Grahamstown.
- Knight, M. H. (1991). *Ecology of the gemsbok (Oryx gazella) and the blue wildebeest (Connochaetes taurinus) in the southern Kalahari*. Ph.D. Thesis, University of Pretoria, Pretoria.
- Knight, M. H. (1995). Drought-related mortality of wildlife in the southern Kalahari and the role of man. *African Journal of Ecology*, 33(4), 377-394. <https://doi.org/10.1111/j.1365-2028.1995.tb01047.x>
- Kok, O. B. (1975). *Gedrag en ekologie van die rooihartbees (Alcelaphus buselaphus caama)*. Provinsiale Administrasie van die Oranje-Vrystaat, Bloemfontein.
- Kondratenkov, I. A. (2019). Some aspects of the theory of winter route counting of game animals. *Biology Bulletin*, 46(10), 1211-1223. <https://doi.org/10.1134/S1062359019100169>
- Kurki, S., Nikula, A., Helle, P., & Linden, H. (1998). Abundances of Red Fox and Pine Marten in Relation to the Composition of Boreal Forest Landscapes. *Journal of Animal Ecology*, 67(6), 874-886. <http://www.jstor.org/stable/2647418>
- Laland, K., & Ngai, V. (2018). An Evolved Uniqueness. *Scientific American*, 319(3), 32-39. <https://doi.org/10.1038/scientificamerican0918-32>
- Lancaster, I. N. (1974). Pans of the Southern Kalahari. *Botswana Notes and Records*, 6, 157-169. <http://www.jstor.org/stable/40959216>
- LaRocco, A. A. (2020). Botswana's hunting ban and the transformation of game-meat cultures, economies and ecologies. *Journal of Southern African Studies*, 46(4), 723-741. <https://doi.org/10.1080/03057070.2020.1773083>
- Lawrence, K. (2020). *What We Can Learn from CyberTracking: Applications of an International Tracker Evaluation System for Professional and Citizen Science, and the Theory of Original Wisdom* Ph.D. Thesis, University of Connecticut, USA.
- LEC. (2024). *LEC Annual Report 2023*. Leopard Ecology & Conservation, Khutse Game Reserve.

- LEC. (Unpublished data). *Cybertracker evaluation data from Feb 2014, Nov 2014, June 2021 and Sept 2022 at Khutse Game Reserve, Botswana*. Leopard Ecology and Conservation, Gaborone.
- Lees, A. C., & Peres, C. A. (2008). Conservation Value of Remnant Riparian Forest Corridors of Varying Quality for Amazonian Birds and Mammals. *Conservation Biology*, 22(2), 439-449. <https://doi.org/10.1111/j.1523-1739.2007.00870.x>
- LeFlore, E. G., Fuller, T. K., Tomeletso, M., & Stein, A. B. (2019). Livestock depredation by large carnivores in northern Botswana. *Global Ecology and Conservation*, 18, e00592. <https://doi.org/10.1016/j.gecco.2019.e00592>
- Legge, S., Indigo, N., Southwell, D. M., Skroblin, A., Nou, T., Young, A. R.,...Backhouse, B. (2024). The Arid Zone Monitoring Project: combining Indigenous ecological expertise with scientific data analysis to assess the potential of using sign-based surveys to monitor vertebrates in the Australian deserts. *Wildlife Research*, 51(9). <https://doi.org/10.1071/WR24070>
- Lehmann, D., Mfuné, J. K. E., Gewers, E., Cloete, J., Aschenborn, O. H. K., Mbomboro, L.,...Voigt, C. C. (2020). Spatiotemporal responses of a desert dwelling ungulate to increasing aridity in North-eastern Namibia. *Journal of Arid Environments*, 179, 104193. <https://doi.org/10.1016/j.jaridenv.2020.104193>
- Liebenberg, L. (1990a). *A field guide to the animal tracks of southern Africa*. David Philip Publishers, Claremont.
- Liebenberg, L. (1990b). *The art of tracking: the origin of science*. David Philip Publishers, Claremont.
- Liebenberg, L. (2006). Persistence hunting by modern hunter-gatherers. *Current Anthropology*, 47(6), 1017-1026. <https://doi.org/10.1086/508695>
- Liebenberg, L. (2021). *The origin of science, second ed.* CyberTracker, Cape Town.
- Liebenberg, L., Elbroch, M., Louw, A., Pinto, J., & Masia†, W. (2018). *CyberTracker Tracker Certification*. CyberTracker Conservation NPC, Cape Town.
- Liebenberg, L., Kashe, N., Xhukwe, I., Glag'o, I., Ikunta, I., Daqm, O.,...Kruiper, K. (2021). *African Indigenous Knowledge Systems -1: Assessing and Certifying Indigenous Tracking Expertise and Skills*. Organisation des Nations unies pour l'éducation, la science et la culture (UNESCO), Paris.
- Liebenberg, L., Steventon, J., Brahman, N., Benadie, K., Minye, J., Langwane, H. K., & Xhukwe, Q. U. (2017). Smartphone Icon User Interface design for non-literate trackers and its implications for an inclusive citizen science. *Biological Conservation*, 208, 155-162. <https://doi.org/10.1016/j.biocon.2016.04.033>
- Lilleyman, A., Millar, G., Burn, S., Fatt, K. H.-L., Talbot, A., Que-Noy, J.,...Smith, B. C. D. (2022). Indigenous knowledge in conservation science and the process of a two-way research collaboration. *Conservation Science and Practice*, 4(8), e12727. <https://doi.org/10.1111/csp2.12727>

- Lindenmayer, D. B., Lavery, T., & Scheele, B. C. (2022). Why We Need to Invest in Large-Scale, Long-Term Monitoring Programs in Landscape Ecology and Conservation Biology. *Current Landscape Ecology Reports*, 7(4), 137-146. <https://doi.org/10.1007/s40823-022-00079-2>
- Lindsey, P., Allan, J., Brehony, P., Dickman, A., Robson, A., Begg, C.,...Fitzgerald, K. (2020). Conserving Africa's wildlife and wildlands through the COVID-19 crisis and beyond. *Nature ecology & evolution*, 4(10), 1300-1310. <https://doi.org/10.1038/s41559-020-1275-6>
- Lindsey, P. A., Alexander, R., Mills, M. G. L., Romañach, S., & Woodroffe, R. (2007). Wildlife Viewing Preferences of Visitors to Protected Areas in South Africa: Implications for the Role of Ecotourism in Conservation. *Journal of Ecotourism*, 6(1), 19-33. <https://doi.org/10.2167/joe133.0>
- Lindsey, P. A., Balme, G., Becker, M., Begg, C., Bento, C., Bocchino, C.,...Zisadza-Gandiwa, P. (2013). The bushmeat trade in African savannas: Impacts, drivers, and possible solutions. *Biological Conservation*, 160, 80-96. <https://doi.org/10.1016/j.biocon.2012.12.020>
- Lindsey, P. A., Frank, L. G., Alexander, R., Mathieson, A., & Romañach, S. S. (2007). Trophy hunting and conservation in Africa: problems and one potential solution. *Conservation biology*, 21(3), 880-883. <https://doi.org/10.1111/j.1523-1739.2006.00594.x>
- Linnell, J. D. C., Fiske, P., Odden, J., Brøseth, H., Herfindal, I., & Andersen, R. (2007). An evaluation of structured snow-track surveys to monitor Eurasian lynx Lynx lynx populations. *Wildlife Biology*, 13(4), 456-466. [https://doi.org/10.2981/0909-6396\(2007\)13\[456:AEOSSS\]2.0.CO;2](https://doi.org/10.2981/0909-6396(2007)13[456:AEOSSS]2.0.CO;2)
- Lohe, N. (2014). Traditional knowledge system in hunting and trapping methods among the Nagas of northeast India. *Asian Journal of Multidisciplinary Studies*, 2(8), 184-189.
- Lombard, M., & Gärdenfors, P. (2017). Tracking the evolution of causal cognition in humans. *Journal of Anthropological Sciences*, 95, 219-234. <https://doi.org/10.4436/jass.95006>
- Maabong, K. E., & Mphale, K. (2021). Wildfires in Botswana and their frequency of occurrence. *Atmospheric and Climate Sciences*, 11(4), 689-696. <https://doi.org/10.4236/acs.2021.114040>
- MacNeil, M. A., Tyler, E. H. M., Fonnesbeck, C. J., Rushton, S. P., Polunin, N. V. C., & Conroy, M. J. (2008). Accounting for detectability in reef-fish biodiversity estimates. *Marine Ecology Progress Series*, 367, 249-260. <https://doi.org/10.3354/MEPS07580>
- Maidment, R. I., Grimes, D., Allan, R. P., Tarnavsky, E., Stringer, M., Hewison, T.,...Black, E. (2014). The 30 year TAMSAT African Rainfall Climatology And Time series (TARCAT) data set. *Journal of Geophysical Research: Atmospheres*, 119(18), 10,619-610,644. <https://doi.org/10.1002/2014JD021927>
- Maidment, R. I., Grimes, D., Black, E., Tarnavsky, E., Young, M., Greatrex, H.,...Alcántara, E. M. U. (2017). A new, long-term daily satellite-based rainfall dataset for operational monitoring in Africa. *Scientific Data*, 4(1), 170063. <https://doi.org/10.1038/sdata.2017.63>

- Makepe, P. M. (2006). The evolution of institutions and rules governing communal grazing lands in Botswana. *Eastern Africa social science research review*, 22(1), 39-61. <https://doi.org/10.1353/eas.2006.0005>
- Malhi, Y., Doughty, C. E., Galetti, M., Smith, F. A., Svenning, J.-C., & Terborgh, J. W. (2016). Megafauna and ecosystem function from the Pleistocene to the Anthropocene. *Proceedings of the National Academy of Sciences*, 113(4), 838-846. <https://doi.org/10.1073/pnas.1502540113>
- Marks, S. A. (1993). Reviewed work: History and Evolution of the Fauna Conservation Laws of Botswana by Clive Spinage. *Botswana Notes and Records*, 25, 179-186. <http://www.jstor.org/stable/40979993>
- Maron, D. F. (2020). *Botswana is evacuating black rhinos amid poaching threat*. National Geographic. Retrieved 11 January from <https://www.nationalgeographic.com/animals/article/botswana-evacuates-black-rhinos-amid-poaching-and-coronavirus>
- Mason, M. (2018). *Conservation: History and Future*. EnvironmentalScience.org. Retrieved 21st April from <https://www.environmentalscience.org/conservation>
- Mbaiwa, J. E., & Hambira, W. L. (2023). Can the subaltern speak? Contradictions in trophy hunting and wildlife conservation trajectory in Botswana. *Journal of Sustainable Tourism*, 31(5), 1107-1125. <https://doi.org/10.1080/09669582.2021.1973483>
- McComb, B., Zuckerberg, B., Vesely, D., & Jordan, C. (2018). Field techniques for population sampling and estimation. In *Monitoring Animal Populations and their Habitats: A Practitioner's Guide* (pp. 296). Oregon State University, Corvallis.
- McQualter, K. N., Chase, M. J., Fennessy, J. T., McLeod, S. R., & Leggett, K. E. A. (2015). Home ranges, seasonal ranges and daily movements of giraffe (*Giraffa camelopardalis giraffa*) in northern Botswana. *African Journal of Ecology*, 54(1), 99-102. <https://doi.org/10.1111/aje.12232>
- Melander, G., & Alfredsson, G. (1997). Indigenous and Tribal Peoples Convention, 1989. In *The Raoul Wallenberg Institute Compilation of Human Rights Instruments* (pp. 299-311). Brill | Nijhoff, Leyde. https://doi.org/10.1163/9789004636484_039
- Melzheimer, J., Heinrich, S. K., Wasiolka, B., Mueller, R., Thalwitzer, S., Palmegiani, I.,...Krofel, M. (2020). Communication hubs of an asocial cat are the source of a human–carnivore conflict and key to its solution. *Proceedings of the National Academy of Sciences*, 117(52), 33325-33333. <https://doi.org/10.1073/pnas.2002487117>
- Midlane, N., Justin O'Riain, M., Balme, G. A., & Hunter, L. T. B. (2015). To track or to call: comparing methods for estimating population abundance of African lions *Panthera leo* in Kafue National Park. *Biodiversity and Conservation*, 24(6), 1311-1327. <https://doi.org/10.1007/s10531-015-0858-z>
- Midlane, N., O'Riain, M. J., Balme, G. A., Robinson, H. S., & Hunter, L. T. B. (2014). On tracks: A spoor-based occupancy survey of lion *Panthera leo* distribution in Kafue National Park, Zambia. *Biological Conservation*, 172(306), 101-108. <https://doi.org/10.1016/j.biocon.2014.02.006>

- Mills, M., Broomhall, L., & du Toit, J. (2004). Cheetah *Acinonyx jubatus* feeding ecology in the Kruger National Park and a comparison across African savanna habitats: Is the cheetah only a successful hunter on open grassland plains? *Wildlife Biology*, 10(3), 177-186. <https://doi.org/10.2981/wlb.2004.024>
- Mills, M. G. L. (1984). Prey selection and feeding habits of the large carnivores in the Southern Kalahari. *Koedoe; Supplement* (1984), a586. <https://doi.org/10.4102/koedoe.v27i2.586>
- Mills, M. G. L. (1990). *Kalahari Hyaenas: Comparative Behavioural Ecology of Two Species*. Springer, Dordrecht.
- Milton, S. J., Dean, W. R. J., & Siegfried, W. R. (1994). Food selection by ostrich in southern Africa. *The Journal of wildlife management*, 58(2), 234-248. <https://doi.org/10.2307/3809386>
- Ministry of Local Government. (2009). *Revised Remote Area Development Programme (RADP)*. Ministry of Local Government, Government of Botswana, Gaborone.
- Mmopelwa, G., & Mpolokeng, T. (2008). Attitudes and Perceptions of Livestock Farmers on the Adequacy of Government Compensation Scheme: Human-Carnivore Conflict in Ngamiland. *Botswana Notes and Records*, 40, 147-158. <http://www.jstor.org/stable/41236040>
- Moatswi, T. (2019). *Potential ecological factors contributing to springbok (*Antidorcas marsupialis*) population declines in the southern Kalahari, Botswana*. M.Sc. Thesis, University of Botswana, Gaborone.
- Moleele, N. M., & Mainah, J. (2003). Resource use conflicts: the future of the Kalahari ecosystem. *Journal of Arid Environments*, 54(2), 405-423. <https://doi.org/10.1006/jare.2002.1099>
- Moore, J. W. (2017). The Capitalocene, Part I: on the nature and origins of our ecological crisis. *The Journal of peasant studies*, 44(3), 594-630. <https://doi.org/10.1080/03066150.2016.1235036>
- Morales, J. M., Moorcroft, P. R., Matthiopoulos, J., Frair, J. L., Kie, J. G., Powell, R. A.,...Haydon, D. T. (2010). Building the bridge between animal movement and population dynamics. *Philosophical Transactions of the Royal Society B*, 365(1550), 2289-2301. <https://doi.org/10.1098/rstb.2010.0082>
- Murray, D. L., Boutin, S., O'Donoghue, M., & Nams, V. O. (1995). Hunting behaviour of a sympatric felid and canid in relation to vegetative cover. *Animal Behaviour*, 50(5), 1203-1210. [https://doi.org/10.1016/0003-3472\(95\)80037-9](https://doi.org/10.1016/0003-3472(95)80037-9)
- NAILSMA. (2014). *Looking After Country: The NAILSMA I-Tracker story*. North Australian Indigenous Land and Sea Management Alliance Ltd, Darwin.
- Nash, D. (2017). Changes in precipitation over southern Africa during recent centuries. In *Oxford Research Encyclopedia of Climate Science*.
- Ngwamotsoko, K. T. (1985). *Large Animals and Land Resources of Western Central Kalahari, Botswana*. M.Sc. Thesis, University of New England, Australia.

- Nichols, J. D. (1992). Capture-Recapture Models. *BioScience*, 42(2), 94-102. <https://doi.org/10.2307/1311650>
- Nichols, J. D. (2014). The Role of Abundance Estimates in Conservation Decision-Making. In L. M. Verdade, M. C. Lyra-Jorge, & C. I. Piña (Eds.), *Applied Ecology and Human Dimensions in Biological Conservation* (pp. 117-131). Springer, Berlin Heidelberg. https://doi.org/10.1007/978-3-642-54751-5_8
- Noonan, M. J., Fleming, C. H., Akre, T. S., Drescher-Lehman, J., Gurarie, E., Harrison, A.-L.,...Calabrese, J. M. (2019). Scale-insensitive estimation of speed and distance traveled from animal tracking data. *Movement Ecology*, 7(35), 1-15. <https://doi.org/10.1186/s40462-019-0177-1>
- Norris, D., Peres, C., Michalski, F., & Hinchsliffe, K. (2008). Terrestrial mammal responses to edges in Amazonian forest patches: A study based on track stations. *Mammalia*, 72(1), 15-23. <https://doi.org/10.1515/mamm.2008.002>
- Norton-Griffiths, M. (1978). *Counting animals. Handbook n°1, second ed.* Serengeti Ecological Monitoring Programme, African Wildlife Leadership Foundation, Nairobi.
- O'Neil, E., & Swanson, B. J. (2010). Using track-plate footprints in fisher mark recapture population estimation. *The American Midland Naturalist*, 164(1), 165-171. <https://doi.org/10.1674/0003-0031-164.1.165>
- Odling-Smee, F. J., Laland, K. N., & Feldman, M. W. (1996). Niche construction. *The American Naturalist*, 147(4), 641-648. <https://doi.org/10.1086/285870>
- Omondi, G. P., Gakuya, F., Arzt, J., Sangula, A., Hartwig, E., Pauszek, S.,...VanderWaal, K. (2020). The role of African buffalo in the epidemiology of foot-and-mouth disease in sympatric cattle and buffalo populations in Kenya. *Transboundary and Emerging Diseases*, 67(5), 2206-2221. <https://doi.org/10.1111/tbed.13573>
- One Earth. (2023). *One Earth Bioregions Framework*. <https://www.oneearth.org/>
- Osipova, L., Okello, M. M., Njumbi, S. J., Ngene, S., Western, D., Hayward, M. W., & Balkenhol, N. (2019). Validating movement corridors for African elephants predicted from resistance-based landscape connectivity models. *Landscape Ecology*, 34(4), 865-878. <https://doi.org/10.1007/s10980-019-00811-0>
- Owen-Smith, N. (1979). Assessing the foraging efficiency of a large herbivore, the kudu. *South African Journal of Wildlife Research*, 9(3), 102-110. https://hdl.handle.net/10520/AJA03794369_2784
- Owen-Smith, N., & Cain, J. W. (2007). Indicators of adaptive responses in home range utilization and movement patterns by a large mammalian herbivore. *Israel Journal of Ecology and Evolution*, 53(3), 423-438. <https://doi.org/10.1560/IIIE.53.3.423>

- Owen-Smith, N., & Goodall, V. (2014). Coping with savanna seasonality: comparative daily activity patterns of African ungulates as revealed by GPS telemetry. *Journal of Zoology*, 293(3), 181-191. <https://doi.org/10.1111/jzo.12132>
- Owen-Smith, R. N. (1988). *Megaherbivores: the influence of very large body size on ecology*. Cambridge university press, Cambridge. <https://doi.org/10.1017/CBO9780511565441>
- Owens, M. J., & Owens, D. D. (1978). Feeding ecology and its influence on social organization in Brown hyenas (*Hyaena brunnea*, Thunberg) of the Central Kalahari Desert. *African Journal of Ecology*, 16(2), 113-135. <https://doi.org/10.1111/j.1365-2028.1978.tb00433.x>
- Owen-Smith, N., Hopcraft, G., Morrison, T., Chamaillé-Jammes, S., Hetem, R., Bennitt, E., & Van Langevelde, F. (2020). Movement ecology of large herbivores in African savannas: current knowledge and gaps. *Mammal Review*, 50(3), 252-266. <https://doi.org/10.1111/mam.12193>
- O'Brien, L. (2020). Learning outdoors: the Forest School approach. *Education 3-13*, 37(1), 45-60. <https://doi.org/10.1080/03004270802291798>
- Parris, R. (1971). The ecology and behavior of wildlife in the Kalahari. *Proceedings of a symposium 'Sustained production from semi-arid lands'*. Botswana Notes & Records Spec. Ed., 1, 96-108.
- Parris, R. (1976). *A study of the major components of the Kalahari pan ecosystem* M.Sc. Thesis, University of Pretoria, Pretoria.
- Parris, R., & Child, G. (1973). The importance of pans to wildlife in the Kalahari and the effect of human settlement on these areas. *Journal of Southern African Wildlife management Association*, 3(1), 1-8.
- Parry, D. (1987). Wildebeest (*Connochaetes taurinus*) Mortalities at Lake Xau, Botswana. *Botswana Notes and Records*, 19, 95-101. <http://www.jstor.org/stable/40979793>
- Parry, D. C., & Campbell, B. M. (1990). Wildlife Management Areas of Botswana. *Botswana Notes and Records*, 22, 65-77.
- Passarge, S. (1904). *Die Kalahari: Versuch einer physisch-geographischen darstellung der sandfelder des südafrikanischen beckens*. D. Reimer (E. Vohsen), Berlin.
- Pellikka, J., Rita, H., & Lindén, H. (2005). Monitoring wildlife richness - Finnish applications based on wildlife triangle censuses. *Annales Zoologici Fennici*, 42(2), 123-134. <https://www.jstor.org/stable/23736154>
- Perkins, J. S. (1996). Botswana: fencing out the equity issue. Cattleposts and cattle ranching in the Kalahari Desert. *Journal of Arid Environments*, 33(4), 503-517. <https://doi.org/10.1006/jare.1996.0086>
- Perkins, J. S. (2018). Southern Kalahari piospheres: Looking beyond the sacrifice zone. *Land Degradation & Development*, 29(9), 2778-2784. <https://doi.org/10.1002/ldr.2968>

- Perkins, J. S. (2019). 'Only connect': Restoring resilience in the Kalahari ecosystem. *Journal of environmental management*, 249, 109420. <https://doi.org/10.1016/j.jenvman.2019.109420>
- Perkins, J. S. (2020a). Changing the Scale and Nature of Artificial Water Points (AWP) Use and Adapting to Climate Change in the Kalahari of Southern Africa. In S. O. Keitumetse, L. Hens, & D. Norris (Eds.), *Sustainability in Developing Countries: Case Studies from Botswana's journey towards 2030 Agenda* (pp. 51-89). Springer, Cham. https://doi.org/10.1007/978-3-030-48351-7_4
- Perkins, J. S. (2020b). Take me to the river along the African drought corridor: Adapting to climate change. *Botswana Journal of Agriculture and Applied Sciences*, 14(1), 60-71. <https://doi.org/10.37106/bojaas.2020.77>
- Perkins, S. G. (2011). *Track data analysis indicating the distribution and movement patterns of eastern coyote (canis latrans) on a Cape Cod barrier beach*. B.Sc. Thesis, Wheaton College, Massachusetts.
- Pienaar, U. d. V. (1974). Habitat-preference in South African antelope species and its significance in natural and artificial distribution patterns. *Koedoe*, 17(1), 185-195. <https://doi.org/10.4102/koedoe.v17i1.909>
- Plumwood, V. (2005). *Environmental culture: The ecological crisis of reason*. Routledge, London | New York.
- Popova, E. D., Ahmed, A. A., Genov, P. V., Hodzha, M. M., & Zlatanova, D. P. (2019). Estimating population density of roe deer *Capreolus capreolus* (L.)(Artiodactyla: Cervidae) for better management: comparison of three methods. *Acta zoologica bulgarica*, 71(4), 531-536.
- Purevdorj, T. S., Tateishi, R., Ishiyama, T., & Honda, Y. (1998). Relationships between percent vegetation cover and vegetation indices. *International journal of remote sensing*, 19(18), 3519-3535. <https://doi.org/10.1080/014311698213795>
- Qi, J., Chehbouni, A., Huete, A. R., Kerr, Y. H., & Sorooshian, S. (1994). A modified soil adjusted vegetation index. *Remote sensing of environment*, 48(2), 119-126. [https://doi.org/10.1016/0034-4257\(94\)90134-1](https://doi.org/10.1016/0034-4257(94)90134-1)
- Raborokgwe, M. V. (1997). Cordon fences and wildlife issues. In F. Monggae (Ed.), *Proceedings of a National Conference on Conservation and Management of Wildlife in Botswana: Strategies for the Twenty First Century* (pp. 114-120). Department of Wildlife and National Parks of Botswana and the Kalahari Conservation Society, Gaborone.
- Read, J., & Eldridge, S. (2010). An optimised rapid detection technique for simultaneously monitoring activity of rabbits, cats, foxes and dingoes in the rangelands. *The Rangeland Journal*, 32(4), 389-394. <https://doi.org/10.1071/RJ09018>
- Resolve. (2017). *Ecoregions2017 [Shapefile]*.
- Ribas, C. C. (2023). Wallace knew Indigenous knowledge was key. *Nature*, 613(7942), 24-26. <https://doi.org/10.1038/d41586-022-04508-4>

- Richardson, P. K. (1987). Food consumption and seasonal variation in the diet of the aardwolf *Proteles cristatus* in southern Africa. *Zeitschrift für Säugetierkunde*, 52(5), 307-325. <https://biostor.org/reference/183218>
- Riedel, F., Henderson, A. C. G., Heußner, K.-U., Kaufmann, G., Kossler, A., Leipe, C.,...Taft, L. (2014). Dynamics of a Kalahari long-lived mega-lake system: hydromorphological and limnological changes in the Makgadikgadi Basin (Botswana) during the terminal 50 ka. *Hydrobiologia*, 739(1), 25-53. <https://doi.org/10.1007/s10750-013-1647-x>
- Ringrose, S., & Vanderpost, C. (1997). Range degradation: is it really happening in Botswana ? In F. Monggae (Ed.), *National Conference on Conservation and Management of Wildlife in Botswana-Strategies for the Twenty First Century* (pp. 357). Department of Wildlife and National Parks and Kalahari Conservation Society, Gaborone.
- Ripple, W. J., Abernethy, K., Betts, M. G., Chapron, G., Dirzo, R., Galetti, M.,...Young, H. (2016). Bushmeat hunting and extinction risk to the world's mammals. *Royal Society Open Science*, 3(10), 160498. <https://doi.org/10.1098/rsos.160498>
- Ripple, W. J., Estes, J. A., Beschta, R. L., Wilmers, C. C., Ritchie, E. G., Hebblewhite, M.,...Wirsing, A. J. (2014). Status and ecological effects of the world's largest carnivores. *Science*, 343(6167), 1241484. <https://doi.org/10.1126/science.1241484>
- Ripple, W. J., Newsome, T. M., Wolf, C., Dirzo, R., Everatt, K. T., Galetti, M.,...Lindsey, P. A. (2015). Collapse of the world's largest herbivores. *Science advances*, 1(4), e1400103. <https://doi.org/10.1126/sciadv.1400103>
- Robbins, L., Campbell, A., Murphy, M., Brook, G., Liang, F., Skaggs, S.,...Badenhorst, S. (2008). Recent Archaeological Research at Toteng, Botswana: Early Domesticated Livestock in the Kalahari. *Journal of African Archaeology*, 6(1), 131-149. <https://doi.org/10.3213/1612-1651-10106>
- Robertson, B., Holland, J., & Minot, E. (2012). Wildlife tracking technology options and cost considerations. *Wildlife Research*, 38(8), 653-663. <https://doi.org/10.1071/WR10211>
- Rogan, M. S., Lindsey, P., & McNutt, J. W. (2015). *Illegal bushmeat hunting in the Okavango Delta, Botswana: Drivers, impacts and potential solutions*. The Food and Agriculture Organization, Panthera and Botswana Predator Conservation Trust, Harare.
- Romani, T., Giannone, C., Mori, E., & Filacorda, S. (2018). Use of track counts and camera traps to estimate the abundance of roe deer in North-Eastern Italy: are they effective methods? *Mammal Research*, 63(4), 477-484. <https://doi.org/10.1007/s13364-018-0386-9>
- Rowcliffe, J. M., Carbone, C., Kays, R., Kranstauber, B., & Jansen, P. A. (2012). Bias in estimating animal travel distance: the effect of sampling frequency. *Methods in Ecology and Evolution*, 3(4), 653-662. <https://doi.org/10.1111/j.2041-210X.2012.00197.x>
- Rowcliffe, J. M., Field, J., Turvey, S. T., & Carbone, C. (2008). Estimating animal density using camera traps without the need for individual recognition. *Journal of Applied Ecology*, 45(4), 1228-1236. <https://doi.org/10.1111/j.1365-2664.2008.01473.x>

- Ryan, S. J., Knechtel, C. U., & Getz, W. M. (2006). Range and habitat selection of African buffalo in South Africa. *The Journal of Wildlife Management*, 70(3), 764-776. [https://doi.org/10.2193/0022-541X\(2006\)70\[764:RAHSA\]2.0.CO;2](https://doi.org/10.2193/0022-541X(2006)70[764:RAHSA]2.0.CO;2)
- Sadler, L. M. J., Webbon, C. C., Baker, P. J., & Harris, S. (2004). Methods of monitoring red foxes *Vulpes vulpes* and badgers *Meles meles*: are field signs the answer? *Mammal Review*, 34(1-2), 75-98. <https://doi.org/10.1046/j.0305-1838.2003.00029.x>
- Sadowski, R. (2024). Roots of (and Solutions to) our Ecological Crisis. A Humanistic Perspective. *Ecological civilization*, 1(1), 10001. <https://doi.org/10.35534/ecolciviliz.2023.10001>
- Sandbrook, C. (2015). What is conservation? *Oryx*, 49(4), 565-566. <https://doi.org/10.1017/S0030605315000952>
- Sanparks. (2022). *Kgalagadi Transfrontier Park*. South African National Parks. Retrieved 23 September 2022 from <https://www.sanparks.org/parks/kgalagadi/tourism/history.php>
- Schiess-Meier, M., Ramsauer, S., Gabanapelo, T., & König, B. (2007). Livestock predation-insights from problem animal control registers in Botswana. *The Journal of Wildlife Management*, 71(4), 1267-1274. <https://doi.org/10.2193/2006-177>
- Schooley, R. L., Cotner, L. A., Ahlers, A. A., Heske, E. J., & Levensgood, J. M. (2012). Monitoring site occupancy for American mink in its native range. *The Journal of Wildlife Management*, 76(4), 824-831. <https://doi.org/10.1002/jwmg.294>
- Schtickzelle, N. (Unpublished results). *Obtained from CMR data for the butterfly Boloria eunomia in Belgium*. Earth and Life Institute, Université catholique de Louvain, Louvain-la-Neuve.
- Schtickzelle, N., Le Boulengé, E., & Baguette, M. (2002). Metapopulation dynamics of the bog fritillary butterfly: demographic processes in a patchy population. *Oikos*, 97(3), 349-360. <https://doi.org/10.1034/j.1600-0706.2002.970305.x>
- Schwarz, C. J., & George, A. F. S. (1999). Estimating Animal Abundance: Review III. *Statistical Science*, 14(4), 427-456. <https://doi.org/10.1214/ss/1009212521>
- Seber, G. A. F. (1986). A review of estimating animal abundance. *Biometrics*, 42(2), 267-292. <https://doi.org/10.2307/2531049>
- Seidlitz, A., Bryant, K. A., Armstrong, N. J., Calver, M. C., & Wayne, A. F. (2021). Sign surveys can be more efficient and cost effective than driven transects and camera trapping: a comparison of detection methods for a small elusive mammal, the numbat (*Myrmecobius fasciatus*). *Wildlife Research*, 48(6), 491-500. <https://doi.org/10.1071/WR20020>
- Selebatso, M., Bennitt, E., Maude, G., & Fynn, R. W. S. (2018). Water provision alters wildebeest adaptive habitat selection and resilience in the Central Kalahari. *African Journal of Ecology*, 56(2), 225-234. <https://doi.org/10.1111/aje.12439>

- Selebatso, M., Fynn, R., & Maude, G. (2017). Adaptive activity patterns of a blue wildebeest population to environmental variability in fragmented, semi-arid Kalahari, Botswana. *Journal of Arid Environments*, 136, 15-18. <https://doi.org/10.1016/j.jaridenv.2016.10.001>
- Selebatso, M., Maude, G., & Fynn, R. W. S. (2018). Assessment of quality of water provided for wildlife in the Central Kalahari Game Reserve, Botswana. *Physics and Chemistry of the Earth, Parts A/B/C*, 105, 191-195. <https://doi.org/10.1016/j.pce.2018.02.012>
- Senyatso, K. (2011). *Conserving widely distributed wildlife species in an African savanna: parks, cattle-grazing and community-managed areas*. Ph.D. Thesis, University of East Anglia, Norwich.
- Sharma, S., Jhala, Y., & Sawarkar, V. B. (2005). Identification of individual tigers (*Panthera tigris*) from their pugmarks. *Journal of Zoology*, 267(1), 9-18. <https://doi.org/10.1017/S0952836905007119>
- Shorrocks, B., & Bates, W. (2014). *The biology of African savannahs, second ed.* Oxford University Press, Oxford.
- Shrestha, Y., & Lapeyre, R. (2018). Modern wildlife monitoring technologies: conservationists versus communities? A case study: the Terai-Arc landscape, Nepal. *Conservation and Society*, 16(1), 91-101. https://doi.org/10.4103/cs.cs_16_83
- Silberbauer, G. B. (1965). *Report to the Government of Bechuanaland on the Bushman Survey*. Bechuanaland Government, Gaborone.
- Silberbauer, G. B. (1981). *Hunter & habitat in the central Kalahari Desert*. Cambridge University Press, Cambridge.
- Silveira, L., Jácomo, A. T. A., & Diniz-Filho, J. A. F. (2003). Camera trap, line transect census and track surveys: a comparative evaluation. *Biological Conservation*, 114(3), 351-355. [https://doi.org/https://doi.org/10.1016/S0006-3207\(03\)00063-6](https://doi.org/https://doi.org/10.1016/S0006-3207(03)00063-6)
- Skarpe, C. (1980). Observations on two bushfires in the western Kalahari, Botswana. In E. Sjogren (Ed.), *Studies in plant ecology* (pp. 131-140). Acta Phytogeographica Suecica 68, Uppsala.
- Skarpe, C. (1986). Plant community structure in relation to grazing and environmental changes along a north-south transect in the western Kalahari. *Vegetatio*, 68(1), 3-18.
- Smallwood, K. S., & Fitzhugh, E. L. (1995). A track count for estimating mountain lion *Felis concolor californica* population trend. *Biological Conservation*, 71(3), 251-259. [https://doi.org/10.1016/0006-3207\(94\)00034-N](https://doi.org/10.1016/0006-3207(94)00034-N)
- Smithers, R. H. N. (1971). *The mammals of Botswana* Ph.D. Thesis, University of Pretoria, Pretoria.
- Sollmann, R. (2018). A gentle introduction to camera-trap data analysis. *African Journal of Ecology*, 56(4), 740-749. <https://doi.org/10.1111/aje.12557>

- Southgate, R., & Moseby, K. (2008). *Track-based monitoring for the deserts and rangelands of Australia*. WWF Australia and Australian Government, Sydney.
- Southgate, R., Paltridge, R., Masters, P., & Carthew, S. (2007). Bilby distribution and fire: a test of alternative models of habitat suitability in the Tanami Desert, Australia. *Ecography*, 30(6), 759-776. <https://doi.org/10.1111/j.2007.0906-7590.04956.x>
- Soutiere, E. C. (1979). Effects of Timber Harvesting on Marten in Maine. *The Journal of Wildlife Management*, 43(4), 850-860. <https://doi.org/10.2307/3808268>
- Spinage, C. (1998). Social change and conservation misrepresentation in Africa. *Oryx*, 32(4), 265-276. <https://doi.org/10.1046/j.1365-3008.1998.d01-56.x>
- Spinage, C. A. (1991). *History and evolution of the fauna conservation laws of Botswana*. Occasional paper 3. Botswana Society, Gaborone.
- Spinage, C. A. (1992a). Further gleanings of game affairs in the Bechuanaland Protectorate. *Botswana Notes & Records*, 24(1), 33-38. <https://www.jstor.org/stable/40979914>
- Spinage, C. A. (1992b). Gleanings of Game Affairs in the Bechuanaland Protectorate. *Botswana Notes and Records*, 24, 19-32. <http://www.jstor.org/stable/40979913>
- Spinage, C. A. (1992c). The decline of the Kalahari wildebeest. *Oryx*, 26(3), 147-150. <https://doi.org/10.1017/S0030605300023577>
- Stander, P. (1994). *Ecology and hunting behaviours of lions and leopards*. Ph.D. Thesis, University of Cambridge, Cambridge.
- Stander, P. E. (1998). Spoor counts as indices of large carnivore populations: the relationship between spoor frequency, sampling effort and true density. *Journal of Applied Ecology*, 35(3), 378-385. <https://doi.org/10.1046/j.1365-2664.1998.00313.x>
- Stander, P. E., //Ghau, Tsisaba, D., //.#Oma, & ./Ui. (1997). Tracking and the interpretation of spoor: a scientifically sound method in ecology. *Journal of Zoology*, 242(2), 329-341. <https://doi.org/10.1111/j.1469-7998.1997.tb05805.x>
- Statistics Botswana. (2005). *Wildlife Statistics 2004*. Statistics Botswana, Gaborone.
- Statistics Botswana. (2015). *Botswana Environment Statistics : Wildlife Digest 2014*. Statistics Botswana, Gaborone.
- Statistics Botswana. (2018). *Botswana Agricultural Census Report 2015*. Statistics Botswana, Gaborone.
- Statistics Botswana. (2021a). *Annual Agricultural Survey Report 2019: Traditional Sector*. Statistics Botswana, Gaborone.

- Statistics Botswana. (2021b). *Botswana Selected Environmental Indicators Digest 2020*. Statistics Botswana, Gaborone.
- Stephens, P. A., Vieira, M. V., Willis, S. G., & Carbone, C. (2019). The limits to population density in birds and mammals. *Ecology Letters*, 22(4), 654-663. <https://doi.org/10.1111/ele.13227>
- Stephens, P. A., Zaumyslova, O. Y., Miquelle, D. G., Myslenkov, A. I., & Hayward, G. D. (2006). Estimating population density from indirect sign: track counts and the Formozov–Malyshev–Pereleshin formula. *Animal Conservation*, 9(3), 339-348. <https://doi.org/10.1111/j.1469-1795.2006.00044.x>
- Stoltz, L. P., & Saayman, G. S. (1970). Ecology and behaviour of baboons in the northern Transvaal. *Annals of the transvaal museum*, 26(5), 99-143. https://hdl.handle.net/10520/AJA00411752_1070
- Subach, A., Dorfman, A., Avidov, B., Domer, A., Samocha, Y., & Scharf, I. (2022). Foraging behaviour, habitat use and population size of the desert horned viper in the Negev desert. *Royal Society Open Science*, 9(6), 220326. <https://doi.org/10.1098/rsos.220326>
- Sulkava, R. (2007). Snow tracking: a relevant method for estimating otter *Lutra lutra* populations. *Wildlife Biology*, 13(2), 208-218. [https://doi.org/10.2981/0909-6396\(2007\)13\[208:STARMF\]2.0.CO;2](https://doi.org/10.2981/0909-6396(2007)13[208:STARMF]2.0.CO;2)
- Swanepoel, L., Lindsey, P., Somers, M., van Hoven, W., & Dalerum, F. (2014). The Relative Importance of Trophy Harvest and Retaliatory Killing of Large Carnivores: South African Leopards as a Case Study. *South African Journal of Wildlife Research*, 44(2), 115-134. <https://doi.org/10.3957/056.044.0210>
- Sze, J. S., Carrasco, L. R., Childs, D., & Edwards, D. P. (2022). Reduced deforestation and degradation in Indigenous Lands pan-tropically. *Nature Sustainability*, 5(2), 123-130. <https://doi.org/10.1038/s41893-021-00815-2>
- Tanaka, J. (1974). *The Central Kalahari Bushmen: A Study of Ecological Anthropology* Ph.D. Thesis, Kyoto University, Kyoto.
- Tarnavsky, E., Grimes, D., Maidment, R., Black, E., Allan, R. P., Stringer, M.,...Kayitakire, F. (2014). Extension of the TAMSAT Satellite-Based Rainfall Monitoring over Africa and from 1983 to Present. *Journal of Applied Meteorology and Climatology*, 53(12), 2805-2822. <https://doi.org/10.1175/JAMC-D-14-0016.1>
- Thomas, D., & Shaw, P. A. (1991). *The Kalahari Environment*. Cambridge University Press, Cambridge.
- Thorn, M., Green, M., Bateman, P. W., Waite, S., & Scott, D. M. (2011). Brown hyaenas on roads: Estimating carnivore occupancy and abundance using spatially auto-correlated sign survey replicates. *Biological Conservation*, 144(6), 1799-1807. <https://doi.org/10.1016/j.biocon.2011.03.009>

- Thouless, C. R. (1998). Large mammals inside and outside protected areas in the Kalahari. *Transactions of the Royal Society of South Africa*, 53(2), 245-255. <https://doi.org/10.1080/00359199809520391>
- Tran, T. C., Ban, N. C., & Bhattacharyya, J. (2020). A review of successes, challenges, and lessons from Indigenous protected and conserved areas. *Biological Conservation*, 241, 108271. <https://doi.org/10.1016/j.biocon.2019.108271>
- Trimble, M. (2019). Saved by safaris? *Earth Island Journal*, Summer 2019. <https://www.earthisland.org/journal/index.php/magazine/entry/saved-by-safaris>
- Trolliet, F., Huynen, M.-C., Vermeulen, C., & Hambuckers, A. (2014). Use of camera traps for wildlife studies. A review. *Biology Agriculture Science Environnement*, 18(2014), 446-454. <https://popups.uliege.be/1780-4507/index.php?id=11542>
- Tshukudu, K. (2024). *Integrated Land Use Management Plan (ILUMP) for the Kgalagadi-Ghanzi Drylands Ecosystem Project (KGDEP): Draft Final Report*. Government of Botswana and the United Nations Development Programme (UNDP), Gaborone.
- Twyman, C. (2000). Livelihood opportunity and diversity in Kalahari Wildlife Management Areas, Botswana: rethinking community resource management. *Journal of Southern African Studies*, 26(4), 783-806. <https://doi.org/10.1080/713683606>
- Tyson, P. D. (1980). Temporal and spatial variation of rainfall anomalies in Africa south of latitude 22 during the period of meteorological record. *Climatic Change*, 2(4), 363-371. <https://doi.org/10.1007/BF00137205>
- UNEP. (2019). *Environmental Rule of Law: First Global Report*. United Nations Environment Programme, Nairobi.
- UNEP-WCMC. (2016). *The state of biodiversity in Africa: A mid-term review of progress towards the Aichi biodiversity targets*. The United Nations Environment Programme World Conservation Monitoring Centre, Cambridge.
- UNEP-WCMC, & IUCN. (2025). *The World Database on Protected Areas (WDPA)* United Nations Environment Programme - World Conservation Monitoring Centre and International Union for Conservation of Nature. www.protectedplanet.net
- USAID. (1988). *Botswana Biological Diversity Assessment*. Prepared by L. Hannah, G. Wetterberg and L. Duvall. U.S. Agency for International Development, Bureau for Africa, Gaborone.
- van Dalen, B., & Roberts, P. (2020). Prehistoric Human Development and Sustainability. In *The Palgrave Handbook of Global Sustainability* (pp. 1-40). Palgrave Macmillan, Cham. https://doi.org/10.1007/978-3-030-38948-2_145-1
- van der Walt, P. T., Retief, P. F., Le Riche, E. A. N., Mills, M. G. L., & de Graaff, G. (1984). Features of habitat selection by larger herbivorous mammals and the Ostrich in the Southern Kalahari conservation areas. *Koedoe*, 27(2), Supplement a573, 119-128. <https://doi.org/10.4102/koedoe.v27i2.573>

- Van der Weyde, L. K. (2019). *Cattle spatial use at cattle posts in Wildlife Management Areas - Research Report 19.5*. Cheetah Conservation Botswana, Gaborone.
- Van der Weyde, L. K., Hubel, T. Y., Horgan, J., Shotton, J., McKenna, R., & Wilson, A. M. (2017). Movement patterns of cheetahs (*Acinonyx jubatus*) in farmlands in Botswana. *Biology open*, 6(1), 118-124. <https://doi.org/10.1242/bio.021055>
- Van der Weyde, L. K., Theisinger, O., Mbisana, C., Gielen, M.-C., & Klein, R. (2021). The value of pastoral ranches for wildlife conservation in the Kalahari. *Wildlife Research*, 49(3), 215-226. <https://doi.org/10.1071/WR21048>
- Van der Weyde, L. K., Tobler, M. W., Gielen, M. C., Cozzi, G., Weise, F. J., Adams, T.,...Brassine, A. (2022). Collaboration for conservation: Assessing countrywide carnivore occupancy dynamics from sparse data. *Diversity and Distributions*, 28(5), 917-929. <https://doi.org/10.1111/ddi.13386>
- Van Dyke, F. G., Brocke, R. H., & Shaw, H. G. (1986). Use of road track counts as indices of mountain lion presence. *The Journal of wildlife management*, 50(1), 102-109. <https://doi.org/10.2307/3801497>
- van Rooyen, N., & van Rooyen, M. W. (1998). Vegetation of the south-western arid Kalahari: an overview. *Transactions of the Royal Society of South Africa*, 53(2), 113-140. <https://doi.org/10.1080/00359199809520381>
- Velempini, K., & Perkins, J. S. (2008). Integrating indigenous technical knowledge and modern scientific knowledge for biodiversity conservation and human livelihoods in the southern Kalahari, Botswana. *Botswana Notes and Records*, 39, 75-88. <https://www.jstor.org/stable/41236635>
- Verlinden, A. (1994). *An Action Plan for the Management of Wildebeest Populations in the Kalahari*. Department of Wildlife and National Parks, Gaborone.
- Verlinden, A. (1997). Human settlements and wildlife distribution in the southern Kalahari of Botswana. *Biological Conservation*, 82(2), 129-136. [https://doi.org/10.1016/S0006-3207\(96\)00156-5](https://doi.org/10.1016/S0006-3207(96)00156-5)
- Verlinden, A. (1998). Seasonal movement patterns of some ungulates in the Kalahari ecosystem of Botswana between 1990 and 1995. *African Journal of Ecology*, 36(2), 117-128. <https://doi.org/10.1046/j.1365-2028.1998.00112.x>
- Verlinden, A., & Masogo, R. (1997). Satellite remote sensing of habitat suitability for ungulates and ostrich in the Kalahari of Botswana. *Journal of Arid Environments*, 35(3), 563-574. <https://doi.org/10.1006/jare.1996.0174>
- Verlinden, A., Perkins, J. S., Murray, M., & Masunga, G. (1998). How are people affecting the distribution of less migratory wildlife in the southern Kalahari of Botswana? A spatial analysis. *Journal of Arid environments*, 38(1), 129-141. <https://doi.org/10.1006/jare.1997.0298>

- Viljoen, P. J., & Bothma, J. P. (1990). Daily movements of desert-dwelling elephants in the northern Namib Desert. *South African Journal of Wildlife Research*, 20(2), 69-80. https://hdl.handle.net/10520/AJA03794369_2547
- Von Richter, W. (1970). Wildlife and Rural Economy in S.W. Botswana. *Botswana Notes and Records*, 2, 85-94. <http://www.jstor.org/stable/40980769>
- Vossen, P. (1988). An analysis of agricultural livestock and traditional crop production statistics as a function of total annual and early, mid and late rainy season rainfall in Botswana. *Agricultural and forest meteorology*, 42(4), 369-382. [https://doi.org/10.1016/0168-1923\(88\)90044-5](https://doi.org/10.1016/0168-1923(88)90044-5)
- Wallgren, M., Skarpe, C., Bergström, R., Danell, K., Bergström, A., Jakobsson, T.,...Strand, T. (2009). Influence of land use on the abundance of wildlife and livestock in the Kalahari, Botswana. *Journal of arid environments*, 73(3), 314-321. <https://doi.org/10.1016/j.jaridenv.2008.09.019>
- Wallgren, M., Skarpe, C., Bergström, R., Danell, K., Granlund, L., & Bergström, A. (2009). Mammal community structure in relation to disturbance and resource gradients in southern Africa. *African Journal of Ecology*, 47(1), 20-31. <https://doi.org/10.1111/j.1365-2028.2007.00904.x>
- Watson, T. (2013). Fences divide lion conservationists. *Nature*, 503(7476), 322-323. <https://doi.org/10.1038/503322a>
- Wayland, E. J. (1953). More About the Kalahari. *The Geographical Journal*, 119(1), 49-56. <https://doi.org/10.2307/1791618>
- WCS, & CIESIN. (2005). *Last of the Wild Project, Version 2, 2005 (LWP-2): Last of the Wild Dataset (Geographic)*. Wildlife Conservation Society (WCS) and the Columbia University Center for International Earth Science Information Network (CIESIN), NASA Socioeconomic Data and Applications Center (SEDAC), New York.
- Weare, P. R., & Yalala, A. (1971). Provisional vegetation map of Botswana. *Botswana Notes and Records*, 3, 131-147. <http://www.jstor.org/stable/40979284>
- Webb, S. L., Gee, K. L., Strickland, B. K., Demarais, S., & DeYoung, R. W. (2010). Measuring fine-scale white-tailed deer movements and environmental influences using GPS collars. *International Journal of Ecology*, 2010, 459610. <https://doi.org/10.1155/2010/459610>
- White, L. (1967). The historical roots of our ecologic crisis. *Science*, 155(3767), 1203-1207. <https://doi.org/10.1126/science.155.3767.1203>
- Whittington, J., St. Clair, C. C., & Mercer, G. (2004). Path tortuosity and the permeability of roads and trails to wolf movement. *Ecology and Society*, 9(1), 4. <https://doi.org/10.5751/ES-00617-090104>
- Williams, S., Williams, K., Joubert, C., & Hill, R. (2016). The impact of land reform on the status of large carnivores in Zimbabwe. *PeerJ*, 4, e1537. <https://doi.org/10.7717/peerj.1537>

- Williamson, D., & Williamson, J. (1984). Botswana's fences and the depletion of Kalahari wildlife. *Oryx*, 18(4), 218-222. <https://doi.org/10.1017/S0030605300019268>
- Williamson, D., Williamson, J., & Ngwamotsoko, K. T. (1988). Wildebeest migration in the Kalahari. *African Journal of Ecology*, 26(4), 269-280. <https://doi.org/10.1111/j.1365-2028.1988.tb00979.x>
- Williamson, D. T., & Mbano, B. (1988). Wildebeest mortality during 1983 at lake Xau, Botswana. *African Journal of Ecology*, 26(4), 341-344. <https://doi.org/10.1111/j.1365-2028.1988.tb00987.x>
- Wilson, G. J., & Delahay, R. J. (2001). A review of methods to estimate the abundance of terrestrial carnivores using field signs and observation. *Wildlife Research*, 28(2), 151-164. <https://doi.org/10.1071/WR00033>
- Wilson, V. (2013). *Sylvicapra grimmia* Common duiker. In J. S. Kingdon & M. Hoffmann (Eds.), *Mammals of Africa* (Vol. 6: Pigs, Hippopotamuses, Chevrotain, Giraffes, Deer and Bovids, pp. 235-243). Bloomsbury Publishing, London.
- Winterbach, C., Ferreira, S., Funston, P., & Somers, M. (2016). Simplified large African carnivore density estimators from track indices. *PeerJ*, 4, e2662. <https://doi.org/10.7717/peerj.2662>
- Winterbach, H. E. K., Winterbach, C. W., & Somers, M. J. (2014). Landscape suitability in Botswana for the conservation of its six large African carnivores. *PLoS One*, 9(6), e100202. <https://doi.org/10.1371/journal.pone.0100202>
- Wong, P. B. Y., de Groot, P. V. C., Fekken, C., Smith, H., Pages, M., & Boag, P. T. (2011). Interpretations of polar bear (*Ursus maritimus*) tracks by Inuit hunters: inter-rater reliability and inferences concerning accuracy. *The Canadian Field-Naturalist*, 125(2), 140-153. <https://doi.org/10.22621/cfn.v125i2.1197>
- World Bank. (2021). *Population - total, Botswana*. The World Bank Group, 2022. Retrieved 15 September 2022 from <https://data.worldbank.org/indicator/SP.POP.TOTL?locations=BW>
- Worldometer. (2022). *Botswana population (live)*. Worldometers.info. Retrieved 15 September 2022 from [https://www.worldometers.info/world-population/botswana-population/#:~:text=Botswana%20ranks%20number%20145%20in,11%20people%20per%20mi2\).&text=The%20median%20age%20in%20Botswana%20is%2024.0%20years.](https://www.worldometers.info/world-population/botswana-population/#:~:text=Botswana%20ranks%20number%20145%20in,11%20people%20per%20mi2).&text=The%20median%20age%20in%20Botswana%20is%2024.0%20years.)
- XNRCT. (2006). *GH10 Assessment and Land-Use Management Plan*. Prepared by Arthur Albertson Consulting (Pty) Ltd on behalf of Xwiskurusa Natural Resources Conservation Trust & Permaculture Trust Botswana. Xwiskurusa Natural Resources Conservation Trust & Permaculture Trust Botswana, Ghanzi.
- Yuling, Y., Aki, V., Daniel, S., & Andrew, G. (2018). Using Stacking to Average Bayesian Predictive Distributions (with Discussion). *Bayesian Analysis*, 13(3), 917-1007. <https://doi.org/10.1214/17-BA1091>
- Zidon, R., Garti, S., Getz, W. M., & Saltz, D. (2017). Zebra migration strategies and anthrax in Etosha National Park, Namibia. *Ecosphere*, 8(8), e01925. <https://doi.org/10.1002/ecs2.1925>

Zylstra, M. J., Knight, A. T., Esler, K. J., & Le Grange, L. L. L. (2014). Connectedness as a core conservation concern: An interdisciplinary review of theory and a call for practice. *Springer Science Reviews*, 2, 119-143. <https://doi.org/10.1007/s40362-014-0021-3>