

Bibliography

- Addiscott, T. and Bailey, N. (1990). Relating the parameters of a leaching model to the percentage of clay and other components. In Roth, K., Flühler, H., Jury, W., and Parker, J., editors, *Field-scale Solute and Water Flux in Soils*, pages 209–221. Birkhäuser-Verlag, Basel.
- Addiscott, T. and Mirza, N. (1998). Modelling contaminant transport at catchment or regional scale. *Agriculture, Ecosystems and Environment*, 67:211–221.
- Addiscott, T., Smith, J., and Bradbury, N. (1995). Critical evaluation of models and their parameters. *Journal of Environmental Quality*, 24:803–807.
- Addiscott, T. and Tuck, G. (1996). Sensitivity analysis for regional-scale solute transport modeling. In Corwin, D. and Loague, K., editors, *Applications of GIS to the Modeling of Non-Point Source Pollutants in the Vadose Zone*, volume SSSA Special Publication Number 48, pages 153–162. Soil Science Society of America, Inc, Madison, USA.
- Addiscott, T. and Tuck, G. (2001). Non-linearity and error in modelling soil processes. *European Journal of Soil Science*, 52:129–138.
- Addiscott, T. and Wagenet, R. (1985). Concepts of solute leaching in soils: a review of modelling approaches. *Journal of Soil Science*, 36:411–424.
- Ahmad, R., Kookana, R., Alston, A., and Skjemstad, J. (2001). The nature of soil organic matter affects sorption of pesticides. 1. Relationships with carbon chemistry as determined by ^{13}C CPMAS NMR spectroscopy. *Environmental Science & Technology*, 35(5):878–884.

- Albinet, M. and Margat, J. (1970). Cartographie de la vulnérabilité à la pollution des nappes d'eau souterraine. *Bulletin BRGM 2nd Series*, 3(4):13–22.
- Albrechtsen, H.-J., Mills, M., Aamand, J., and Bjerg, P. (2001). Degradation of herbicides in shallow danish aquifers: an integrated laboratory and field study. *Pest Management Science*, 57:341–350.
- Allen, R., Pereira, L., Raes, D., and Smith, M. (1998). Crop evapotranspiration: Guidelines for computing crop water requirements. FAO Irrigation and Drainage paper, vol. 56. FAO, Rome, Italy.
- Aller, L., Bennet, T., Lehr, J., and Petty, R. (1985). DRASTIC: A standardized system for evaluating ground water pollution potential using hydrogeologic settings. Technical report, EPA/600/2-85/018, R.S. Kerr Environmental Research Laboratory, U.S. Environmental Protection Agency.
- Anonym (1996). Liste des pesticides à usage agricole agréés. Ministère des Classes Moyennes et de l'Agriculture, Institut National de Statistiques, Ministère des Affaires Economiques, Bruxelles.
- Apel, H., Thielen, A., Merz, B., and Blöschl, G. (2004). Flood risk assessment and associated uncertainty. *Natural Hazards and Earth System Sciences*, 4:295–308.
- Barnes, E., Sudduth, K., Hummel, J., Lesch, S., Corwin, D., Yang, C., Daughtry, C., and Bausch, W. (2003). Remote- and ground-based sensor techniques to map soil properties. *Photogrammetric Engineering & Remote Sensing*, 69(6):619–630.
- Baveye, P. (2002). Comment on "Modeling soil variation: past, present and future" by G.B.M. Heuvelink and R. Webster. *Geoderma*, 109:289–293.
- Baveye, P. and Boast, C. (1999). Physical scales and spatial predictability of transport processes in the environment. In Corwin, D., Loague, K., and Ellsworth, T., editors, *Assessment of Non-Point Source Pollution in the Vadose Zone*, pages 261–280. American Geophysical Union, Washington.
- Beck, B. (2002). Model evaluation and performance. In El-Shaarawi, A. and Piegorsch, W., editors, *Encyclopedia of Environmetrics*, volume 3, pages 1275–1279. John Wiley & Sons, Chichester.

- Bedos, C., Cellier, P., Calvet, R., Barriuso, E., and Gabrielle, B. (2002). Mass transfer of pesticides into the atmosphere by volatilization from soils and plants: overview. *Agronomie*, 22:21–33.
- Beltman, W., Boesten, J., and van der Zee, S. (1995). Analytical modelling of pesticide transport from the soil surface to a drinking well. *Journal of Hydrology*, 169:209–228.
- Ben-Dor, E., Patkin, K., Banin, A., and Karnieli, A. (2002). Mapping of several soil properties using dais-7915 hyperspectral scanner data-a case study over clayey soils in israel. *International Journal of Remote Sensing*, 23(6):1043–1062.
- Beulke, S., Brown, C., Dubus, I., Galicia, H., Jarvis, N., Schaefer, D., and Trevisan, M. (2006). User-subjectivity in Monte Carlo modelling of pesticide exposure. In *Pesticide Behaviour in Soils, Water and Air*, University of Warwick, UK. SCI.
- Beven, K. (1995). Linking parameters across scales: Subgrid parameterizations and scale dependent hydrological models. *Hydrological Processes*, 9(5-6):507–526.
- Beven, K. (2001a). How far can be go in distributed hydrological modelling? *Hydrology and Earth System Sciences*, 5(1):1–12.
- Beven, K. (2001b). *Rainfall-runoff modelling: the primer*. John Wiley & Sons Ltd., Chichester, UK.
- Beven, K. (2005). On the concept of model structural error. *Water Science and Technology*, 52(6):167–175.
- Beven, K. (2006). A manifesto for the equifinality thesis. *Journal of Hydrology*, 320(1-2):18–36.
- Beven, K. and Binley, A. (1992). The future of distributed models: model calibration and uncertainty prediction. *Hydrological Processes*, 6:279–298.
- Beven, K. and Freer, J. (2001). Equifinality, data assimilation, and uncertainty estimation in mechanistic modelling of complex environmental systems using the GLUE methodology. *Journal of Hydrology*, 249:11–29.

- Beven, K., Schulz, K., and Franks, S. (1999). Functional similarity in hydrological modelling at the landscape scale. In Feyen, J. and Wiyo, K., editors, *Modelling of transport processes in soils*, pages 725–735. Wageningen Pres, Wageningen.
- Blaikie, P., Cannon, T., Davis, I., and Wisner, B. (1994). *At Risk: Natural Hazards, Peoples Vulnerability and Disasters*. Routledge, London.
- Bleecker, M., DeGloria, S., Hutson, J., Bryant, R., and Wagenet, R. (1995). Mapping atrazine leaching potential with integrated environmental databases and simulation models. *Journal of Soil and Water Conservation*, 50(4):388–394.
- Blöschl, G. (2001). Scaling in hydrology. *Hydrological Processes*, 15:709–711.
- Boesten, J. (2000). Modeller subjectivity in estimating pesticide parameters for leaching models using the same laboratory data set. *Agricultural Water Management*, 44:389–409.
- Boesten, J., Jones, R., Businelli, M., Delmas, A., Gottesbüren, B., Hanze, K., Jarvis, T., Klein, M., van der Linden, A., W.M., M., Rekolainen, S., Ressler, H., Styczen, M., Travis, K., and Vanclooster, M. (1999). The development of FOCUS scenarios for assessing pesticide leaching to groundwater in EU registration. Conf. Proc. Vol. 2. pages 527–536. Weeds; the 1999 Brighton conference. Farnham (UK), British Crop Protection Council, 1999.
- Boesten, J. and van der Linden, A. (1991). Modelling the influence of sorption and transformation on pesticide leaching and persistence. *Journal of Environmental Quality*, 20:425–435.
- Bogaert, P. and D’Or, D. (2002). Estimating soil properties from thematic soil maps: The Bayesian Maximum Entropy approach. *Soil Science Society of America Journal*, 66:1492–1500.
- Bollag, J.-M., Myers, C., and Minard, R. (1992). Biological and chemical interactions of pesticides with soil organic matter. *The Science of The Total Environment*, 123-124:205–217.
- Bollen, M., Bekhuis, F., Reiling, R., and Scheper, E. (1995). To a spatial view of the vulnerability of the soil and groundwater. Part 1: the vulnerability for loading with heavy metals, pesticides, groundwater discharge

- and ammonia-deposition. RIVM report 711901012 (in Dutch), Bilthoven, the Netherlands.
- Bosma, W., Marinussen, M., and van der Zee, S. (1994). Simulation and areal interpolation of reactive solute transport. *Geoderma*, 62:217–231.
- Brown, C., Baer, U., Günther, P., Trevisan, M., and Walker, A. (1996). Ring test with the models LEACHP, PRZM-2 and VARLEACH: variability between model users in prediction of pesticide leaching using a standard data set. *Pesticide Science*, 47:249–258.
- Brown, J. (2004). Knowledge, uncertainty and physical geography: towards the development of methodologies for questioning belief. *Transactions of the Institute of British Geographers*, 29:367–381.
- Brown, J. and Heuvelink, G. (2005). Assessing uncertainty propagation through physically based models of soil water flow and solute transport. In Anderson, M., editor, *The Encyclopedia of Hydrological Sciences*, pages 1181–1195. John Wiley & Sons, Ltd.
- Brus, D. and Jansen, M. (2004). Uncertainty and sensitivity analysis of spatial predictions of heavy metals in wheat. *Journal of Environmental Quality*, 33:882–890.
- Burkart, M., Kolpin, D., and James, D. (1999a). Assessing groundwater vulnerability to agrichemical contamination in the Midwest US. *Water Science and Technology*, 39(3):103–112.
- Burkart, M., Kolpin, D., Jaquis, R., and Cole, K. (1999b). Agrichemicals in ground water of the Midwestern USA: Relations to soil characteristics. *Journal of Environmental Quality*, 28:1908–1915.
- Caniego, F., Espejo, R., Martin, M., and Jose, F. (2005). Multifractal scaling of soil spatial variability. *Ecological Modelling*, 182(3-4):291–303.
- Carsel, R., Imhoff, J., Hummel, P., Cheplick, J., and Donigian, AS, J. (1998). PRZM-3, Model for predicting pesticide and nitrogen fate in the crop root and unsaturated soil zones: Users manual for release 3.0. Athens, GA: USEPA.

- Carsel, R., Parrish, R., Jones, R., Hansen, J., and Lamb, R. (1988). Characterizing the uncertainty of pesticide leaching in agricultural soils. *Journal of Contaminant Hydrology*, 2:111–124.
- CERVA (2004). Prévention de la pollution des eaux par les pesticides en Région Wallonne. Partie 3: Recherche des causes de cas de contamination des eaux potabilisables en Région Wallonne, Convention SPGE - Phytofar - SPF Santé Publique, Sécurité de la Chaîne alimentaire et Environnement, Rapport final, Centre d'Etude et de Recherches Vétérinaires et Agrochimiques.
- Charnay, M.-P., Tuis, S., Coquet, Y., and Barriuso, E. (2005). Spatial variability in ¹⁴C-herbicide degradation in surface and subsurface soils. *Pest Management Science*, 61(9):845–855.
- Chrispeels, M. (2000). Biotechnology and the poor. *Plant Physiology*, 124:3–6.
- Christakos, G. (1990). A Bayesian/maximum-entropy view to the spatial estimation problem. *Mathematical Geology*, 22:763–777.
- Christakos, G. (2000). *Modern spatiotemporal geostatistics*. Oxford University Press, New York, NY.
- Christakos, G., Bogaert, P., and Serre, M. (2002). *Temporal GIS. Advanced Functions for Field-Based Applications*. Springer-Verlag, New York.
- Connell, L. and van den Daele, G. (2003). A quantitative approach to aquifer vulnerability mapping. *Journal of Hydrology*, 276:71–88.
- Conway, G. (1999). *The Doubly Green Revolution - Food for All in the Twenty-First Century*. Cornell University Press.
- Coquet, Y. (2002). Variation of pesticide sorption isotherm in soil at the catchment scale. *Pest Management Science*, 58:69–78.
- Coquet, Y., Hadjar, D., Gilliot, J.-M., Charnay, M.-P., Moeys, J., Dufour, A., and Beaudoin, N. (2005). Biases in the spatial estimation of pesticide loss to groundwater. *Agronomy for Sustainable Development*, 25:465–472.
- Cornelis, W., Ronsyn, J., Van Meirvenne, M., and Hartmann, R. (2001). Evaluation of pedotransfer functions for predicting the soil moisture retention curve. *Soil Science Society of America Journal*, 65(3):638–648.

- Corwin, D., Hopmans, J., and de Rooij, G. (2006). From field- to landscape-scale vadose zone processes: Scale issues, modeling, and monitoring. *Vadose Zone Journal*, 5(1):129–139.
- Corwin, D., Letey, J., and Carrillo, M. (1999a). Modeling non-point source pollutants in the vadose zone: Back to the basics. In Corwin, D., Loague, K., and Ellsworth, T., editors, *Assessment of Non-Point Source Pollution in the Vadose Zone*, pages 323–342. American Geophysical Union, Washington.
- Corwin, D., Loague, K., and Ellsworth, T. (1999b). Introduction: Assessing non-point source pollution in the vadose zone with advanced information technologies. In Corwin, D., Loague, K., and Ellsworth, T., editors, *Assessment of Non-Point Source Pollution in the Vadose Zone*, pages 1–20. American Geophysical Union, Washington.
- Corwin, D., Vaughan, P., and Loague, K. (1997). Modeling nonpoint source pollutants in the vadose zone with GIS. *Environmental Science & Technology*, 31(8):2157–2175.
- Counil, E., Verger, P., and Volatier, J.-L. (2005). Handling of contamination variability in exposure assessment: A case study with ochratoxin A. *Food and Chemical Toxicology*, 43(10):1541–1555.
- Cullen, A. and Frey, H. (1999). *Probabilistic techniques in exposure assessment - A handbook for dealing with variability and uncertainty in models and inputs*. Plenum Press, New York.
- De Smedt, F., Huijgh, J., and Van Campenhout, A. (2001). Uitwerking en toepassing van een methodologie voor kwetsbaarheid van grondwatersystemen t.a.v. verdroging en verontreiniging. Vakgroep Hydrologie en Waterbouwkunde, Vrije Universiteit Brussel.
- Debongnie, P., Van Elsen, Y., Vanderheyden, V., Pussemier, L., Hallaux, B., and Delvaux, B. (1996). Contamination of underground and surface waters by herbicides in the Louvain-la-Neuve area. In *Abstracts of Cost 66 meeting "Pesticides in soil and the Environment"*, pages 175–176, Stratford-upon-Avon.

- Delignette-Muller, M., Cornu, M., Pouillot, R., and Denis, J.-B. (2006). Use of bayesian modelling in risk assessment: Application to growth of *listeria monocytogenes* and food flora in cold-smoked salmon. *International Journal of Food Microbiology*, 106:195–208.
- Deurer, M., Green, S., Clothier, B., Böttcher, J., and Duijnisveld, W. (2003). Drainage networks in soils. A concept to describe bypass-flow pathways. *Journal of Hydrology*, 272:148–162.
- DGRNE (2002). Carte hydrogéologique de Wallonie. Wavre - Chaumont-Gistoux 40/1-2. Ministère de la Région Wallonne, Direction Générale des Ressources Naturelles et de l'Environnement, Université de Liège.
- DGRNE (2005). *Tableau de bord de l'environnement wallon 2005*. Ministère de la Région Wallonne, Direction générale des Ressources naturelles et de l'Environnement.
- Di, H. and Aylmore, L. (1997). Modeling the probabilities of groundwater contamination by pesticides. *Soil Science Society of America Journal*, 61:17–23.
- Diaz-Diaz, R. and Loague, K. (2000). Regional-scale leaching assessments for Tenerife : Effect of data uncertainties. *Journal of Environmental Quality*, 29:835–847.
- Diaz-Diaz, R., Loague, K., and Notario, J. (1999). An assessment of agro-chemical leaching potentials for Tenerife. *Journal of Contaminant Hydrology*, 36:1–30.
- D'Or, D. and Bogaert, P. (2001). Fine scale soil texture estimation using soil maps and profile descriptions. In Monestiez, P., editor, *geoENV III - Geostatistics for Environmental Applications*, pages 453–462. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Dorgelo, F. (2006). Eindrapportage CTBase 2005. Board for the Authorisation of Pesticides (in Dutch).
- Dou, C., Woldt, W., Bogardi, I., and Dahab, M. (1997). Numerical solute transport simulation using fuzzy sets approach. *Journal of Contaminant Hydrology*, 27:107–126.

- Dubus, I., Beulke, S., and Brown, C. (2002a). Review. Calibration of pesticide leaching models: critical review and guidance for reporting. *Pest Management Science*, 58:745–758.
- Dubus, I. and Brown, C. (2002). Sensitivity and first-step uncertainty analyses for the preferential flow model MACRO. *Journal of Environmental Quality*, 31:227–240.
- Dubus, I. and Brown, C. (2003). How much confidence should we assign to results obtained through Monte Carlo modelling? In Del Re, A., Capri, E., Padovani, L., and Trevisan, M., editors, *Pesticide in Air, Plant, Soil & Water System*, pages 409–415, Piacenza, Italia.
- Dubus, I., Brown, C., and Beulke, S. (2003a). Sensitivity analyses for four pesticide leaching models. *Pest Management Science*, 59:962–982.
- Dubus, I., Brown, C., and Beulke, S. (2003b). Sources of uncertainty in pesticide fate modelling. *The Science of the Total Environment*, 317:53–72.
- Dubus, I., Brown, C., Beulke, S., and Turner, N. (2002b). Uncertainty and probabilistic approaches to pesticide fate modelling. Technical report, Cranfield Center for EcoChemistry.
- Dubus, I., Hollis, J., and Brown, C. (2000). Pesticides in rainfall in Europe. *Environmental Pollution*, 110:331–344.
- Dubus, I. and Janssen, P. (2003). Issues of replicability in Monte Carlo modeling: a case study with a pesticide leaching model. *Environmental Toxicology and Chemistry*, 22(12):3081–3087.
- Ducommun, R. and Zwahlen, F. (2006). Groundwater vulnerability mapping in urban areas. *Geophysical Research Abstracts*, 8(08169).
- EC (2003). Proposal for a Directive of the European Parliament and of the Council on the protection of groundwater against pollution. European Commission COD 2003/0210.
- Edmunds, W., Shand, P., Hart, P., and Ward, R. (2003). The natural (baseline) quality of groundwater: a UK pilot study. *The Science of the Total Environment*, 310:25–35.

- EEC (1991). Council Directive 91/676/EEC concerning the Protection of Waters against Pollution caused by Nitrates from Agricultural Sources.
- Elliott, J., Cessna, A., Nicholaichuk, W., and Tollefson, L. (2000). Leaching rates and preferential flow of selected herbicides through tilled and untilled soil. *Journal of Environmental Quality*, 29:1650–1656.
- Espino, A., Mallants, D., Vanclooster, M., and Feyen, J. (1995). Cautionary notes on the use of pedotransfer functions for estimating soil hydraulic properties. *Agricultural Water Management*, 29:235–253.
- EU (2000). Directive 2000/60/EC of the European Parliament and of the Council establishing a framework for Community action in the field of water policy. *Official Journal of European Communities*, L 327(22/12/2000):1–73.
- EUFRAM (2005). Introducing probabilistic methods into the ecological risk assessment of pesticides, EUFRAM report vol.1, version 6, 11 May 2005. Available at <http://www.eufram.com>.
- European Commission (1991). Council directive 91/414/EEC of 15 July 1991 concerning the placing of plant protection products on the market. *Official Journal of European Communities*, (L 230):1–32.
- Farnham, I., Singh, A., Stetzenbach, K., and Johannesson, K. (2002). Treatment of nondetects in multivariate analysis of groundwater geochemistry data. *Chemometrics and Intelligent Laboratory Systems*, 60:265–281.
- Person, S. and Ginzburg, L. (1996). Different methods are needed to propagate ignorance and variability. *Reliability Engineering & System Safety*, 54(2-3):133–144.
- Flury, M. (1996). Experimental evidence of transport of pesticides through field soils - a review. *Journal of Environmental Quality*, 25:25–45.
- Flury, M., Leuenberger, J., Studer, B., and Flühler, H. (1995). Transport of anions and herbicides in a loamy and a sandy field soil. *Water Resources Research*, 31(4):823–835.
- FOCUS (1995). *Leaching models and EU registration. The final report of the work of the Regulatory Modelling Work Group of FOCUS, Forum for the*

- Co-ordination of pesticide fate models and their use*. Guidance document 4952/VI/95, Commission of the European Communities, DGVI, Brussels.
- FOCUS (2000). FOCUS groundwater scenarios in the EU review of active substances. Report of the FOCUS Groundwater Scenarios Workgroup, EC Document Reference Sanco/321/2000 rev.2, 202pp.
- FOCUS (2006). Guidance document on estimating persistence and degradation kinetics from environmental fate studies on pesticides in EU Registration. Report of the FOCUS Work Group on degradation kinetics, EC Document Reference Sanco/10058/2005 version 2.0.
- FOCUS (2007). Report of the FOCUS Ground Water Work Group, EC Document Reference Sanco /???/2007, version 1., in preparation.
- Fogg, G., LaBolle, E., and Weissmann, G. (1999). Groundwater vulnerability assessment: Hydrogeologic perspective and example from Salinas Valley, California. In Corwin, D., Loague, K., and Ellsworth, T., editors, *Assessment of Non-Point Source Pollution in the Vadose Zone*, volume 369, pages 45–61. American Geophysical Union, Washington.
- Foster, S. (1987). Fundamental concepts in aquifer vulnerability, pollution risk and protection strategy. In van Duijvenbooden, W. and van Waeeningh, H., editors, *Vulnerability of Soil and Groundwater to Pollutants, Proceedings and Information No. 38 of the International Conference held in the Netherlands, in 1987*. TNO Committee on Hydrological Research, Delft, The Netherlands.
- Foster, S. and Chilton, P. (2003). Groundwater: the processes and global significance of aquifer degradation. *Philosophical Transactions Royal Society London B*, 358:1957–1972.
- Foster, S., Hirata, R., Gomes, D., D’Elia, M., and Paris, M. (2002). Groundwater quality protection: a guide for water utilities, municipal authorities and environment agencies. Technical report, World Bank.
- Foussereau, X., Hornsby, A., and Brown, R. (1993). Accounting for variability within map units when linking a pesticide fate model to soil survey. *Geoderma*, 60:257–276.

- Freissinet, C., Erlich, M., and Vauclin, M. (1998). A fuzzy logic-based approach to assess imprecisions of soil water contamination modelling. *Soil & Tillage Research*, 47:11–17.
- Freissinet, C., Vauclin, M., and Erlich, M. (1999). Comparison of first-order analysis and fuzzy set approach for the evaluation of imprecision in a pesticide groundwater pollution screening model. *Journal of Contaminant Hydrology*, 37:21–43.
- Fytoweb (2004). Agréation des pesticides à usage agricole. Available at <http://www.phytoweb.fgov.be>.
- GenStat Committee (2006). *Genstat Reference Manual. Release 9*. VSN International, Hemel Hempstead, UK.
- Goedhart, P. and Thissen, J. (2002). *Biometris GenStat procedure library manual. 6th ed. [Online]*. Available at <http://www.biometris.wur.nl/UK/Software/Genstat+procedures/> (verified 22 Aug. 2006). Biometris, Wageningen, the Netherlands.
- Gogu, R. and Dassargues, A. (2000). Current trends and future challenges in groundwater vulnerability assessment using overlay and index methods. *Environmental Geology*, 39(6):549–559.
- Goovaerts, P. (2001). Geostatistical modelling of uncertainty in soil science. *Geoderma*, 103:3–26.
- Guo, L., Jury, W., Wagenet, R., and Flury, M. (2000). Dependence of pesticide degradation on sorption: nonequilibrium model and application to soil reactors. *Journal of Contaminant Hydrology*, 43:45–62.
- Gustafson, D. (1989). Groundwater ubiquity score: a simple method for assessing pesticide leachability. *Environmental Toxicology and Chemistry*, 8:339–357.
- Hall, J. and Anderson, M. (2002). Handling uncertainty in extreme or unrepeatable hydrological processes - the need for an alternative paradigm. *Hydrological Processes*, 16(9):1867–1870.
- Hallaux, B. (1995). *Pollution des eaux de Louvain-la-Neuve par les herbicides*. Mémoire de fin d’études, Université Catholique de Louvain.

- Hantush, M., Mariño, M., and Islam, M. (2000). Models for leaching of pesticides in soils and groundwater. *Journal of Hydrology*, 227:66–83.
- Harbaugh, A., Banta, E., Hill, M., and McDonald, M. (2000). Modflow-2000, the u.s.geological survey modular groundwater model - user guide to modularisation concepts and the groundwater flow process.
- Haria, A., Hodnett, M., and Johnson, A. (2003). Mechanisms of groundwater recharge and pesticide penetration to a chalk aquifer in southern England. *Journal of Hydrology*, 275:122–137.
- Haskett, J., Pachepsky, Y., and Acock, B. (1995). Use of the beta distribution for parameterizing variability of soil properties at the regional level for crop yield estimation. *Agricultural Systems*, 48:73–86.
- Hastie, T. and Tibshirani, R. (1991). *Generalized additive models*. Monographs on Statistics and Applied Probability 43. Chapman & Hall, London.
- Helsel, D. (1990). Less than obvious; statistical treatment of data below the detection limit. *Environmental Science & Technology*, 24(12):1766–1774.
- Helton, J. and Davis, F. (2003). Latin hypercube sampling and the propagation of uncertainty in analyses of complex systems. *Reliability Engineering and System Safety*, 81:23–69.
- Heuvelink, G. (1998). Uncertainty analysis in environmental modelling under a change of spatial scale. *Nutrient Cycling in Agroecosystems*, 50:255–264.
- Heuvelink, G. and Pebesma, E. (1999). Spatial aggregation and soil process modelling. *Geoderma*, 89:47–65.
- Højberg, A. and Refsgaard, J. (2005). Model uncertainty - parameter uncertainty versus conceptual models. *Water Science and Technology*, 52(6):177–186.
- Hollander, M. and Wolfe, D. (1973). *Nonparametric Statistical Methods*. John Wiley & Sons, Inc.
- Holman, I., Dubus, I., Hollis, J., and Brown, C. (2004). Using a linked soil model emulator and unsaturated zone leaching model to account for

- preferential flow when assessing the spatially distributed risk of pesticide leaching to groundwater in England and Wales. *The Science of the Total Environment*, 318:73–88.
- Hoyle, B. and Arthur, E. (2000). Biotransformation of pesticides in saturated-zone materials. *Hydrogeology Journal*, 8:89–103.
- Huang, J., Pray, C., and Rozelle, S. (2002). Enhancing the crops to feed the poor. *Nature*, 418:678–684.
- Hutson, J. (1993). Applying one-dimensional deterministic chemical fate models on a regional scale. *Geoderma*, 60:201–212.
- IBW (1987). Etude des ressources en eaux du Brabant Wallon. Technical report, Contrat Région Wallonne - Intercommunale du Brabant Wallon.
- IFEN (2004). *Pesticides in water. Sixth annual report*. Institut français de l'environnement.
- INS (1980-2002). Recensements agricoles et horticoles aux 15 mai 1980 à 2002.
- IPCC (2001). *Climate Change 2001: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Third Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge.
- Isensee, A., Nash, R., and Helling, C. (1990). Effect of conventional vs. no-tillage on pesticide leaching to shallow groundwater. *Journal of Environmental Quality*, 19:434–440.
- Jacques, D., Mouvet, C., Mohanty, B., Vereecken, H., and Feyen, J. (1999). Spatial variability of atrazine sorption parameters and other soil properties in a podzolvisol. *Journal of Contaminant Hydrology*, 36:31–52.
- Jarvis, N. (1991). MACRO, a model of water movement and solute transport in macroporous soils. Reports and dissertations 9. Department of Soil Sciences, Swedish University of Agricultural Sciences, Uppsala, Sweden.
- Jarvis, N. (1999). Using preferential flow models for management purposes. In Feyen, J. and Wiyo, K., editors, *Modelling of transport processes in soils*, pages 521–535. Wageningen Pres, Wageningen.

- Jarvis, N., Almqvist, S., Stenström, J., Börjesson, E., Jonsson, E., and Torstensson, L. (2006). Modelling the leaching of imazapyr in a railway embankment. *Pest Management Science*, 62(10):940–946.
- Javaux, M. (2004). *Solute transport in a heterogeneous unsaturated subsoil*. PhD Thesis, Université catholique de Louvain, Louvain-la-Neuve, Belgium.
- Jones, A. and Smart, P. (2005). Spatial and temporal changes in the structure of groundwater nitrate contamination time series (1935-1999) as demonstrated by autoregressive modelling. *Journal of Hydrology*, 310:201–215.
- Journel, A. and Huijbregts, C. (1978). *Mining Geostatistics*. Academic Press, London.
- Jury, W. and Ghodrati, R. (1989). Overview of organic chemical environmental fate and transport modeling approaches. In *Reactions and movement of organic chemicals in soils*, volume 22, pages 271–304. SSA, Special Publication.
- Jury, W. and Gruber, J. (1989). A stochastic analysis of the influence of soil and climatic variability on the estimate of pesticide groundwater pollution potential. *Water Resources Research*, 25(12):2465–2474.
- Kelly, P. and Adger, W. (2000). Theory and practice in assessing vulnerability to climate change and facilitating adaptation. *Climatic Change*, 47:325–352.
- Kirchner, J., Feng, X., and Neal, C. (2001). Catchment-scale advection and dispersion as a mechanism for fractal scaling in stream tracer concentrations. *Journal of Hydrology*, 254(1-4):82–101.
- Klein, M. (1995). Pelmo: Pesticide leaching model, user manual version 2.01.
- Kleveno, J., Loague, K., and Green, R. (1992). Evaluation of a pesticide mobility index: impact of recharge variation and soil profile heterogeneity. *Journal of Contaminant Hydrology*, 11:83–99.

- Kolpin, D. (1997). Agricultural chemicals in groundwater of the Midwestern United States: Relations to land use. *Journal of Environmental Quality*, 26:1025–1037.
- Konikow, L. and Bredehoeft, J. (1992). Ground-water models cannot be validated. *Advances in Water Resources*, 15:75–83.
- Kubiak, R. (2006). The impact of volatilisation on the environmental distribution and off-crop deposition of pesticides. In *Pesticide Behaviour in Soils, Water and Air*, University of Warwick, UK. SCI.
- Kullback, S. and Leibler, R. (1951). On information and sufficiency. *The Annals of Mathematical Statistics*, 22(1):79–86.
- Kunkel, R., Hannappel, S., Schenk, R., Voigt, H., Wendland, F., and Wolter, R. (2004). A procedure to define the good chemical status of groundwater bodies in Germany. In Vanclooster, M., editor, *Cost 629 Workshop, Integrated methods for assessing water quality*, pages 50–58, Louvain-la-Neuve, Belgium.
- Lapworth, D. and Gooddy, D. (2006). Source and persistence of pesticides in a semi-confined chalk aquifer of southeast England. *Environmental Pollution*, in press.
- Lapworth, D., Gooddy, D., Stuart, M., Chilton, P., Cachandt, G., Knapp, M., and Bishop, S. (2006). Pesticides in groundwater: some observations on temporal and spatial trends. *Water and Environment Journal*, in press.
- Lark, R. and Bolam, H. (1997). Uncertainty in prediction and interpretation of spatially variable data on soils. *Geoderma*, 77:263–282.
- Larsbo, M. and Jarvis, N. (2003). MACRO 5.0. A model of water flow and solute transport in macroporous soil. Technical description. Studies in the Biogeophysical Environment, Emergo 2003:6, Department of Soil Sciences, SLU, Uppsala, Sweden, 48 pp.
- Laskowski, D., Goring, C., McCall, P., and Swann, R. (1982). Terrestrial environment. In Conway, R., editor, *Environmental Risk Analysis for Chemicals*, pages 198–240. Van Nostrand Reinhold, New York.

- Ledent, J.-F. (2003). *Ecophysiologie et phytotechnie des cultures tempérées. Points de repères en phytotechnie spéciale*. Faculté d'ingénierie biologique, agronomique et environnementale, Université catholique de Louvain, Louvain-la-Neuve.
- Leterme, B., Vanclooster, M., Rounsevell, M., and Bogaert, P. (2006a). Discriminating between point and non-point sources of atrazine contamination of a sandy aquifer. *The Science of the Total Environment*, 362:124–142.
- Leterme, B., Vanclooster, M., van der Linden, A., Tiktak, A., and Rounsevell, M. (2006b). Including spatial variability in Monte Carlo simulations of pesticide leaching. *Environmental Science & Technology*, in review.
- Li, Z., Yost, R., and Green, R. (1998). Incorporating uncertainty in a chemical leaching assessment. *Journal of Contaminant Hydrology*, 29:285–299.
- Lindahl, A., Kreuger, J., Stenström, J., Gärdenäs, A., Alavi, G., Roulier, S., and Jarvis, N. (2005). Stochastic modeling of diffuse pesticide loss from a small agricultural catchment. *Journal of Environmental Quality*, 34:1174–1185.
- Loague, K., Bernknopf, R., Green, R., and Giambelluca, T. (1996). Uncertainty of groundwater vulnerability assessments for agricultural regions in Hawaii: Review. *Journal of Environmental Quality*, 25:475–490.
- Loague, K. and Corwin, D. (1996). Uncertainty in regional-scale assessments of non-point source pollutants. In of America, S. S. S., editor, *Application of GIS to the Modeling of Non-Point Source Pollutants in the Vadose Zone*, pages 131–152. SSSA Special Publication 48, SSR, Madison, WI 53711, USA.
- Loague, K., Corwin, D., and Ellsworth, T. (1999). Are advanced information technologies the solution to non-point source pollution problems? In Corwin, D., Loague, K., and Ellsworth, T., editors, *Assessment of Non-Point Source Pollution in the Vadose Zone*, volume 369, pages 363–369. American Geophysical Union, Washington.
- Loague, K. and Soutter, L. (2006). Desperately seeking a cause for hotspots in regional-scale groundwater plumes resulting from non-point source pesticide applications. *Vadose Zone Journal*, 5(1):204–221.

- Lobo-Ferreira, J. (2003). The european union experience on groundwater vulnerability assessment and mapping. laboratório nacional de engenharia civil, portugal.
- Maas, R., Kucken, D., Patch, S., Peek, B., and Van Engelen, D. (1995). Pesticides in Eastern North Carolina rural supply wells: Land use factors and persistence. *Journal of Environmental Quality*, 24:426–431.
- Mallants, D. (1996). *Water flow and solute transport in a heterogeneous soil profile*. PhD Dissertation, Katholieke Universiteit Leuven, Leuven, Belgium.
- Malone, R., Logsdon, S., Shipitalo, M., Weatherington-Rice, J., Ahuja, L., and Ma, L. (2003). Tillage effect on macroporosity and herbicide transport in percolate. *Geoderma*, 116:191–215.
- Manly, B. (1997). *Randomization, bootstrap Monte Carlo methods in biology*. Chapman & Hall, London.
- Maréchal, R. and Tavernier, R. (1974). Atlas de Belgique. Pédologie. Commentaire des planches 11A et 11B. Extraits de la carte des sols - Carte des Associations de sols.
- Matson, P. and Parton, W. (1997). Agricultural intensification and ecosystem properties. *Science*, 277(5325):504–509.
- McBratney, A., Mendonça Santos, M., and Minasny, B. (2003). On digital soil mapping. *Geoderma*, 117(1-2):3–52.
- McKone, T. (1996). Alternative modeling approaches for contaminant fate in soils: uncertainty, variability, and reliability. *Reliability Engineering & System Safety*, 54(2-3):165–181.
- Meeks, Y. and Dean, J. (1990). Evaluating groundwater vulnerability to pesticides. *Journal of Water Resource Planning & Management*, 116:693–707.
- Merchant, J. (1994). GIS-based groundwater pollution hazard assessment: A critical review of the DRASTIC model. *Photogrammetric Engineering & Remote Sensing*, 60(9):1117–1127.

- Milton, J. and Arnold, J. (2003). *Introduction to probability and statistics*. McGraw-Hill, New York, 4th edition.
- Monteyne, R. (1986). Etude structurale de la formation sableuse bruxellienne. Technical report, Rapport final. Convention Région Wallonne - Université Libre de Bruxelles pour l'étude des sablières de Brabant Wallon, Laboratoires associés de Géologie-Pétrologie-Géochronologie, Université Libre de Bruxelles.
- Moorman, J. (1999). Analytical element model analysis of the influence of different scenarios for the water level in a future retention basin. *Journal of Hydrology*, 226(3-4):144–151.
- Morgan, L. (2002). Aquifer vulnerability analysis using the pesticide root-zone model (PRZM2). Technical report, Washington State Department of Ecology.
- Morvan, X., Mouvet, C., Baran, N., and Gutierrez, A. (2006). Pesticides in the groundwater of a spring draining a sandy aquifer: temporal variability of concentrations and fluxes. *Journal of Contaminant Hydrology*, in press.
- Mulla, D. and Addiscott, T. (1999). Validation approaches for field-, basin-, and regional-scale water quality models. In Corwin, D., Loague, K., and Ellsworth, T., editors, *Assessment of Non-Point Source Pollution in the Vadose Zone*, pages 63–78. American Geophysical Union, Washington.
- Novak, J., Moorman, T., and Cambardella, C. (1997). Atrazine sorption at the field scale in relation to soils and landscape position. *Journal of Environmental Quality*, 26:1271–1277.
- NRC (1993). *Ground Water Vulnerability Assessment*. National Research Council, National Academy Press, Washington, DC.
- Odeh, I., Triantafilis, J., and McBratney, A. (2001). Are quantitative methods useful for regional soil inventories? In *5th Annual Symposium Geospatial Information Agriculture*, pages 17–29, Australian Technology Park, Eveleigh, Sydney, Australia.
- Oreskes, N., Shrader-Frechette, K., and Belitz, K. (1994). Verification, validation, and confirmation of numerical models in the earth sciences. *Science*, 263:641–646.

- Ott, W. (1990). A physical explanation of the lognormality of pollutant concentrations. *Journal of Air and Waste Management Association*, 40:1378–1383.
- Pachepsky, Y., Rawls, W., and Timlin, D. (1999). The current status of pedotransfer functions: Their accuracy, reliability, and utility in field- and regional-scale modeling. In Corwin, D., Loague, K., and Ellsworth, T., editors, *Assessment of Non-Point Source Pollution in the Vadose Zone*, pages 223–234. American Geophysical Union, Washington.
- Pachepsky, Y. and Timlin, D. (1998). Water transport in soils as in fractal media. *Journal of Hydrology*, 204:98–107.
- Palmer, R. and Lewis, M. (1998). Assessment of groundwater vulnerability in England and Wales. In Robins, N., editor, *Groundwater Pollution, Aquifer Recharge and Vulnerability*, volume 130 Special Publications, pages 191–198. Geological Society, London.
- Paraíba, L., Cerdeira, A., da Silva, E., Martins, J., and da Costa Coutinho, H. (2003). Evaluation of soil temperature effect on herbicide leaching potential into groundwater in the Brazilian Cerrado. *Chemosphere*, 53:1087–1095.
- Passarella, G., Vurro, M., D’Agostino, V., Giuliano, G., and Barcelona, M. (2002). A probabilistic methodology to assess the risk of groundwater quality degradation. *Environmental Monitoring and Assessment*, 79:57–74.
- Persicani, D. (1996). Pesticide leaching into field soils: sensitivity analysis of four mathematical models. *Ecological Modelling*, 84:265–280.
- Petach, M., Wagenet, R., and DeGloria, S. (1991). Regional water flow and pesticide leaching using simulations with spatially distributed data. *Geoderma*, 48:245–269.
- Piñeros Garcet, J., Ordoñez, A., Roosen, J., and Vanclooster, M. (2006). Metamodelling: Theory, concepts and application to nitrate leaching modelling. *Ecological Modelling*, 193:629–644.
- Pinte, D., Piñeros Garcet, J., Simon, B., Leterme, B., and Vanclooster, M. (2005). Projet Scaldit (Interreg III B ENO)—Caractérisation des

masses d'eau souterraine du Bassin de l'Escaut en Région wallonne à partir des connaissances disponibles sur les aquifères - Cartographie de la vulnérabilité: notes méthodologiques. Rapport final, Université Catholique de Louvain, Département du Génie Rural, Louvain-la-Neuve, Belgium.

Pontius, R., Chen, H., and Thontteh, O. (2005). Multiple scale pattern recognition and the foundation of observation-free statistics. In *ASPRS 2005 Annual Conference, March 7-11, 2005*, Baltimore, Maryland.

Posen, P., Lovett, A., Hiscock, K., Evers, S., Ward, R., and Reid, B. (2006). Incorporating variations in pesticide catabolic activity into a gis-based groundwater risk assessment. *The Science of the Total Environment*, 367:641–652.

Pussemier, L., Goux, S., Vanderheyden, V., Debongnie, P., Trésinie, I., and Foucart, G. (1997). Rapid dissipation of atrazine in soils taken from various maize fields. *Weed Research*, 37:171–179.

Rao, P., Hornby, A., and Jessup, R. (1985). Indices for ranking the potential for pesticide contamination of groundwater. *Soil and Crop Science Society of Florida Proceedings*, 44:1–8.

Rastetter, E., King, A., Cosby, B., Hornberger, G., O'Neill, R., and Hobbie, J. (1992). Aggregating fine-scale ecological knowledge to model coarser-scale attributes of ecosystems. *Ecological Applications*, 2(1):55–70.

Refsgaard, J. and Butts, M. (1999). Determination of grid scale parameters in catchment modelling by upscaling local scale parameters. In Feyen, J. and Wiyo, K., editors, *Modelling of transport processes in soils*, pages 650–665. Wageningen Pres, Wageningen.

Robins, N., Adams, B., Foster, S., and Palmer, R. (1994). Groundwater vulnerability mapping: the British perspective. *Hydrogeology Journal*, 3:35–42.

Romano, N. and Santini, A. (1997). Effectiveness of using pedo-transfer functions to quantify the spatial variability of soil water retention characteristics. *Journal of Hydrology*, 202:137–157.

- Runnells, D., Dupon, D., Jones, R., and Cline, D. (1998). Determination of background chemistry of water at mining and milling sites. In Arehart, G. and Hulston, J., editors, *Ninth Int. Symp. Water-Rock Interaction*, volume 9 of *Water-Rock Interaction*, pages 75–78, Taupo, New Zealand. Balkema, Rotterdam.
- Rupert, M. (1998). Probability of detecting atrazine/desethyl-atrazine and elevated concentrations of nitrate (NO₂+NO₃-N) in groundwater in the Idaho part of the upper Snake river basin. Technical report, USGS Water-Resources Investigations Report 98-4203.
- Secunda, S., Collin, M., and Melloui, A. (1998). Groundwater vulnerability assessment using a composite model combining DRASTIC with extensive agricultural land use in Israel's Sharon region. *Journal of Environmental Quality*, 54:39–57.
- Shipitalo, M., Dick, W., and Edwards, W. (2000). Conservation tillage and macropore factors that affect water movement and the fate of chemicals. *Soil & Tillage Research*, 53:167–183.
- Shipitalo, M. and Edwards, W. (1996). Effects of initial water content on macropore/matrix flow and transport of surface-applied chemicals. *Journal of Environmental Quality*, 25:662–670.
- SIGEC (1999). Agricultural land use data from the 1999 agricultural census. Système Intégré de Gestion Et de Contrôle, Ministère de la Région Wallonne, Direction Générale de l'Agriculture.
- Sinowski, W., Scheinost, A., and Auerswald, K. (1997). Regionalization of soil water retention curves in a highly variable soilscape, II. Comparison of regionalization procedures using a pedotransfer function. *Geoderma*, 78:145–159.
- Sleutel, S., De Neve, S., and Hofman, G. (2003). Estimates of carbon stock changes in Belgian cropland. *Soil Use and Management*, 19:166–171.
- Smith, C., Parrish, R., and Carsel, R. (1987). Estimating sample requirements for field evaluations of pesticide leaching. *Environmental Toxicology and Chemistry*, 6(5):343–357.

- Soutter, M. and Musy, A. (1998). Coupling 1D Monte-Carlo simulations and geostatistics to assess groundwater vulnerability to pesticide contamination on a regional scale. *Journal of Contaminant Hydrology*, 32:25–39.
- Soutter, M. and Pannatier, Y. (1996). Groundwater vulnerability to pesticide contamination on a regional scale. *Journal of Environmental Quality*, 25:439–444.
- Springer, A. and Bair, E. (1998). Natural-gradient transport of bromide, atrazine, and alachlor in an organic carbon-rich aquifer. *Journal of Environmental Quality*, 27:1200–1208.
- Stein, A., Staritsky, I., Bouma, J., Van Eijnsbergen, A., and Bregt, A. (1991). Simulation of moisture deficits and areal interpolation by universal cokriging. *Water Resources Research*, 27(8):1963–1973.
- Sulmon, R., Leterme, B., Pinte, D., Vanclooster, M., and Bogaert, P. (2006). Can groundwater vulnerability maps be validated? In Laftouhi, N., editor, *Gestion intégrée des ressources en eau et défi au développement durable (GIRE3D)*, Marrakech, Morocco.
- Sun, H., Xu, J., Yang, S., Liu, G., and Dai, S. (2004). Plant uptake of aldicarb from contaminated soil and its enhanced degradation in the rhizosphere. *Chemosphere*, 54(4):569–574.
- Tappe, W., Groeneweg, J., and Jantsch, B. (2002). Diffuse atrazine pollution in German aquifers. *Biodegradation*, 13:3–10.
- Tavernier, R. and Maréchal, R. (1958). Carte des associations de sols de la Belgique. *Pedologie*, 8:134–182.
- Teso, R., Poe, M., Younglove, T., and McCool, P. (1996). Use of logistic regression and GIS modeling to predict groundwater vulnerability to pesticides. *Journal of Environmental Quality*, 25:425–432.
- Teso, R., Younglove, T., Peterson, M., Sheeks, D., and Gallavan, R. (1988). Soil taxonomy and surveys: classification of areal sensitivity to pesticide contamination of groundwater. *Journal of Soil and Water Conservation*, 43(4):348–352.

- Thomas, A. and Tellam, J. (2006). Modelling of recharge and pollutant fluxes to urban groundwaters. *The Science of the Total Environment*, 360:158–179.
- Thorsen, M., Refsgaard, J., Hansen, S., Pebesma, E., Jensen, J., and Kleeschulte, S. (2001). Assessment of uncertainty in simulation of nitrate leaching to aquifers at catchment scale. *Journal of Hydrology*, 242:210–277.
- Tiktak, A., Boesten, J., van der Linden, A., and Vanclooster, M. (2006). Mapping ground water vulnerability to pesticide leaching with a process-based metamodel of europearl. *Journal of Environmental Quality*, 35:1213–1226.
- Tiktak, A., de Nie, D., Piñeros Garcet, J., Jones, A., and Vanclooster, M. (2004). Assessment of the pesticide leaching risk at the Pan-European level. The EuroPEARL approach. *Journal of Hydrology*, 289:222–238.
- Tiktak, A., de Nie, D., van der Linden, T., and Kruijne, R. (2002). Modelling the leaching and drainage of pesticides in the Netherlands: The GeoPEARL model. *Agronomie*, 22:373–387.
- Tiktak, A., van den Berg, F., Boesten, J., Leistra, M., van der Linden, A., and van Kraalingen, D. (2000). Pesticide Emission Assessment at Regional and Local Scales: User Manual of FOCUS Pearl version 1.1.1. RIVM Report 711401008, Alterra Report 28, the Netherlands.
- Tiktak, A., van der Linden, A., and Boesten, J. (2003). The GeoPEARL model. Model description, applications and manual. RIVM report 716601007/2003, RIVM, Bilthoven, the Netherlands.
- Tilman, D. (2001). Forecasting agriculturally driven global environmental change. *Science*, 292(5515):281–284.
- Troiano, J., Marade, J., and Spurlock, F. (1999). Empirical modeling of spatial vulnerability applied to a norflurazon retrospective well study in California. *Journal of Environmental Quality*, 28:397–403.
- Vachaud, G. and Chen, T. (2002). Sensitivity of a large-scale hydrologic model to quality of input data obtained at different scales; distributed versus stochastic non-distributed modelling. *Journal of Hydrology*, 264:101–112.

- Van Alphen, B. and Stoorvogel, J. (2002). Effects of soil variability and weather conditions on pesticide leaching - a farm-level evaluation. *Journal of Environmental Quality*, 31:797–805.
- Van Bodegom, P., Verburg, P., and Denier van der Gon, H. (2002a). Upscaling methane emissions from rice paddies: Problems and possibilities. *Global Biogeochemical Cycles*, 16(1):10.1029/2000GB001381.
- Van Bodegom, P., Verburg, P., Stein, A., Adiningsih, S., and Denier van der Gon, H. (2002b). Effects of interpolation and data resolution on methane emission estimates from rice paddies. *Environmental and Ecological Statistics*, 9:5–26.
- Van Dam, J. (2000). *Field-scale water flow and solute transport. SWAP model concepts, parameter estimation and case studies*. PhD thesis, Wageningen Agricultural University, Wageningen, the Netherlands.
- van der Linden, A., Boesten, J., Cornelese, A., Kruijne, R., Leistra, M., Linders, J., Pol, J., Tiktak, A., and Verschoor, A. (2004). The new decision tree for the evaluation of pesticide leaching from soils. RIVM report 601450019/2004, RIVM, Bilthoven, the Netherlands.
- van der Zee, S. and Boesten, J. (1991). Effects of soil heterogeneity on pesticide leaching to groundwater. *Water Resources Research*, 27(12):3051–3063.
- van Genuchten, M. (1980). A closed-form equation for predicting the hydraulic conductivity of unsaturated soils. *Soil Science Society of America Journal*, 44:892–898.
- van Genuchten, M., Schaap, M., Mohanty, B., Šimunek, J., and Leij, F. (1999). Modeling flow and transport processes at the local scale. In Feyen, J. and Wiyo, K., editors, *Modelling of transport processes in soils*, pages 23–45. Wageningen Pres, Wageningen.
- Van Orshoven, J. (1993). *Assessing hydrodynamic land qualities from soil survey data*. PhD thesis, K.U.Leuven.
- Van Orshoven, J. and Vandenbroucke, D. (1993). Guide de l'utilisateur de Aardewerk. Base de données de profils pédologiques. Technical report,

- IRSIA - COBIS - Instituut voor Land- en Waterbeheer, Katholieke Universiteit Leuven.
- van Wesemael, B., Lettens, S., Roelandt, C., and Van Orshoven, J. (2004). Changes in soil carbon stocks from 1960 to 2000 in the main Belgian cropland areas. *Biotechnology, Agronomy, Society and Environment*, 8(2):133–139.
- Vanclooster, M., Boesten, J., Tiktak, A., Jarvis, N., Kroes, J., Muños Carpena, R., Clothier, B., and Green, S. (2004a). On the use of unsaturated flow and transport models in nutrient and pesticide management. In Feddes, R., De Rooij, G., and van Dam, J., editors, *Unsaturated zone modelling: progress, challenges and applications*, pages 331–361. Kluwer Academic Publishers.
- Vanclooster, M., Boesten, J., and Trevisan, M. (2000a). Mathematical modelling for assessing pesticide leaching in agricultural soils at the field scale. In Jamet, P. and Cornejo, J., editors, *Pesticide/soil interactions: some current research methods*. INRA editions, Paris.
- Vanclooster, M., Boesten, J., Trevisan, M., Brown, C., Capri, E., Eklo, O., Gottesbüren, B., Gouy, V., and van der Linden, A. (2000b). A European test of pesticide-leaching models: methodology and major recommendations. *Agricultural Water Management*, 44:1–19.
- Vanclooster, M., Piñeros Garcet, J., Boesten, J., van den Berg, F., Leistra, M., Smelt, J., Jarvis, N., Roulier, S., Burauel, P., Vereecken, H., Wolters, A., Linneman, V., Fernandez, E., Trevisan, M., Capri, E., Padovani, L., Klein, M., Tiktak, A., van der Linden, A., de Nie, D., Bidoglio, G., Baouroui, F., Jones, A., and Armstrong, A. (2003). Effective approaches for assessing the predicted environmental concentrations of pesticides (APECOP). Final Report.
- Vanclooster, M., Pinte, D., and Javaux, M. (2004b). Estimation des temps de transfert de nitrates dans le sous-sol de la zone vulnérable des sables du Bruxellien. Technical report, Université catholique de Louvain, Louvain-la-Neuve, Belgium.
- Vanclooster, M., Viaene, P., Diels, J., and Christiaens, K. (1994). WAVE: a mathematical model for simulating water and agrochemicals in the soil

- and vadose environment. Reference and user's manual (release 2.0), Institute for Land and Water Management, Katholieke Universiteit Leuven, Leuven, Belgium.
- Vanderborght, J., Vanclooster, M., Timmerman, A., Seuntjens, P., Mallants, D., Kim, D.-J., Jacques, D., Hubrechts, L., Gonzalez, C., Feyen, J., Diels, J., and Deckers, J. (2001). Overview of inert tracer experiments in key belgian soil types: Relation between transport and soil morphological and hydraulic properties. *Water Resources Research*, 37(12):2873–2888.
- Vanderheyden, V. (1997). *Potentialités du sol et du sous-sol dans la dégradation de l'atrazine*. PhD thesis, Université Catholique de Louvain.
- Vereecken, H., Kasteel, R., Herbst, M., Pütz, T., and Vanderborght, J. (2003). Modeling pesticide fate in soils: verification of local scale models and transfer from local to regional scale. In Del Re, A., Capri, E., Padovani, L., and Trevisan, M., editors, *Pesticide in Air, Plant, Soil & Water System*, Piacenza, Italia.
- Vose, D. (2000). *Risk Analysis*. John Wiley & Sons, Chichester, UK.
- Šimunek, J., Jarvis, N., van Genuchten, M., and Gärdenäs, A. (2003). Review and compraison of models for describing non-equilibrium and preferential flow and transport in the vadose zone. *Journal of Hydrology*, 272:14–35.
- Šimunek, J., Šejna, M., and van Genuchten, M. (1999). *The HYDRUS-2D software package for simulating two-dimensional movement of water, heat, and multiple solutes in variably saturated media. Version 2.0*. IGWMC - TPS - 53. International Ground Water Modeling Center, Colorado School of Mines, Golden, Colorado.
- Wagenet, R. (1998). Scale issues in agroecological research chains. *Nutrient Cycling in Agroecosystems*, 50:23–34.
- Wagenet, R. and Hutson, J. (1989). *LEACHM: Leaching Estimation and Chemistry Model – a process based model of water and solute movement, transformations, plant uptake and chemical reactions in the unsaturated zone*. Continuum Vol.2. Water Resources Institute, Cornell University, Ithaca, N.Y.

- Wagenet, R. and Hutson, J. (1996). Scale-dependency of solute transport modelling/GIS applications. *Journal of Environmental Quality*, 25:499–510.
- Walker, A. and Brown, P. (1983). Spatial variability in herbicide degradation rates and residues in soil. *Crop Protection*, 2(1):17–25.
- Wauchope, R., Yeh, S., Linders, J., Kloskowski, R., Tanaka, K., Rubin, B., Katayama, A., Kördel, W., Gerstl, Z., Lane, M., and Unsworth, J. (2002). Review pesticide soil sorption parameters: theory, measurement, uses, limitations and reliability. *Pest Management Science*, 58:419–445.
- Wilson, J. (1999). Current and future trends in the development of integrated methodologies for assessing non-point source pollutants. In Corwin, D., Loague, K., and Ellsworth, T., editors, *Assessment of Non-Point Source Pollution in the Vadose Zone*, pages 343–361. American Geophysical Union, Washington.
- Wilson, J., Inskeep, W., Wraith, J., and Snyder, R. (1996). GIS-based solute transport modeling applications: Scale effects of soil and climate data input. *Journal of Environmental Quality*, 25:445–453.
- Worrall, F. (2001). A molecular topology approach to predicting pesticides pollution of groundwater. *Environmental Science & Technology*, 35(11):2282–2287.
- Worrall, F. (2002). Direct assessment of groundwater vulnerability from borehole observations. In Hiscock, K., Rivett, M., and Davison, R., editors, *Sustainable Groundwater Development*, volume 193, pages 245–254. The Geological Society of London, London.
- Worrall, F. and Besien, T. (2005). The vulnerability of groundwater to pesticide contamination estimated directly from observations of presence or absence in wells. *Journal of Hydrology*, 303(1-4):92–107.
- Worrall, F., Besien, T., and Kolpin, D. (2002). Groundwater vulnerability: interactions of chemical and site properties. *The Science of the Total Environment*, 299:131–143.
- Worrall, F. and Kolpin, D. (2003). Direct assessment of groundwater vulnerability from single observations of multiple contaminants. *Water Resources Research*, 39(12):1345.

- Worrall, F. and Kolpin, D. (2004). Aquifer vulnerability to pesticide pollution - combining soil, land-use and aquifer properties with molecular descriptors. *Journal of Hydrology*, 293(1-4):191–204.
- Worrall, F. and Thomsen, M. (2004). Quantum vs. topological descriptors in the development of molecular models of groundwater pollution by pesticides. *Chemosphere*, 54:585–596.
- Wösten, J., Veerman, G., de Groot, W., and Stolte, J. (2001). Waterretentie- en doorlatendheidskarakteristieken van boven- en ondergronden in Nederland: de Staringreeks. Alterra-rapport 153 (in Dutch). Technical report, Research Instituut voor de Groene Ruimte, Alterra, the Netherlands.
- Wu, F.-C. and Tsang, Y.-P. (2004). Second-order Monte Carlo uncertainty/variability analysis using correlated model parameters: application to salmonid embryo survival risk assessment. *Ecological Modelling*, 177:393–414.
- Wu, J. and Babcock, B. (1999). Metamodeling potential nitrate water pollution in the Central United States. *Journal of Environmental Quality*, 28:1916–1928.
- Yapo, P., Gupta, H., and Sorooshian, S. (1998). Multi-objective global optimization for hydrological models. *Journal of Hydrology*, 204:83–97.
- Yost, R., Wang, X., Green, R., and Sangchyoswat, C. (1999). Incorporating spatial variability into existing soils databases. In Corwin, D., Loague, K., and Ellsworth, T., editors, *Assessment of Non-Point Source Pollution in the Vadose Zone*, pages 107–117. American Geophysical Union, Washington.
- Zacharias, S., Heatwole, C., Persaud, N., Bruggeman, A., Kumar, D., and Smith, C. (1999). Stochastic simulation of field-scale pesticide transport using Opus and GLEAMS. *Journal of Environmental Quality*, 28:411–423.
- Zhang, H., Haan, C., and Nofziger, D. (1993). An approach to estimating uncertainties in modeling transport of solutes through soils. *Journal of Contaminant Hydrology*, 12:35–50.
- Zhu, A. (1999). Fuzzy inference of soil patterns: Implications for watershed modeling. In Corwin, D., Loague, K., and Ellsworth, T., editors, *Assess-*

ment of Non-Point Source Pollution in the Vadose Zone, pages 135–149.
American Geophysical Union, Washington.