

Corrigendum

Corrigendum to “HER2-Low Breast Cancer: Incidence, Clinicopathologic Features, and Survival Outcomes From Real-World Data of a Large Nationwide Cohort” [*Modern Pathology* 36(4) 100087]

Ximena Baez-Navarro^{a,*}, Mieke R. van Bockstal^b, Eleni-Rosalina Andrinopoulou^{c,d}, Carolien H.M. van Deurzen^a

^a Department of Pathology, Erasmus Medical Center, Rotterdam, The Netherlands; ^b Department of Pathology, Cliniques universitaires Saint-Luc, Brussels, Belgium; ^c Department of Biostatistics, Erasmus Medical Center, Rotterdam, The Netherlands; ^d Department of Epidemiology, Erasmus Medical Center, Rotterdam, The Netherlands

The authors regret that the “Missing” values of the “sTILs” category in [Table 2](#) are incorrect. The table has been corrected below and in the original article. The authors would like to apologize for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.modpat.2022.100087>.

* Corresponding author.

E-mail address: x.baeznavarro@erasmusmc.nl (X. Baez-Navarro).



Table 2

Comparison of clinicopathologic characteristics between patients with HER2-0 and HER2-low BC, according to ER status

Clinical characteristics of patients (n, %)	ER+ (n = 48,846)				ER- (n = 4,987)			
Sex	HER2 0 (n = 18,800)	HER2 low (n = 30,046)	P value univariate	P value multivariate	HER2-0 (n = 3097)	HER2-low (n = 1890)	P value univariate	P value multivariate
Female	18,648 (99)	29,774 (99)	.262		3096 (100)	1890 (100)	.435	
Male	152 (1)	272 (1)			1 (0)	0 (0)		
Missing	0	0			0	0		
Age at diagnosis (y)								
<50	2432 (13)	4062 (14)	.065		507 (16)	237 (13)	<.001	.04
≥50	16,368 (87)	25,984 (86)			2590 (84)	1653 (88)		
Missing	0	0			0	0		
Type of surgery								
Lumpectomy	13,327 (71)	20,510 (68)	<.001	<.001	1854 (60)	1045 (55)	.001	.001
Mastectomy	5473 (29)	9535 (32)			1243 (40)	845 (45)		
Missing	0	1			0	0		
Tumor characteristics (n, %)	(n = 20,633)	(n = 32,789)			(n = 2,849)	(n = 2,005)		
Diameter (median, range)	1.4 (0.9-2)	1.4 (0.9-2.1)	<.001	.655	1.7 (1.1-2.7)	1.8 (1.2-2.6)	.8	.691
Missing	48	55			3	2		
Histologic type								
No special type	16,479 (80)	27,505 (84)	<.001	<.001	2500 (88)	1760 (88)	<.001	.544
Lobular	4073 (20)	5170 (16)			69 (2)	99 (5)		
Other	74 (0.4)	109 (0.3)			280 (10)	146 (7)		
Missing	7	5			0	0		
Grade of invasive component								
1	7152 (35)	11,388 (35)	<.001	.083	89 (3)	64 (3)	<.001	<.001
2	10,794 (53)	16,857 (52)			559 (20)	584 (30)		
3	2339 (12)	4129 (13)			2109 (77)	1321 (67)		
Missing	348	415			92	36		
Angioinvasion								
Yes	1733 (9)	3175 (10)	<.001	.089	436 (17)	330 (18)	.452	.879
Uncertain	484 (3)	794 (3)			118 (5)	74 (4)		
No	16,713 (88)	26,464 (87)			2074 (79)	1454 (78)		
Missing	1703	2356			221	147		
MammaPrint								
Low risk	482 (66)	920 (61)	.049		4 (31)	0 (0)	.101	
High risk	252 (34)	579 (39)			9 (69)	7 (100)		
Missing	19,899	31,290			2836	1998		
Mitosis (median, range)	3 (1-7)	3 (1-8)	<.001	.646	18 (10-30)	15 (7-27)	<.001	.073
Missing	344	411			89	36		
Ki67 (median, range)	10 (5-18)	10 (5-20)	.138		50 (25-75)	40 (17-65)	.013	
Missing	16,756	27,752			2629	1886		
stILS (median, range)	2 (1-5)	2 (1-5)	.237		5 (1-22)	1 (1-5)	.179	
Missing	18,652	29,850			3076	1881		
ER percentage (median, range)	100 (95-100)	100 (98-100)	.262	.01	0	0	<.001	.082
Missing	47	54			746	473		

Levels of expression of ER							
0-9	0 (0)	0 (0)	<.001		2098 (99.8)	1526 (99.6)	.404
≥10 to 49	401 (2)	467 (1)			5 (0.2)	6 (0.4)	
≥50 to 100	20,185 (98)	32,268 (99)			0 (0)	0 (0)	
Missing	47	54			746	473	
PR percentage (median, range)	90 (40-100)	80 (30-100)	<.001	<.001	0	0	.111
Missing	434	621			584	371	
Levels of expression of PR							
0-9	3021 (15)	4722 (15)	<.001		2198 (97)	1582 (97)	.685
≥10 to 49	3219 (16)	5856 (18)			53 (2)	44 (3)	
≥50 to 100	13,959 (69)	21,590 (67)			14 (1)	8 (1)	
Missing	434	621			584	371	
Resection margins invasive component ^a							
Free	9099 (89)	14,146 (91)	<.001		1041 (93)	601 (92)	.877
More than focal not free	358 (4)	469 (3)			30 (3)	20 (3)	
Focal not free	719 (7)	907 (6)			50 (5)	30 (5)	
Missing	10,457	17,267			1728	1354	
Axillary nodal status							
Positive	3996 (26)	6588 (28)	.002	.066	509 (26)	403 (29)	.019
Negative	11,151 (74)	17,068 (72)			1467 (74)	966 (71)	
Missing	5486	9133			873	636	

ER, estrogen receptor; HER2, human epidermal growth factor receptor 2; PR, progesterone receptor; STILs, stromal tumor-infiltrating lymphocytes.

^a The analysis of resection margins was restricted to patients who had undergone lumpectomy.