

References

- Abe, D., Yanagawa, K. and Niihata, S. (2004). Effects of load carriage, load position, and walking speed on energy cost of walking. *Appl. Ergon.* **35**, 329–335.
- Ardigo, L. P., Saibene, F. and Minetti, A. E. (2003). The optimal locomotion on gradients: walking, running or cycling? *Eur. J. Appl. Physiol.* **90**, 365–371.
- Astrand, P. O. and Rodhal, K. (1977). Textbook of work physiology. McGraw hill (ed), New York, pp 300–302.
- Balogun, J. A. (1986). Ergonomic comparison of three modes of load carriage. *Int. Arch. Occup. Environ. Health* **58**, 35–46.
- Basnyat, B. and Schepens, B. (2001). The burden of the Himalayan porter. *High Alt. Med. Biol.* **2**, 315–316.
- Bastien, G. J., Heglund, N. C. and Schepens, B. (2003). The double contact phase in walking children. *J. Exp. Biol.* **206**, 2967–2978.
- Bastien, G. J., Schepens, B., Willems, P. A. and Heglund N. C. (2005a). Energetics of load carrying in Nepalese porters. *Science* **308**, 1755.
- Bastien, G. J., Willems, P. A., Schepens, B. and Heglund, N. C. (2005b). Effect of load and speed on the energetic cost of human walking. *Eur. J. Appl. Physiol.* **94**, 76–83.
- Bergh, U., Sjodin, B., Forsberg, A. and Svedenhag, J. (1991). The relationship between body mass and oxygen uptake during running in humans. *Med. Sci. Sports Exerc.* **23**, 205–211.
- Bobbert, A. C. (1960). Energy expenditure in level and graded walking. *J. appl. physiol.* **15**, 1015–1021.
- Brooks, G. A., Fahey, T. D. and Baldwin, K. M. (2005). Exercise physiology. Fourth edition. Mc Graw Hill (ed), New York, pp 430–507.
- Cathcart, E. P., Richardson, D. T., and Campbell, W. (1923). On the maximum load to be carried by the soldier. *J. Roy. Army. Med corps* **40**, 435–443; **41**, 12–24; **41**, 87–98; **41**, 161–178.
- Cavagna, G. A. (1975). Force platforms as ergometers. *J. Appl. Physiol.* **39**, 174–179.
- Cavagna, G. A. and Kaneko, M. (1977). Mechanical work and efficiency in level walking and running. *J. Physiol.* **268**, 647–681.
- Cavagna, G. A., Heglund, N. C., and Taylor, C. R. (1977). Mechanical work in terrestrial locomotion: two basic mechanisms for minimizing energy expenditure. *Am. J. Physiol.* **233**, 243–261.
- Cavagna, G. A., Saibene, F. P., and Margaria, R. (1963). External work in walking. *J. Appl. Physiol.* **18**, 1–9.
- Cavagna, G. A., Thys, H. and Zamboni, A. (1976). The sources of external work in level walking and running. *J. Physiol.* **262**, 639–657.
- Cavagna, G. A., Willems, P. A. and Heglund, N. C. (2000). The role of gravity in human walking: pendular energy exchange, external work and optimal speed. *J. Physiol.* **528**, 657–68.
- Cavagna, G. A., Willems, P. A., Franzetti, P. and Detrembleur, C. (1991). The two power limits conditioning step frequency in human running. *J. Physiol.* **437**, 95–108.
- Cavagna, G. A., Willems, P. A., Legramandi, M. A. and Heglund, N. C. (2002). Pendular energy transduction within the step in human walking. *J. Exp. Biol.* **205**, 3413–3422.
- Censi, L., Toti, E., Pastore, G. and Ferro-Luzzi, A. (1998). The basal metabolic rate and energy cost of standardised walking of short and tall men. *Eur. J. Clin. Nutr.* **52**, 441–446.

- Clark, W. C. and Clark, S. B. (1980). Pain responses in Nepalese porters. *Science*. **209**, 410–2.
- Cotes, J. E. and Meade, F. (1960). The energy expenditure and mechanical energy demand in walking. *Ergonomics* **3**, 96–119.
- Cymerman, A., Pandolf, K. B., Young, A. J. and Maher, J. T. (1981). Energy expenditure during load carriage at high altitude. *J. Appl. Physiol.* **51**, 14–18.
- Das, S. K. and Saha, H. (1966). Climbing efficiency with different modes of load carriage. *Indian J. Med. Res.* **54**, 866–871.
- Datta, S. R. and Ramanathan, N. L. (1971). Ergonomic comparison of seven modes of carrying loads on the horizontal plane. *Ergonomics* **14**, 269–278.
- DeJaeger, D., Willems, P. A. and Heglund, N. C. (2001). The energy cost of walking in children. *Pflugers Arch.* **441**, 538–543.
- Dempster, W. T. and Gaughran, G. R. L. (1967). Properties of body segments based on size and weight. *Am. J. Anat.* **120**, 33–54.
- di Prampero, P. E. (1986). The energy cost of human locomotion on land and in water. *Int. J. Sports Med.* **7**, 55–72.
- Donelan, J. M., Kram, R., and Kuo, A. D. (2002a). Simultaneous positive and negative external mechanical work in human walking. *J. Biomech.* **35**, 117–124.
- Epstein, Y., Rosenblum, J., Burstein, R. and Sawka, M. N. (1988). External load can alter the energy cost of prolonged exercise. *Eur. J. Appl. Physiol. Occup. Physiol.* **57**, 243–247.
- Evans, W. J., Winsmann, F. R., Pandolf, K. B. and Goldman, R. F. (1980). Self-paced hard work comparing men and women. *Ergonomics* **23**, 613–621.
- Falola, J. M., Delpech, N. and Brisswalter, J. (2000). Optimization characteristics of walking with and without a load on the trunk of the body. *Percept. Mot. Skills* **91**, 261–272.
- Ghori, G. M. and Luckwill, R. G. (1985). Responses of the lower limb to load carrying in walking man. *Eur. J. Appl. Physiol. Occup. Physiol.* **54**, 145–150.
- Givoni, B. and Goldman, R. F. (1971). Predicting metabolic energy cost. *J. Appl. Physiol.* **30**, 429–433.
- Goldman, R. F. and Iampietro, P. F. (1962). Energy cost of load carriage. *J. Appl. Physiol.* **17**, 675–676.
- Gordon, M. J., Goslin, B. R., Graham, T. and Hoare, J. (1983). Comparison between load carriage and grade walking on a treadmill. *Ergonomics* **26**, 289–298.
- Gottschall, J. S. and Kram, R., (2003). Energy cost and muscular activity required for propulsion during walking. *J. Appl. Physiol.* **94**, 1766–1772.
- Grabowski, A., Farley, C. T., Kram, R. (2005). Independent metabolic costs of supporting body weight and accelerating body mass during walking. *J. Appl. Physiol.* **298**, 579–583.
- Griffin, T. M., Roberts, T. J. and Kram, R. (2003). Metabolic cost of generating muscular force in human walking: insights from load-carrying and speed experiments. *J. Appl. Physiol.* **95**, 172–183.
- Hauswirth, C., Bigard, A. X., and Lechevelier, J. M. (1997). The Cosmed K4 telemetry system as an accurate device for oxygen uptake measurement during exercise. *Int. J. Sports Med.* **18**, 449–453.
- Heglund, N. C. (1981). A simple design for a force-platform to measure ground reaction forces. *J. Exp. Biol.* **93**, 333–338.
- Heglund, N. C. and Cavagna, G. A. (1987). Mechanical work, oxygen consumption and efficiency in isolated frog and rat striated muscle. *Am. J. Physiol.* **253**, C22–C29.
- Heglund, N. C., Willems, P. A., Penta, M. and Cavagna, G. A. (1995). Energy-saving gait mechanics with head-supported loads. *Nature* **375**, 52–54.

- Hochachka, P. W., Clark, C. M., Holden, J. E., Stanley, C., Ugurbil, K. and Menon, R. S. (1996). ³¹P magnetic resonance spectroscopy of the Sherpa heart: a phosphocreatine/adenosine triphosphate signature of metabolic defense against hypobaric hypoxia. *Proc. Natl. Acad. Sci. U S A.* **93**, 1215–1220.
- Hochachka, P. W., Stanley, C., Matheson, G. O., McKenzie, D. C., Allen, P. S. and Parkhouse, W. S. (1991). Metabolic and work efficiencies during exercise in Andean natives. *J. Appl. Physiol.* **70**, 1720–1729.
- Holewijn, M. (1990). Physiological strain due to load carrying. *Eur. J. Appl. Physiol. Occup. Physiol.* **61**, 237–245.
- Holt, K. G., Wagenaar, R. C., LaFiandra, M. E., Kubo, M. and Obusek, J. P. (2003). Increased musculoskeletal stiffness during load carriage at increasing walking speeds maintains constant vertical excursion of the body center of mass. *J. Biomech.* **36**, 465–471.
- Hreljac, A. (1995). Determinants of the gait transition speed during human locomotion: kinematic factors. *J. Biomech.* **28**, 669–677.
- Hughes, A. L. and Goldman, R. F. (1970). Energy cost of “hard work”. *J. Appl. Physiol.* **29**, 570–572.
- Jones, C. D. R., Jarjou, M. S., Whitehead, R. G. and Jequier, E. (1987). Fatness and the energy cost of carrying loads in African women. *Lancet.* **XII**:1331-1332.
- Kinoshita, H. (1985). Effects of different loads and carrying systems on selected biomechanical parameters describing walking gait. *Ergonomics.* **28**, 1347–1362.
- Kram, R. (1991). Carrying loads with springy poles. *J. Appl. Physiol.* **71**, 1119–1122.
- Kram, R. and Taylor, C. R. (1990). Energetics of running: a new perspective. *Nature* **346**, 265–266.
- Kyle, U. G., Genton, L., Lukaski, H. C., Dupertuis, Y. M., Slosman, D. O., Hans, D. and Pichard C. (2005). Comparison of fat-free mass and body fat in Swiss and American adults. *Nutrition* **21**, 161–169.
- LaFiandra, M., Holt, K. G., Wagenaar, R. C. and Obusek, J. P. (2002). Transverse plane kinetics during treadmill walking with and without a load. *Clin. Biomech.* **17**, 116–122.
- LaFiandra, M., Wagenaar, R. C., Holt, K. G. and Obusek, J. P. (2003). How do load carriage and walking speed influence trunk coordination and stride parameters? *J. Biomech.* **36**, 87–95.
- Laursen, B., Ekner, D., Simonsen, E. B., Voigt, M. and Sjogaard, G. (2000). Kinetics and energetics during uphill and downhill carrying of different weights. *Appl. Ergon.* **31**, 159–166.
- Legg, S. J. (1985). Comparison of different methods of load carriage. *Ergonomics* **28**, 197–212.
- Legg, S. J. and Mahanty, A. (1985). Comparison of five modes of carrying a load close to the trunk. *Ergonomics* **28**, 1653–1660.
- Legg, S. J., Ramsey, T. and Knowles, D. J. (1992). The metabolic cost of backpack and shoulder load carriage. *Ergonomics* **35**, 1063–1068.
- Levine, L., Evans, W. J., Winsmann, F. R. and Pandolf, K. B. (1982). Prolonged self-paced hard physical exercise comparing trained and untrained men. *Ergonomics* **25**, 393–400.
- Lloyd, R. and Cooke, C. B. (2000). The oxygen consumption associated with unloaded walking and load carriage using two different backpack designs. *Eur. J. Appl. Physiol.* **81**, 486–492.
- Maloij, G. M. O., Heglund, N. C., Prager, L. M., Cavagna, G. A. and Taylor, C. R. (1986). The energetic cost of carrying loads: have African women discovered an economic way? *Nature* **319**, 668–669.
- Malville, N. J. (1999). Porters of the eastern hills of Nepal: body size and load weight. *Am. J. Hum. Biol.* **11**, 1–11.

- Malville, N. J., Byrnes, W. C., Lim, H. A. and Basnyat, R. (2001). Commercial porters of eastern Nepal: health status, physical work capacity, and energy expenditure. *Am. J. Hum. Biol.* **13**, 44-56.
- Margaria, R. (1938). Sulla fisiologia e specialmente sul consumo energetico della marcia e della corsa a varia velocita ed inclinazione del terreno. *Atti. Acc. Naz. Lincei* **7**, 299-368.
- Margaria, R. (1976). Biomechanics and energetics of muscular exercise. Clarendon Press, Oxford, pp 46-48.
- Martin, P. E. and Nelson, R. C. (1986). The effect of carried loads on the walking patterns of men and women. *Ergonomics*. **29**, 1191-1202.
- Minetti, A. E., Boldrini, L., Brusamolin, L., Zamparo, P. and McKee, T. (2003). A feedback-controlled treadmill (treadmill-on-demand) and the spontaneous speed of walking and running in humans. *J. Appl. Physiol.* **95**, 838-843.
- Morpurgo, G., et al. (1976). Sherpas living permanently at high altitutte: a new pattern of adaptation. *Proc. Natl. Acad. Sci. U S A.* **73**, 747-751.
- Myles, W. S. and Saunders, P. L. (1979). The physiological cost of carrying light and heavy loads. *Eur. J. Appl. Physiol. Occup. Physiol.* **42**, 125-131.
- Myles, W. S., Eclache, J. P. and Beaury, J. (1979). Self-pacing during sustained, repetitive exercise. *Aviation, Space and Environmental Medicine* **50**, 921-924.
- Nag, P. K., Sen, R. N. and Ray, U. S. (1978). Optimal rate of work for mountaineers. *J. Appl. Physiol.* **44**, 952-955.
- Pandolf, K. B., Givoni, B., Goldman, R. F. (1977). Predicting energy expenditure with loads while standing or walking very slowly. *J. Appl. Physiol.* **43**, 577-581.
- Panter-Brick, C. (1992). The energy cost of common tasks in rural Nepal: levels of energy expenditure compatible with sustained physical activity. *Eur. J. Appl. Physiol. Occup. Physiol.* **64**, 477-484.
- Passmore, R. and Durnin, J. V. (1955). Human energy expenditure. *Physiol. Rev.* **35**, 801-840.
- Patton, J. F., Kaszuba, J., Mello, R. P. and Reynolds, K. L. (1991). Physiological responses to prolonged treadmill walking with external loads. *Eur. J. Appl. Physiol. Occup. Physiol.* **63**, 89-93.
- Perry, J., Norwood, L. and House, K. (1977). Knee posture and biceps and semimembranous muscle action in running and cutting (an E. M. G Study). *Transactions of the 23rd Annual Meeting, Orthopaedic Research Society.* **2**, 258.
- Pierrynowski, M. R., Winter, D. A. and Norman, R. W. (1981). Metabolic measures to ascertain the optimal load to be carried by man. *Ergonomics* **24**, 393-399.
- Pimental, N. A. and Pandolf, K. B. (1979). Energy expenditure while standing or walking slowly uphill or downhill with loads. *Ergonomics* **22**, 963-973.
- Pontzer, H. (2005). A new model predicting locomotor cost from limb length via force production. *J. Exp. Biol.* **208**, 1513-1524.
- Ralston, H. J. (1958). Energy-speed relation and optimal speed during level walking. *Int. Z. Angew. Physiol.* **17**, 277-283.
- Riverson, J. D. N. and Carapetis, S. (1991). Intermediate means of transport in sub-Saharan Africa, World Bank Technical Paper No. 161, The World Bank, Washington.
- Saha, P. N., Datta, S. R., Banerjee, P. K. and Narayane, G. G. (1979). An acceptable workload for Indian workers. *Ergonomics* **22**, 1059-1071.
- Samanta, A., Datta, S. R., Roy, B. N., Chatterjee, A. and Mukherjee, P. K. (1987). Estimation of maximum permissible loads to be carried by Indians of different ages. *Ergonomics* **30**, 825-831.

- Schepens, B., Bastien, G. J., Heglund, N. C. and Willems, P. A. (2004). Mechanical work and muscular efficiency in walking children. *J. Exp. Biol.* **207**, 587–596.
- Schmidt, R. F. and Thews, G. (1983). Human physiology. Springer (ed), Berlin Heidelberg New York, pp 527.
- Shoenfeld, Y., Shapiro, Y., Portugeeze, D., Modan, M. and Sohar, E. (1977). Maximal backpack load for long distance hiking. *J. Sports Med. Phys. Fitness.* **17**, 147–51.
- Sloan, A. W. and Masali, M. (1978). Anthropometry of Sherpa men. *Ann. Hum. Biol.* **5**, 453–458
- Soule, R. G. and Goldman, R. F. (1969). Energy cost of loads carried on the head, hands, or feet. *J. Appl. Physiol.* **27**, 687–690.
- Soule, R. G., Pandolf, K. B. and Goldman R. F. (1978). Energy expenditure of heavy load carriage. *Ergonomics* **21**, 373–381.
- Taylor, C. R., Heglund, N. C. and Maloiy, G. M. (1982). Energetics and mechanics of terrestrial locomotion. I. Metabolic energy consumption as a function of speed and body size in birds and mammals. *J. Exp. Biol.* **97**, 1–21.
- Tesio, L., Lanzi, D. and Detrembleur, C. (1998). The 3-D motion of the centre of gravity of the human body during level walking. 1. Normal subject at low and intermediate walking speeds. *Clin. Biomech.* **13**, 77–82.
- Walker, J. L., Murray, T. D., Jackson, A. S., Morrow, J. R. and Michaud, T. J. (1999). The energy cost of horizontal walking and running in adolescents. *Med. Sci. Sports Exerc.* **31**, 311–322.
- Wickler, S. J., Hoyt, D. F., Cogger, E. A. and Hall, K. M. (2001). Effect of load on preferred speed and cost of transport. *J. Appl. Physiol.* **90**, 1548–1551.
- Willems, P. A., Cavagna, G. A. and Heglund, N. C. (1995). External, internal and total work in human locomotion. *J. Exp. Biol.* **198**, 379–393.
- Wilmore, J. H. and Costill, D. L. (1994). Physiology of sport and exercise. Human kinetics (ed), Champaign (ill.), pp.111.
- Workman, J. M. and Armstrong, B. W. (1963). Oxygen cost of treadmill walking. *J. Appl. Physiol.* **18**, 798–803.
- Workman, J. M. and Armstrong, B. W. (1986). Metabolic cost of walking: equation and model. *J. Appl. Physiol.* **61**, 1369–1374.
- Zarrugh, M. Y. and Radcliffe, C. W. (1978). Predicting metabolic cost of level walking. *Eur. J. Appl. Physiol. Occup. Physiol.* **38**, 215–223.
- Zarrugh, M. Y., Todd, F. N. and Ralston, H. J. (1974). Optimization of energy expenditure during level walking. *Eur. J. Appl. Physiol. Occup. Physiol.* **33**, 293–306.

