

Bibliography

- [1] Subjective video quality assesment methods for multimedia applications recommendation p.910. International Telecommunication Union, Geneva, Switzerland, 1996.
- [2] Methodology for subjective assesment of the quality of television pictures recommendation bt.500-11. International Telecommunication Union, Geneva, Switzerland, 2002.
- [3] A. Adelsbach and A. Sadeghi. Advanced techniques for dispute resolving and authorship proofs on digital works. In *Proc. of SPIE, Security and Watermarking of Multimedia Contents V, San Jose, CA, USA*, pages 677–688, January 2003.
- [4] P. Rondao Alface, M. Decraene, and B. Macq. 3d image quality measurement for the benchmarking of 3d watermarking schemes. In *Proc. Electronic Imaging 2005, Security, Steganography, and Watermarking of Multimedia Contents VII, San Jose, CA*, January 2005.
- [5] P. Rondao Alface and B. Macq. Blind watermarking of 3d meshes using robust feature points detection. In *International Conference on Image Processing (ICIP05), Genova, Italy, 11-14 September*, volume 1, pages 693–696, 2005.
- [6] P. Rondao Alface and B. Macq. Feature based watermarking of 3d objects: robustness against remeshing and desynchronization. In *Proc. Electronic Imaging 2005, Security, Steganography, and Watermarking of Multimedia Contents VII, San Jose, CA*, January 2005.
- [7] P. Rondao Alface and B. Macq. Shape quality measurement for 3d watermarking schemes. In *Electronic Imaging, Security and Watermarking of Multimedia Contents VIII, San Jose, California, 15-19 Jan.*, volume 6072, 2006.

- [8] P. Rondao Alface, B.M. Macq, F. Cayre, F.J.M. Schmitt, and H. Maître. Lapped spectral decomposition for 3d triangle mesh compression. In *IEEE International Conference on Image Processing*, volume 1, pages 781–784, 2003.
- [9] P. Alliez and C. Gotsman. *Advances in Multiresolution for Geometric Modelling*, chapter Recent Advances in Compression of 3D Meshes, pages 3–26. Springer-Verlag, Dogson, N.A., 2004.
- [10] P. Alliez, N. Laurent, H. Sanson, and F. Schmitt. Mesh approximation using a volume-based metric. In *Proc. of Pacific Conference on Computer Graphics and Applications*, pages 292–301, 1999.
- [11] P. Alliez, M. Meyer, and M. Desbrun. Interactive geometry remeshing. *ACM SIGGRAPH Trans. on Graphics*, 21(3):347–354, 2002.
- [12] P. Alliez, G. Ucelli, C. Gotsman, and M. Attene. *Shape Analysis and Structuring*, De Floriani, L., Spagnuolo M. (eds.), chapter Recent Advances in Remeshing of Surfaces. Springer-Verlag, 2006.
- [13] E. Anderson, Z. Bai, C. Bischof, S. Blackford, J. Demmel, J. Dongarra, J. Du Croz, and A. Greenbaum. *LAPACK User's Guide*. Society for Industrial and Applied Mathematics, Philadelphia, PA, third edition, isbn 0-89871-447-8 edition, 1999.
- [14] N. Aspert, D. Santa-Cruz, and T. Ebrahimi. Mesh: Measuring error between surfaces using the hausdorff distance. In *Proc. of the IEEE International Conference on Multimedia and Expo 2002 (ICME)*, volume I, pages 705–708, 2002.
- [15] M. Barni and F. Bartolini. Data hiding for fighting piracy. *IEEE Signal Processing Magazine*, 21(2):28–39, March 2004.
- [16] P. Bas, J.-M. Chassery, and B. Macq. Geometrically invariant watermarking using feature points. *IEEE Trans. on Image Processing*, 11(9):1014–1028, 2002.
- [17] S. Baudry, J.F. Delaigle, B. Sankur, B. Macq, and H. Maître. Analyses of error correcting strategies for typical communications channels in watermarking. *Signal Processing*, 81(6):1239–1250, June 2001.
- [18] M. Ben-Chen and C. Gotsman. On the optimality of spectral compression of mesh data. *ACM Trans. Graph.*, 24(1):60–80, 2005.

- [19] O. Benedens. Geometry-based watermarking of 3d models. *IEEE Computer Graphics and Applications*, 19(1):46–55, January 1999.
- [20] O. Benedens. Two high capacity methods for embedding public watermarks into 3d polygonal models. In *Proc. of the Multimedia and Security Workshop at ACM Multimedia 99, Orlando, FL*, pages 95–96, 1999.
- [21] O. Benedens. 3d watermarking algorithms in context of opensg plus. Technical Report 02i002-figd, Fraunhofer Institute for Computer Graphics, 2002.
- [22] O. Benedens. Robust watermarking and affine registration of 3d meshes. In *Proc. of 5th International Workshop on Information Hiding, Noordwijkerhout, Netherlands, October 7-9*, pages 177–195, 2002.
- [23] O. Benedens, J. Dittman, and F.A.P. Petitcolas. 3d watermarking design evaluation. In *Security and Watermarking of Multimedia Contents V, Delp, E.J., Wong, P.W., Eds., Proc. of SPIE-IS&T Electronic Imaging, SPIE*, volume 5020, pages 337–348, 2003.
- [24] J. Bennour and J.-L. Dugelay. Protection of 3d object through silhouette watermarking. In *ICASSP 2006, 31st International Conference on Acoustics, Speech, and Signal Processing, Toulouse, France, May 14-19*, 2006.
- [25] M.R. Bolin and G.W. Meyer. A perceptually based adaptive sampling algorithm. In *Proc. of SIGGRAPH'98*, pages 299–309, 1998.
- [26] B. Bollabas. *Modern Graph Theory*. Springer, 1998.
- [27] B.Schneier. The fallacy of trusted client software. *Information Security*, August 2000.
- [28] F. Cayre, P. Rondao Alface, F. Schmitt, B. Macq, and H. Maître. Application of spectral decomposition to compression and watermarking of 3d triangle mesh geometry. *Image Communications - Special issue on Image Security*, 18(4):309–319, 2003.
- [29] F. Cayre, C. Fontaine, and T. Furon. Watermarking security part 1: Theory. In I. Cox, T. Kalker, and H.-K Lee, editors, *Proc. of Electronic Imaging, Security, Steganography and Watermarking of Multimedia Contents VII, San Jose, CA, USA*, volume 5681, pages 746–757, Jan. 2005.

- [30] F. Cayre and B. Macq. Data hiding on 3d triangle meshes. *IEEE Transactions on Signal Processing*, 51:939–949, 2003.
- [31] B. Chen and G. Wornell. Quantization index modulation: A class of provably good methods for digital watermarking and information embedding. *IEEE Transactions on Information Theory*, 47(4):1423–1443, 2001.
- [32] I. Cheng and P. Boulanger. A 3d perceptual metric using just-noticeable-difference. In *Eurographics Short Presentations*, pages 97–100, 2005.
- [33] B.V. Cherkassky, A.V. Goldberg, and J.C. Setubal. Augment or push? a computational study of bipartite matching and unit capacity flow algorithms. Technical Report TR # 98-036R, NEC Research Institute, 1998.
- [34] J.W. Cho, M.S. Kim, R. Prost, H.Y. Chung, and H.Y. Jung. Robust watermarking on polygonal meshes using distribution of vertex norms. In *Proc. of IWWM'05, volume LNCS 3304 of Lecture Notes in Computer Science, Siena, Italy*, pages 283–293, 2005.
- [35] P. Cignoni, C. Rocchini, and R. Scopigno. Metro: Measuring error on simplified surfaces. *Computer Graphics Forum*, 17(2):167–174, 1998.
- [36] I. Cleju and D. Slaupe. Evaluation of supra-threshold perceptual metrics for 3d models. In *Proc. of Symposium on Applied Perception in Graphics and Visualization APGV06, Boston, USA, 2006*. to appear.
- [37] D. Cohen-Steiner and J.-M. Morvan. Restricted delaunay triangulations and normal cycle. In *Proc. of 19th Annual ACM Symposium in Computational Geometry*, pages 237–246, 2003.
- [38] M. Corsini, E.D. Gelasca, and T. Ebrahimi. A multi-scale roughness metric for 3-d watermarking quality assessment. In *Workshop on Image Analysis for Multimedia Interactive Services 2005, April 13-15, Montreux, Switzerland, 2005*.
- [39] D. Coting, T. Weyrich, M. Pauly, and M. Gross. Robust watermarking of point-sampled geometry. In *Proc. of The International Conference on Shape Modeling and Applications*, pages 233–242, 2004.
- [40] I. Cox, J. Bloom, and M. Miller. *Digital Watermarking, Principles & Practice*. Morgan Kaufmann, 2001.

- [41] T. Delmarcelle and L. Hesselink. The topology of symmetric, second-order tensor fields. *Proc. of IEEE Visualization, IEEE Computer Society Press, Los Alamitos*, pages 140–147, 1994.
- [42] F. Denis, G. Lavoué, F. Dupont, and A. Baskurt. Digital watermarking of compressed 3d meshes. In *Int. Conf. on Machine Intelligence, Tozeur, Tunisia, November 5-7, 2005*.
- [43] M. Desbrun, M. Meyer, and P. Alliez. Intrinsic parameterizations of surface meshes. In *Proc. of Eurographics*, 2002.
- [44] M. do Carmo. *Differential Geometry of curves and surfaces*. Prentice Hall, 1976.
- [45] M. Eck, T. Deroose, T. Duchamp, H. Hoppe, M. Lounsbery, and W. Stuetzle. Multiresolution analysis of arbitrary meshes. In *Proc. of SIGGRAPH'95*, pages 173–182, 1995.
- [46] J. Eggers and B. Girod. Blind watermarking applied to image authentication. In *Proc. of International Conference on Audio, Speech and Signal Processing, Salt-Lake City, USA, May 2001*.
- [47] A. Elad and R. Kimmel. On bending invariant signatures for surfaces. *IEEE Transactions on PAMI*, 25(10):1285–1295, 2003.
- [48] A. Eskicioglu. Multimedia security in group communications: Recent progress in key management, authentication, and watermarking. *ACM Multimedia Systems*, 9:239–248, September 2003.
- [49] J.A. Ferwerda, P. Shirley, S.N. Pattanaik, and D.P. Greenberg. A model of visual masking for computer graphics. In *Proc. of SIGGRAPH'97*, pages 143–152, 1997.
- [50] M. Floater. Parameterization and smooth approximation of surface triangulations. *Computer Aided Geometric Design*, 14(3):231–250, 1997.
- [51] J. Foley, A. van Dam, S. Feinera, and J. Hughes. *Computer Graphics. Principle and Practice*. Addison Wesley, Reading, MA., 1990.
- [52] T. Furon. *Use of watermarking techniques for copy protection*. PhD thesis, Ecole Nationale des Télécommunications, Rennes, 2002.
- [53] E. Garcia and J.-L. Dugelay. Texture-based watermarking of 3d video objects. *IEEE Trans. Circuits Syst. Video Techn.*, 13(8):853–866, 2003.

- [54] M. Garland and P. Heckbert. Surface simplification using quadric error metrics. In *Proc. of SIGGRAPH'97*, pages 209–216, 1997.
- [55] X. Gu, S. Gortler, H. Hoppe, L. McMillan, B. Brown, and A. Stone. Silhouette mapping. Technical Report TR-1-99, Department of Computer Science, Harvard University, 1999.
- [56] X. Gu and S.-T. Yau. Global conformal surface parameterization. In *Proc. of the Eurographics/ACM SIGGRAPH Symposium on Geometry Processing, Aachen, Germany*, pages 127–137, 2003.
- [57] I. Guskov, W. Sweldens, and P. Schroder. Multiresolution signal processing for meshes. In *Proceedings ACM SIGGRAPH*, pages 325–334, 1999.
- [58] T. Harte and A. Bors. Watermarking 3d models. In *Proc. of Int. Conf. on Image Proc. (ICIP), Rochester, NY, USA.*, 2002.
- [59] M. Hisadaa, A.G. Belyaev, and T.L. Kunii. A skeleton-based approach for detection of perceptually salient features on polygonal surfaces. *Computer Graphics Forum*, 21(4), November 2002.
- [60] D.D. Hoffman and M. Singh. Saliency of visual parts. *Cognition*, 63(1):29–78, April 1997.
- [61] H. Hoppe. Progressive mesh. In *Proc. of SIGGRAPH'96*, pages 99–108, 1996.
- [62] L. Ibanez, W. Schroeder, L. Ng, and J. Cates. *The ITK Software Guide*. Kitware, Inc., 2003.
- [63] M. Isenburg, S. Gumhold, and C. Gotsman. Connectivity shapes. In *Proc. of Visualization 2001*, pages 135–142, October 2001.
- [64] M. Isenburg and P. Lindstrom. Streaming meshes. Technical Report UCRL-CONF-201992, LLNL, 2004.
- [65] S. Jaume, P. Rondao Alface, and B. Macq. Opentopology: A toolkit for brain isosurface correction. In *Proc. of MICCAI 2005, 8th International Conference on Medical Image Computing and Computer Assisted Intervention, Palm Springs, California, USA, Oct 26 to Oct 30, 2005*.
- [66] J.Q. Jin, M.Y. Dai, H.J. Bao, and Q.S. Peng. Watermarking on 3d mesh based on spherical wavelet transform. *SCI*, 5(3):251–258, 2004.

- [67] C. Johnson, R. Moorhead, T. Munzner, H. Pfister, P. Rheingans, and T.S. Yoo. NIH-NSF visualization research challenges report. Technical report, NIH-NSF Visualization Research, 2005.
- [68] T.R. Jones, F. Durand, and M. Desbrun. Non-iterative, feature-preserving mesh smoothing. *ACM Transactions on Graphics*, 22(3):943–949, July 2003.
- [69] R. Jonker and A. Volgenant. A shortest augmenting path for dense and sparse linear assignment problems. *Computing*, 38:325–340, 1987.
- [70] W. Jonker and J.-P. Linnartz. Digital rights management in consumer electronics products. *IEEE Signal Processing Magazine*, 21(2):82–91, March 2004.
- [71] D. Kahn. The history of steganography. In R. Anderson, editor, *Proc. of the first Int. Workshop on Information Hiding*, Cambridge, U.K., pages 1–5. Springer Verlag, May 1996.
- [72] A. D. Kalvin and R. H. Taylor. Superfaces: Polygonal mesh simplification with bounded error. *Computer Graphics and Applications, IEEE*, 16(3):64–77, May 1996.
- [73] S. Kanai, H. Date, and T. Kishinami. Digital watermarking for 3d polygons using multiresolution wavelet decomposition. In *Proc. Sixth IFIP WG 5.2 GEO-6, Tokyo, Japan*, pages 296–307, December 1998.
- [74] Z. Karni and C. Gotsman. Spectral compression of mesh geometry. In *Computer Graphics (Proc. of SIGGRAPH’00)*, pages 279–286, 2000.
- [75] Z. Karni and C. Gotsman. 3d mesh compression using fixed spectral basis. In *Proc. of Graphics Interface, Ottawa, Canada*, pages 1–8, June 2001.
- [76] G. Karypis and V. Kumar. *MeTiS: A software package for partitioning unstructured graphs, partitioning meshes, and computing fill-reducing orderings of sparse matrices. Version 4.0*. Univ. of Minnesota, Dept. of Computer Science, 1998.
- [77] S. Katz, G. Leifman, and A. Tal. Mesh segmentation using feature point and core extraction. *The Visual Computer*, 21(8-10):649–658, 2005.

- [78] M.S. Kim, S. Valette, H.Y. Jung, and R. Prost. Watermarking of 3d irregular meshes based on wavelet multiresolution analysis. In *IWWM'05, volume LNCS 3304 of Lect Notes Comput Sc, Siena, Italy*, pages 313–324, 2005.
- [79] S.J. Kim, S.J. Kim, and C.H. Kim. Discrete differential error metric for surface simplification. In *Proc. of Pacific Graphics*, pages 276–283, 2002.
- [80] R. Kimmel and J.A. Sethian. Computing geodesic paths on manifolds. *Proc. of National Academy of Science*, 95(15):8431–8435, 1998.
- [81] D. Kirsanov, S.J. Gortler, and H. Hoppe. Fast exact and approximated geodesic paths on meshes. Technical Report TR 10-04, Harvard University Computer Science, 2004.
- [82] R. Klein, G. Liebich, and W. Strasser. Mesh reduction with error control. In *Proc. of IEEE Visualization*, pages 311–318, 1996.
- [83] K.H. Ko, T. Maekawa, N.M. Patrikalakis, H. Masuda, and F.-E. Wolter. Shape intrinsic properties for free-form object matching. *ASME Transactions, Journal of Computing and Information Science in Engineering*, 3(4), 2003.
- [84] D. Koller and M. Levoy. Protecting 3d graphics content. *Communications of the ACM*, 48(6):74–80, 2005.
- [85] D. Koller, M. Turitzin, M. Levoy, M. Tarini, G. Croccia, P. Cignoni, and R. Scopigno. Protected interactive 3d graphics via remote rendering. In *Proc. of ACM SIGGRAPH*, 2004.
- [86] M. Kuribayashi and H. Tanaka. A watermarking scheme applicable for fingerprinting protocol. In *LNCS, editor, Proc. of Int. Workshop on Digital Watermarking, IWDW'03, Springer-Verlag*, pages 532–543, 2003.
- [87] M. Levoy, K. Pulli, B. Curless, S. Rusinkiewicz, D. Koller, L. Pereira, M. Ginzton, S. Anderson, J. Davis, J. Ginsberg, J. Shade, and D. Fulk. The digital michelangelo project: 3d scanning of large statues. In *Computer Graphics Proceedings of SIGGRAPH 2000, ACM Press, Kurt Akeley ed.*, pages 131–144, 2000.

- [88] B. Lévy, S. Petitjean, N. Ray, and J. Maillot. Least squares conformal maps for automatic texture atlas generation. In *ACM SIGGRAPH Conference Proceedings*, pages 362–371, 2002.
- [89] P. Lindstrom and G. Turk. Image-driven simplification. *ACM Transactions on Graphics*, 19(3):204–241, 2000.
- [90] J.-P. Linnartz. Method and system for transferring content information and supplemental information relating thereto. Patent WO 98/33325, 1998.
- [91] M. Lounsbery, T.D. DeRose, and J. Warren. Multiresolution analysis for surfaces of arbitrary topological type. *ACM Transactions on Graphics*, 16:34–73, 1997.
- [92] D. G. Lowe. Distinctive image features from scale-invariant keypoints. *International Journal of Computer Vision*, 60(2):91–110, 2004.
- [93] M. Maes, T. Kalker, J.-P. Linnartz, J. Talstra, G. Depovere, and J. Haitzma. Digital watermarking for dvd video copy protection. *Signal Processing Magazine*, 17(5), September 2000.
- [94] K. Myszkowski, P. Rokita, and T. Tawara. Perceptually-informed accelerated rendering of high quality walkthrough sequences. In *Proceedings of the Tenth Eurographics Workshop on Rendering*, pages 5–18, 1999.
- [95] G. Nielson and T. Foley. *Mathematical Methods in Computer Aided Geometric Design*, chapter A Survey of Applications of an Affine Invariant Norm, pages 445–467. Academic Press, Boston, 1989.
- [96] W. Niem. Robust and fast modelling of 3d natural objects from multiple views. In *SPIE Proceedings, Image and Video Processing II*, volume 2182, pages 388–397, 1994.
- [97] A. Nikolaidis, S. Tsekeridou, A. Tefas, and V. Solachidis. A survey on watermarking application scenarios and related attacks. In *Proc. of International Conference of Image Processing*, volume 3, pages 991–994, 2001.
- [98] A. Oebbeke. <http://www.glossar.de>.

- [99] R. Ohbuchi, H. Masuda, and M. Aono. Watermarking three-dimensional polygonal models through geometric and topological modifications. In *IEEE JSAC*, pages 551–560, May 1998.
- [100] R. Ohbuchi, A. Mukaiyama, and S. Takahashi. A frequency-domain approach to watermarking 3d shapes. *Computer Graphics Forum*, 21(3), 2002.
- [101] R. Ohbuchi, S. Takahashi, T. Miyazawa, and A. Mukaiyama. Watermarking 3d polygonal meshes in the mesh spectral domain. In *Proceedings of Graphics Interface, Ottawa, Canada*, pages 9–18, 2001.
- [102] R. Osada, T. Funkhouser, B. Chazelle, and D. Dobkin. Shape distributions. *ACM Transactions on Graphics*, 21(4):807–832, October 2002.
- [103] D.L. Page, A. Koschan, and M.A. Abidi. Perception-based 3d triangle mesh segmentation using fast marching watersheds. In *Proc. of the International Conference on Computer Vision and Pattern Recognition*, volume 2, pages 27–32, June 2003.
- [104] D.L. Page, A. Koschan, S. Sukumar, B. Roui-Abidi, and M. Abidi. Shape analysis algorithm based on information theory. In *Proceedings of the International Conference on Image Processing*, volume 1, pages 229–232, 2003.
- [105] Y. Pan, I. Cheng, and A. Basu. Quality metric for approximating subjective evaluation of 3-d objects. *IEEE Trans. on Multimedia*, 7(2):269–279, 2005.
- [106] S. Petitjean. A survey of methods for recovering quadrics in triangle meshes. *ACM Computing Surveys*, 34(2):211–262, 2002.
- [107] G. Peyré and L. Cohen. Geodesic re-meshing and parameterization using front propagation. In *Proc. of VLSM’03*, pages 33–40, 2003.
- [108] G. Peyré and L. Cohen. Geodesic computations for fast and accurate surface remeshing and parameterization. *Progress in nonlinear differential equations and their applications*, 63:157–171, 2005.
- [109] U. Pinkall and K. Polthier. Computing minimal surfaces. *Experimental Mathematics*, 2(1):15–36, 1993.

- [110] D. Prattichizzo, M. Barni, H.Z. Tan, and S. Choi. Perceptibility of haptic digital watermarking of virtual textures. In *WHC*, pages 52–66, 2005.
- [111] E. Praun, H. Hoppe, and A. Finkelstein. Robust mesh watermarking. In *Proc. ACM SIGGRAPH'99*, pages 69–76, 1999.
- [112] M. Reddy. Perceptually optimized 3d graphics. *IEEE Computer Graphics and Applications*, 21(5):68–75, 2001.
- [113] B.E. Rogowitz and H. Rushmeier. Are image quality metrics adequate to evaluate the quality of geometric objects? In *Human Vision and Electronic Imaging IV*, Rogowitz, Pappas (eds.), *Proc. SPIE*, volume 4299, 2001.
- [114] B.E. Rogowitz and H. Rushmeier. Are image quality metrics adequate to evaluate the quality of geometric objects? In *Human Vision and Electronic Imaging IV*, Rogowitz, Pappas (eds.), *Proc. SPIE*, volume 4299, 2001.
- [115] Y. Saad. *Iterative Methods for Sparse Linear Systems*. PWS Publishing Company, 1996.
- [116] P.V. Sander, X. Gu, S.J. Gortler, H. Hoppe, and J. Snyder. Silhouette clipping. In *Computer Graphics, Proceedings of SIGGRAPH'00*, pages 327–334, 2000.
- [117] P. Schroder and W. Sweldens. Spherical wavelets: Efficiently representing functions on the sphere. In *Proc. of SIGGRAPH*, pages 161–172, 1995.
- [118] R. Van Schyndel, A. Tirkel, and C. Osborne. A digital watermark. In *Proc. of the IEEE Int. Conf. on Image Processing, Austin, Texas, U.S.A.*, volume 2, pages 86–90, 1994.
- [119] O. Sifri, A. Sheffer, and C. Gotsman. Geodesic-based surface remeshing. In *Proc. 12th Intl. Meshing Roundtable*, pages 189–199, 2003.
- [120] G.W. Snedecor and W.G. Cochran. *Statistical Methods*. Iowa State University Press, Ames, 1989.
- [121] J.-G. Sun. Stability and accuracy: Perturbation analysis of algebraic eigenproblems. Technical Report UMINF 98.07, Umea University, 1998.

- [122] G. Taubin. A signal processing approach to fair surface design. In *Proc. of SIGGRAPH'95*, pages 351–358, 1995.
- [123] X. Tricoche. *Vector and Tensor Field Topology Simplification, Tracking, and Visualization*. PhD thesis, Schriftenreihe Fachbereich Informatik (3), Universität Kaiserslautern, Germany, 2002.
- [124] W.T. Tutte. How to draw a graph. In *Proc. of the London Mathematical Society*, volume 10, pages 304–332, 1960.
- [125] F. Uccheddu, M. Corsini, and M. Barni. Wavelet-based blind watermarking of 3d models. In *Proc. of the 2004 multimedia and security workshop on Multimedia and security*, pages 143–154, 2004.
- [126] S. Valette, H.-Y. Kim, H.-Y. Yung, I. Magnin, and R. Prost. A multi-resolution wavelet scheme for irregularly subdivided 3d triangular mesh. In *Proc. of IEEE Intl. Conf. on Image Processing ICIP'99, Kobe, Japan*, volume 1, pages 171–174, 1999.
- [127] S. Valette, I. Kompatsiaris, and M. Strinzis. A polygonal mesh partitioning algorithm based on protrusion conquest for perceptual 3d shape description. In *Workshop Towards Semantic Virtual Environments SVE 2005, Villars, CH, March 11-18*, pages 68–76, 2005.
- [128] P. Viola and W. M. Wells. Alignment by maximization of mutual information. In *Proc. Fifth Int. Conf. On Computer Vision*, pages 16–23, 1995.
- [129] S. Voloshynovskiy, S. Pereira, V. Iquise, and T. Pun. Attack modelling: towards a second generation watermarking benchmark. *Signal Processing*, 81:1177–1214, 2001.
- [130] M.G. Wagner. Robust watermarking of polygonal meshes. In *Proceedings of Geometric Modeling and Processing*, pages 201–208, 2000.
- [131] C.M. Wang and Y.M. Cheng. An efficient information hiding algorithm for polygon models. *Computer Graphics Forum*, 24(3):591–600, 2005.
- [132] N. Williams, D. Luebke, J. D. Cohen, M. Kelley, and B. Schubert. Perceptually guided simplification of lit, textured meshes. In *Proceedings of the 2003 symposium on Interactive 3D graphics*, pages 113–121, 2003.

- [133] P.W. Wong and N. Memon. Secret and public key image watermarking schemes for images authentication and ownership verification. *IEEE Trans. on Image Processing*, 10(10):1593–1601, 2001.
- [134] Z. Wood, H. Hoppe, M. Desbrun, and P. Schröder. Removing excess topology from isosurfaces. *ACM Trans. on Graphics*, 23(2):190–208, 2004.
- [135] J. Wu and L. Kobbelt. Efficient spectral watermarking of large meshes with orthogonal basis functions. In *The Visual Computers (Pacific Graphics 2005 Proceedings)*, volume 21, pages 848–857, 2005.
- [136] L. Xie and G.R. Arce. A class of authentication digital watermarking for secure multimedia communication. *IEEE Trans. on Image Processing*, 10(11):1754–1764, 2001.
- [137] H. Yamauchi, W. Saleem, S. Yoshizawa, Z. Karni, A. Belyaev, and H.-P. Seidel. Towards stable and salient multi-view representation of 3d shapes. In *IEEE International Conference on Shape Modeling and Applications (SMI'06)*, pages 40–43, 2006.
- [138] B.-L. Yeo and M.M. Yeung. Watermarking 3d objects for verification. *IEEE Computer Graphics and Applications*, 19(1):36–45, 1999.
- [139] K. Yin, Z. Pan, J. Shi, and D. Zhang. Robust mesh watermarking based on multi-resolution processing. *Computers and Graphics*, 25:409–420, 2001.
- [140] Z. Yu, H.H.S. Ip, and L.F. Kwok. A robust watermarking scheme for 3d triangular mesh models. *Pattern Recognition*, 36(11):2603–2614, 2003.
- [141] S. Zafeiriou, A. Tefas, and I. Pitas. Blind robust watermarking schemes for copyright protection of 3d mesh objects. *IEEE Trans. Vis. Comput. Graph.*, 11(5):596–607, 2005.
- [142] H. Zhang. Discrete combinatorial laplacian operators for digital geometry processing. In *Proc. of SIAM Conference on Geometric Design and Computing*, pages 575–592, 2004.
- [143] L. Zhou and A. Pang. Metrics and visualization tools for surface mesh comparison. In *Proc. of SPIE conference on Visual Data Exploration and Analysis*, volume 4302, pages 99–110, 2001.