

Bibliography

- [1] S. Adachi, *Material parameters of $\text{In}_{1-x}\text{Ga}_x\text{As}_y\text{P}_{1-y}$ and related binaries*, J. Appl. Phys. **53** (1982), 8775.
- [2] ———, *GaAs, AlAs and $\text{Al}_x\text{Ga}_{1-x}\text{As}$: Material parameters for use in research and device applications*, J. Appl. Phys. **58** (1985), R1.
- [3] I. Adagideli, *Ehrenfest-time-dependent suppression of weak localization*, Phys. Rev. B **68** (2003), 233308.
- [4] R. Akis, D. K. Ferry, and J. P. Bird, *Wave Function Scarring Effects in Open Stadium Shaped Quantum Dots*, Phys. Rev. Lett. **79** (1997), 123.
- [5] I. L. Aleiner and A. I. Larkin, *Divergence of classical trajectories and weak localization*, Phys. Rev. B **54** (1996), 14423–14444.
- [6] Y. Alhassid, *The statistical theory of quantum dots*, Rev. Mod. Phys. **72** (2000), 895.
- [7] P. B. Allers and R. T. Webber, *The Magnetoresistance of Bismuth Crystals at Low Temperatures*, Phys. Rev. **91** (1953), 1060.
- [8] B. L. Al'tshuler, A. G. Aronov, and D. E. Khmelnitsky, *Effect of electron-electron collisions with small energy transfers on quantum localisation*, J. Phys. C **15** (1982), 7367.
- [9] B. L. Al'tshuler, A. G. Aronov, and B. Z. Spivak, *The Aaronov-Bohm effect in disordered conductors*, JETP Letters **33** (1981), 94–97.
- [10] B. L. Al'tshuler, A. G. Aronov, B. Z. Spivak, D. Yu. Sharvin, and Yu. V. Sharvin, *Observation of the Aaronov-Bohm effect in hollow metal cylinders*, JETP Letters **35** (1982), 588–590.

- [11] E. R. P. Alves and C. H. Lewenkopf, *Conductance Fluctuations and Weak Localization in Chaotic Quantum Dots*, Phys. Rev. Lett. **88** (2002), 256805.
- [12] J. Appenzeller, R. Martel, Ph. Avouris, H. Stahl, U. Th. Hunger, and B. Lengeler, *Phase-coherent transport in ropes of single-wall carbon nanotubes*, Phys. Rev. B **64** (2001), 121404.
- [13] N. W. Ashcroft and N. D. Mermin, *Solid State Physics*, Saunders College, Philadelphia, 1976.
- [14] Philip F. Bagwell and Terry P. Orlando, *Landauer's conductance formula and its generalization to finite voltages*, Phys. Rev. B **40** (1989), 1456–1464.
- [15] S. R. Bahl and I. A. del Alamo, *Elimination of mesa-sidewall gate leakage in InAlAs/InGaAs heterostructures by selective sidewall recessing*, Electron Device Letters **13** (1992), 195.
- [16] H. U. Baranger, R. A. Jalabert, and A. Douglas Stone, *Weak Localization and Integrability in Ballistic Cavities*, Phys. Rev. Lett. **70** (1993), 3876.
- [17] Harold U. Baranger and Pier A. Mello, *Mesoscopic transport through chaotic cavities: A random S-matrix theory approach*, Phys. Rev. Lett. **73** (1994), 142–145.
- [18] Harold U. Baranger and Pier A. Mello, *Effect of phase breaking on quantum transport through chaotic cavities*, Phys. Rev. B **51** (1995), 4703.
- [19] C. W. J. Beenakker, *Random-matrix theory of quantum transport*, Rev. Mod. Phys. **69** (1997), 731–808.
- [20] G. Bergmann, *Weak localization in thin films, a time-of-flight experiment with conduction electrons*, Phys. Rep. **107** (1984), 1–58.
- [21] M. J. Berry, J. A. Katine, R. M. Westervelt, and A. C. Gossard, *Influence of shape on electron transport in quantum dots*, Phys. Rev. B **50** (1994), 17721.
- [22] D.E. Beutler and N. Giordano, *Localization and electron-electron interaction effects in thin Bi wires and films*, Phys. Rev. B **38** (1988), 8.

- [23] J. P. Bird, K. Ishibashi, D. K. Ferry, Y. Ochiai, Y. Aoyagi, and T. Sugano, *Phase breaking in ballistic quantum dots: Transition from two- to zero-dimensional behavior*, Phys. Rev. B **51** (1995), 18037.
- [24] R. Blümel and U. Smilansky, *Classical irregular scattering and its quantum-mechanical implications*, Phys. Rev. Lett. **60** (1988), 477.
- [25] P. W. Brouwer and C. W. J. Beenakker, *Effect of a voltage probe on the phase-coherent conductance of a ballistic chaotic cavity*, Phys. Rev. B **51** (1995), 7739.
- [26] P. W. Brouwer and C. W. J. Beenakker, *Voltage-probe and imaginary-potential models for dephasing in a chaotic quantum dot*, Phys. Rev. B **55** (1997), 4695–4702.
- [27] ———, *Erratum: Voltage-probe and imaginary-potential models for dephasing in a chaotic quantum dot [Phys. Rev. B **55**, 004695 (1997)]*, Phys. Rev. B **66** (2002), 209901.
- [28] P. W. Brouwer, J. N. H. J. Cremers, and B. I. Halperin, *Weak localization and conductance fluctuations of a chaotic quantum dot with tunable spin-orbit coupling*, Phys. Rev. B **65** (2002), 081302.
- [29] C. V. Brown, A. K. Geim, T. J. Foster, C. J. G. M. Langerak, and P. C. Main, *Mesoscopic fluctuations in high magnetic fields: Change in behavior due to boundary diffusion*, Phys. Rev. B **47** (1993), 10935–10938.
- [30] M. Büttiker, *Four-terminal phase-coherent conductance*, Phys. Rev. Lett. **57** (1986), 1761–1764.
- [31] ———, *Role of quantum coherence in series resistors*, Phys. Rev. B **33** (1986), 3020–3026.
- [32] M. Büttiker and D. Sanchez, *Comment on "Mesoscopic Rectifiers Based on Ballistic Transport"*, Phys. Rev. Lett. **90** (2003), 119701.
- [33] Yu. A. Bychkov and E. I. Rashba, *Oscillatory effects and the magnetic susceptibility of carriers in inversion layers*, Journal of Physics C: Solid State Physics **17** (1984), 6039–6045.
- [34] A. M. Chang, H. U. Baranger, L. N. Pfeiffer, and K. W. West, *Weak Localization in Chaotic versus Nonchaotic Cavities : A striking difference in the Line Shape*, Phys. Rev. Lett. **73** (1994), 2111.

- [35] J. R. Chelikowsky and M. L. Cohen, *Nonlocal pseudopotential calculations for the electronic structure of eleven diamond and zinc-blende semiconductors*, Phys. Rev. B **14** (1976), 556.
- [36] Jianhui Chen, J. M. Fernandez, and H. H. Wieder, *Composition dependent transport properties of strain relaxed $\text{In}_x\text{Ga}_{1-x}\text{As}$ ($x < 0.45$) epilayers*, Appl. Phys. Lett. **61** (1992), 1116.
- [37] A. Y. Cho, *Molecular Beam Epitaxy From Research to Manufacturing*, Mat. Res. Soc. (MRS) Bull. **20** (1995), 21.
- [38] K. K. Choi, D. C. Tsui, and K. Alavi, *Dephasing time and one-dimensional localization of two-dimensional electrons in $\text{GaAs}/\text{AlGaAs}$ heterostructures*, Phys. Rev. B **36** (1987), 7751.
- [39] H. T. Chu, P. N. Henriksen, and J. Alexander, *Resistivity and transverse magnetoresistance in ultrathin films of pure bismuth*, Phys. Rev. B **37** (1988), 3900.
- [40] H. T. Chu, P. N. Henriksen, Jing Jing, Hong Wang, and Xiaofeng Xu, *Magnetic-field dependence of Hall resistance in thin films of pure bismuth*, Phys. Rev. B **45** (1992), 11233–11237.
- [41] R. M. Clarke, I. H. Chan, C. M. Marcus, C. I. Duruöz, J. S. Harris, Jr., K. Campman, and A. C. Gossard, *Temperature dependence of phase breaking in ballistic quantum dots*, Phys. Rev. B **52** (1995), 2656.
- [42] Jan-Hein Cremers, Piet W. Brouwer, and Vladimir I. Fal’ko, *Weak localization and conductance fluctuations in a quantum dot with parallel magnetic field and spin-orbit scattering*, Phys. Rev. B **68** (2003), 125329.
- [43] Stephen B. Cronin, *Electronic properties of Bi nanowires*, Ph.D. thesis, Massachusetts Institute of Technology, 2002.
- [44] R. Crook, C. G. Smith, A. C. Graham, I. Farrer, H. E. Beere, and D. A. Ritchie, *Imaging Fractal Conductance Fluctuations and Scarred Wave Functions in a Quantum Billiard*, Phys. Rev. Lett. **91** (2003), 246803.
- [45] S. Datta, *Electronic transport in mesoscopic systems*, Cambridge University Press, 1995.

- [46] S. Datta and B. Das, *Electronic analog of the electro-optic modulator*, Appl. Phys. Lett. **56** (1990), 665.
- [47] John H. Davies, *The physics of low-dimensional semiconductors - an introduction*, Cambridge University Press, 1998.
- [48] S. de Haan, A. Lorke, J. P. Kotthaus, W. Wegscheider, and M. Bichler, *Rectification in Mesoscopic Systems with Broken Symmetry : Quasi-classical Ballistic Versus Classical Transport*, Phys. Rev. Lett. **92** (2004), 056806.
- [49] G. Dresselhaus, *Spin-Orbit Coupling Effects in Zinc Blende Structures*, Phys. Rev. **100** (1955), 580.
- [50] P. M. Echternach, M. E. Gershenson, H. M. Bozler, A. L. Bogdanov, and B. Nilsson, *Nyquist phase relaxation in one-dimensional metal films*, Phys. Rev. B **48** (1993), 11516–11519.
- [51] P. Rai-Choudhury (Ed.), *Handbook of Microlithography, micromachining and microfabrication*, SPIE Press IEE, 1997.
- [52] K. B. Efetov, *Temperature effects in quantum dots in the regime of chaotic dynamics*, Phys. Rev. Lett. **74** (1995), 2299–2302.
- [53] R. Fleischmann and T. Geisel, *Mesoscopic Rectifiers Based on Ballistic Transport*, Phys. Rev. Lett. **89** (2002), 016804.
- [54] J. A. Folk, C. M. Marcus, J. S. Harris, and Jr., *Decoherence in Nearly Isolated Quantum Dots*, Phys. Rev. Lett. **87** (2001), 206802.
- [55] J. A. Folk, S. R. Patel, K. M. Birnbaum, C. M. Marcus, C. I. Duruoz J. S. Harris, and Jr., *Spin Degeneracy and Conductance Fluctuations in Open Quantum Dots*, Phys. Rev. Lett. **86** (2001), 2102–2105.
- [56] Hervé Fourre, *Réalisation et caractérisation de transistors à effets de champ à hétérojonction de la filière AlInAs/GaInAs pour applications en ondes millimétriques.*, Ph.D. thesis, Université des Sciences et Technologies de Lille, 1997.
- [57] K. Frahm, *Crossover of magnetoconductance autocorrelation for a ballistic chaotic quantum dot*, Europhys. Lett. **30** (1995), 457.
- [58] F. C. Franck and J. H. van der Merwe, *One-Dimensional Dislocations. I. Static theory*, Proc. R. Soc. London A **198** (1949), 205.

- [59] H. Fukuyama and E. Abrahams, *Inelastic scattering time in two-dimensional disordered metals*, Phys. Rev. B **27** (1983), 5976.
- [60] Stephan Geier and Gerd Bergmann, *Residual atomic behavior of (sp)-impurities in a Mg host*, Physical Review Letters **68** (1992), 2520–2523.
- [61] T. Geisel and R. Fleischmann, *Geisel and Fleischmann reply*, Phys. Rev. Lett. **90** (2003), 119702.
- [62] D. Gershoni, J. M. Vandenberg, R. A. Hamm, and M. B. Panish, *Electronic energy levels in $\text{In}_x\text{Ga}_{1-x}\text{As}/\text{InP}$ strained-layer superlattices*, Phys. Rev. B **36** (1987), 1320.
- [63] C. Gustin, S. Faniel, B. Hackens, S. Melinte, M. Shayegan, and V. Bayot, *Parallel magnetic-field-induced conductance fluctuations in one- and two-subband ballistic quantum dots*, Phys. Rev. B **68** (2003), 241305.
- [64] B. Hackens, F. Delfosse, S. Faniel, C. Gustin, H. Boutry, X. Wallart, Bollaert S., A. Cappy, and V. Bayot, *Long dephasing time and high-temperature conductance fluctuations in an open InGaAs quantum dot*, Phys. Rev. B **66** (2002), 241305.
- [65] B. Hackens, S. Faniel, F. Delfosse, C. Gustin, H. Boutry, I. Huynen, X. Wallart, Bollaert S., A. Cappy, and V. Bayot, *Long dephasing time and high temperature ballistic transport in an InGaAs open quantum dot*, Physica (Amsterdam) E **17** (2003), 143.
- [66] B. Hackens, S. Faniel, C. Gustin, X. Wallart, S. Bollaert, A. Cappy, and V. Bayot, *Dwell-time-Limited Coherence in Open Quantum Dots*, Submitted.
- [67] B. Hackens, L. Gence, C. Gustin, X. Wallart, S. Bollaert, A. Cappy, and V. Bayot, *Sign reversal and tunable rectification in a ballistic nanojunction*, Appl. Phys. Lett. **85** (2004), 4508–4510.
- [68] B. Hackens, C. Gustin, V. Bayot, and M. Shayegan, *Evidence for spin-orbit effects in an open ballistic quantum dot*, Physica (Amsterdam) E **12** (2002), 833.
- [69] B. Hackens, J. P. Minet, S. Faniel, G. Farhi, C. Gustin, J. P. Issi, J. P. Heremans, and V. Bayot, *Quantum transport, anomalous dephasing*,

- and spin-orbit coupling in an open ballistic bismuth nanocavity*, Phys. Rev. B **67** (2003), 121403.
- [70] B. I. Halperin, A. Stern, Y. Oreg, J. N. H. J. Cremers, J. A. Folk, and C. M. Marcus, *Spin-Orbit Effects in a GaAs Quantum Dot in a Parallel Magnetic Field*, Phys. Rev. Lett. **86** (2001), 2106.
 - [71] R. Hartman, *Temperature Dependence of the Low-Field Galvanomagnetic Coefficients of Bismuth*, Phys. Rev. **181** (1969), 1070.
 - [72] J. Heremans, B. K. Fuller, C. M. Thrush, and V. Bayot, *Temperature dependence of the magnetoresistance of InGaAs antidot lattices*, Phys. Rev. B **54** (1996), 2685.
 - [73] J. Heremans, B. K. Fuller, C. M. Thrush, and D. L. Partin, *Temperature dependence of electron focusing in InGaAs/InP heterojunctions*, Phys. Rev. B **52** (1995), 5767.
 - [74] J. Heremans, C.M. Thrush, Y.M. Lin, S. Cronin, Z. Zhang, M.S. Dresselhaus, and J.F. Mansfield, *Bismuth nanowire arrays: Synthesis and galvanomagnetic properties*, Phys. Rev. B **61** (2000), 2921.
 - [75] J. J. Heremans, M. B. Santos, and M. Shayegan, *Observation of magnetic focusing in two-dimensional hole systems*, Appl. Phys. Lett. **61** (1992), 1652–1654.
 - [76] K. Hieke and M. Ulfward, *Nonlinear operation of the Y-branch switch: Ballistic switching mode at room temperature*, Phys. Rev. B **62** (2000), 16727.
 - [77] S. Hikami, A.I. Larkin, and Y. Nagaoka, *Spin-Orbit Interaction and Magnetoresistance in the Two Dimensional Random System*, Prog. Theor. Phys. **63** (1980), 707.
 - [78] Y. Hirayama and S. Tarucha, *High temperature ballistic transport observed in AlGaAs/InGaAs/GaAs small four-terminal structures*, Appl. Phys. Lett. **63** (1993), 2366.
 - [79] C.A. Hoffman, J.R. Meyer, F.J. Bartoli, A. Di Venere, X.J. Yi, C.L. Hou, H.C. Wang, J.B. Ketterson, and G.K. Wong, *Semimetal to semiconductor transition in bismuth thin films*, Phys. Rev. B **48** (1993), 11431.

- [80] R. I. Hornsey, J. R. A. Cleaver, and H. Ahmed, *Transverse hot-electron focusing*, Phys. Rev. B **48** (1993), 14679.
- [81] R. I. Hornsey, A. M. Marsh, J. R. A. Cleaver, and H. Ahmed, *High-current ballistic transport through variable-width constrictions in a high-mobility two-dimensional electron gas*, Phys. Rev. B **51** (1995), 7010.
- [82] J.-H. Huang, T. Y. Chang, and B. Lalevic, *Measurement of the conduction-band discontinuity in pseudomorphic $\text{In}_x\text{Ga}_{1-x}\text{As}/\text{In}_{0.52}\text{Al}_{0.48}\text{As}$ heterostructures*, Appl. Phys. Lett. **60** (1992), 733.
- [83] A. G. Huibers, *Electron transport and Dephasing in Semiconductor Quantum Dots*, Ph.D. thesis, Stanford Univ., 1998.
- [84] A. G. Huibers, J. A. Folk, S. R. Patel, C. M. Marcus, C. I. Duruo, and J. S. Harris, *Low-Temperature Saturation of the Dephasing Time and Effects of Microwave Radiation on Open Quantum Dots*, Phys. Rev. Lett. **83** (1999), 5090.
- [85] A. G. Huibers, S. R. Patel, C. M. Marcus, P. W. Brouwer, C. I. Duruo, and Jr. J. S. Harris, *Distributions of the Conductance and its Parametric Derivatives in Open Quantum Dots*, Phys. Rev. Lett. **81** (1998), 1917.
- [86] A. G. Huibers, M. Switkes, C. M. Marcus, K. Campman, and A. C. Gossard, *Dephasing in Open Quantum Dots*, Phys. Rev. Lett. **81** (1998), 200.
- [87] A. I. Il'in, A. I. Aparshina, S. V. Dubonos, and B. N. Tolkunov, *Nonlinear Current-Voltage Characteristics of the Cross-Shaped Microstructures Based on Thin Bismuth Films*, Technical Physics Letters **26** (2000), 439.
- [88] J.P. Issi, *Low Temperature Transport Properties of the Group V Semimetals*, Aust. J. Phys. **32** (1979), 585.
- [89] Ph. Jacquod and E. V. Sukhorukov, *Breakdown of Universality in Quantum Chaotic Transport: The Two-Phase Dynamical Fluid Model*, Phys. Rev. Lett. **92** (2004), 116801.

- [90] M. D. Jaeger, V. Tsoi, and B. Golding, *Lithographic point contacts for transverse electron focusing in bismuth*, Appl. Phys. Lett. **68** (1996), 1282–1284.
- [91] Rodolfo A. Jalabert, *The semiclassical tool in mesoscopic physics*, Proceedings of the International School of Physics 'Enrico Fermi', Course CXLIII, edited by G. Casati, I. Guarneri, and U. Smilansky (Elsevier, Amsterdam, 2000) (2000), 145–222.
- [92] Rodolfo A. Jalabert, Harold U. Baranger, and A. Douglas Stone, *Conductance fluctuations in the ballistic regime: A probe of quantum chaos?*, Phys. Rev. Lett. **65** (1990), 2442–2445.
- [93] Rodolfo A. Jalabert and Horacio M. Pastawski, *Environment-Independent Decoherence Rate in Classically Chaotic Systems*, Phys. Rev. Lett. **86** (2001), 2490–2493.
- [94] Rodolfo A. Jalabert, J. L. Pichard, and C. W. J. Beenakker, *Universal quantum signatures of chaos in ballistic transport*, Europhys. Lett. **27** (1994), 255.
- [95] R. V. Jensen, *Chaotic scattering, unstable periodic orbits and fluctuations in quantum transport*, Chaos **1** (1991), 101.
- [96] P. Kapitza, *The Study of the Resistance of Bismuth Crystals and Its Change in Strong Magnetic Fields and Some Allied Problems*, Proc. Roy. Soc. (London) **A119** (1928), 782.
- [97] M. W. Keller, A. Mittal, J. W. Sleight, R. G. Wheeler, D. E. Prober, R. N. Sacks, and H. Shtrikmann, *Energy-averaged weak localization in chaotic microcavities*, Phys. Rev. B **53** (1996), R1693.
- [98] R. Ketzmerick, *Fractal conductance fluctuations in generic chaotic cavities*, Phys. Rev. Lett. **54** (1996), 10841.
- [99] L. P. Kouwenhoven, B. J. van Wees, C. J. P. M. Harmans, J. G. Williamson, H. van Houten, C. W. J. Beenakker, C. T. Foxon, and J. J. Harris, *Nonlinear conductance of quantum point contacts*, Phys. Rev. B **39** (1989), 8040.
- [100] V. E. Kravtsov and B. L. Altshuler, *Relationship between the Noise-Induced Persistent Current and the Dephasing Rate*, Phys. Rev. Lett. **84** (2000), 3394.

- [101] E. Larose, L. Margerin, B. A. van Tiggelen, and M. Campillo, *Weak Localization of Seismic Waves*, Phys. Rev. Lett. **93** (2004), 048501.
- [102] P. A. Lee and T. V. Ramakrishnan, *Disordered electronic systems*, Rev. Mod. Phys. **57** (1985), 287.
- [103] P. A. Lee and A. Douglas Stone, *Universal conductance fluctuations in metals*, Phys. Rev. Lett. **55** (1985), 1622–1625.
- [104] J. J. Lin and J. P. Bird, *Recent experimental studies of electron dephasing in metal and semiconductor mesoscopic structures*, Journal of Physics: Condensed Matter **14** (2002), R501–R596.
- [105] J. J. Lin and L. Y. Kao, *Saturation of electron dephasing in three-dimensional polycrystalline disordered metals*, Journal of Physics: Condensed Matter **13** (2001), L119–L125.
- [106] H. Linke, L. Christensson, P. Omling, and P. E. Lindelof, *Stability of classical electron orbits in triangular electron billiards*, Phys. Rev. B **56** (1997), 1440.
- [107] H. Linke, W. D. Sheng, A. Svensson, A. Löfgren, L. Christensson, H. Q. Xu, P. Omling, and P. E. Lindelof, *Asymmetric nonlinear conductance of quantum dots with broken inversion symmetry*, Phys. Rev. B **61** (2000), 15914.
- [108] A. Löfgren, I. Shorubalko, P. Omling, and A. M. Song, *Quantum behavior in nanoscale ballistic rectifiers and artificial materials*, Phys. Rev. B **67** (2003), 195309.
- [109] Anneli Löfgren, *Linear and nonlinear transport in quantum nanostructures*, Ph.D. thesis, Lund University, 2002.
- [110] Yuli B. Lyanda-Geller and Alexander D. Mirlin, *Novel Symmetry of a Random Matrix Ensemble: Partially Broken Spin Rotation Invariance*, Phys. Rev. Lett. **72** (1994), 1894.
- [111] J. H. Mangez, J. P. Issi, and J. Heremans, *Transport properties of bismuth in quantizing magnetic fields*, Phys. Rev. B **14** (1976), 4381.
- [112] C. M. Marcus, A. J. Rimberg, R. M. Westervelt, P. F. Hopkins, and A. C. Gossard, *Conductance Fluctuations and Chaotic Scattering in Ballistic Microstructures*, Phys. Rev. Lett. **69** (1992), 506.

- [113] C. M. Marcus, R. M. Westervelt, P. F. Hopkins, and A. C. Gossard, *Phase breaking in ballistic quantum dots: Experiment and analysis based on chaotic scattering*, Phys. Rev. B **48** (1993), 2460–2464.
- [114] J. Mateos, B. G. Vasallo, D. Pardo, T. Gonzalez, J. S. Galloo, S. Bollaert, Y. Roelens, and A. Cappy, *Microscopic modeling of nonlinear transport in ballistic nanodevices*, IEEE Trans. El. Dev. **50** (2003), 1897.
- [115] J. Mateos, B. G. Vasallo, D. Pardo, T. Gonzalez, J. S. Galloo, Y. Roelens, S. Bollaert, and A. Cappy, *Ballistic nanodevices for terahertz data processing: Monte Carlo simulations*, Nanotechnology **14** (2003), 117.
- [116] D.S. McLachlan, *Weak-localization, spin-orbit, and electron-electron interaction effects in two- and three-dimensional bismuth films*, Phys. Rev. B **28** (1983), 6821.
- [117] J. P. Michenaud and J. P. Issi, *Electron and hole transport in bismuth*, J. Phys. C: Solid State Phys. **5** (1972), 3061.
- [118] Jean-Pierre Michenaud, *Le tenseur galvanomagnétique du bismuth entre 77 K et 300 K*, Ph.D. thesis, Université Catholique de Louvain, 1970.
- [119] A. P. Micolich, R. P. Taylor, A. G. Davies, J. P. Bird, R. Newbury, T. M. Fromhold, A. Ehlert, H. Linke, L. D. Macks, W. R. Tribe, E. H. Linfield, D. A. Ritchie, J. Cooper, Y. Aoyagi, and P. B. Wilkinson, *Evolution of Fractal Patterns during a Classical-Quantum Transition*, Phys. Rev. Lett. **87** (2001), 036802.
- [120] A. Mittal, R. G. Wheeler, M. W. Keller, D. E. Prober, and R. N. Sacks, *Electron-phonon scattering rates in GaAs/AlGaAs 2DEG samples below 0.5K*, Surf. Sci. **361/362** (1996), 537.
- [121] P. Mohanty, E. M. Q. Jariwala, and R. A. Webb, *Intrinsic decoherence in mesoscopic systems*, Phys. Rev. Lett. **78** (1997), 3366.
- [122] P. Mohanty and R. A. Webb, *High-Field Measurements of Electron Decoherence Time in Metallic Nanowires: Switching off Magnetic Impurity Spins*, Phys. Rev. Lett. **91** (2003), 066604.
- [123] L. W. Molenkamp, H. van Houten, C. W. J. Beenakker, R. Eppenga, and C. T. Foxon, *Quantum oscillations in the transverse voltage of a*

- channel in the nonlinear transport regime*, Phys. Rev. Lett. **65** (1990), 1052–1055.
- [124] G. I. Ng, M. Pavlidis; D. and Jaffe, and H. F. Singh, J. and Chau, *Design and experimental characteristics of strained $\text{In}_{0.52}\text{Al}_{0.48}\text{As}/\text{In}_x\text{Ga}_{1-x}\text{As}$ ($x > 0.53$) HEMTs*, IEEE Trans. on El. Dev. **36** (1989), 2249.
 - [125] M. Noguchi, T. Ikoma, T. Odagiri, H. Sakakibara, and S. N. Wang, *Saturation of electron phase breaking time in GaAs/AlGaAs quantum wires*, J. Appl. Phys. **80** (1996), 5138.
 - [126] K. P. O'Donnel and X. Chen, *Temperature dependence of semiconductor band gaps*, Appl. Phys. Lett. **58** (1991), 2924.
 - [127] D.L. Partin, J. Heremans, D.T. Morelli, C.M. Thrush, C.H. Olk, and T.A. Perry, *Growth and characterization of epitaxial bismuth films*, Phys. Rev. B **38** (1988), 3818.
 - [128] F. Pierre and Norman O. Birge, *Dephasing by Extremely Dilute Magnetic Impurities Revealed by Aharonov-Bohm Oscillations*, Phys. Rev. Lett. **89** (2002), 206804.
 - [129] F. Pierre, A. B. Gougam, A. Anthore, H. Pothier, D. Esteve, and Norman O. Birge, *Dephasing of electrons in mesoscopic metal wires*, Phys. Rev. B **68** (2003), 085413.
 - [130] D. P. Pivin, A. Andresen, J. P. Bird, and D. K. Ferry, *Saturation of Phase Breaking in an Open Ballistic Quantum Dot*, Phys. Rev. Lett. **82** (1999), 4687.
 - [131] E. I. Rashba and E. Y. Sherman, *Spin-Orbital Splitting in Symmetric Quantum Wells*, Phys. Lett. A **129** (1988), 175.
 - [132] M. Yu. Reizer, *Electron-phonon relaxation in pure metals and superconductors at very low temperatures*, Phys. Rev. B **40** (1989), 5411–5416.
 - [133] A. S. Sachrajda and R. Ketzmerick, *Sachrajda and Ketzmerick Reply*, Phys. Rev. Lett. **83** (1999), 1075–1075.
 - [134] A. S. Sachrajda, R. Ketzmerick, C. Gould, Y. Feng, P. J. Kelly, A. Delage, and Z. Wasilewski, *Fractal Conductance Fluctuations in a Soft-Wall Stadium and a Sinai Billiard*, Phys. Rev. Lett. **80** (1998), 1948.

- [135] I. G. Saveliev, D. D. Bykanov, S. V. Nivikov, T. A. Polyanskaya, and H. Ruda, *Electron phase and spin decoherence in the vicinity of the second subband edge in an asymmetrical quantum well*, J. Phys.: Condens. Matter **16** (2004), 641.
- [136] D. Yu. Sharvin and Yu. V. Sharvin, *Magnetic-flux quantization in a cylindrical film of a normal metal*, JETP Letters **34** (1981), 272–275.
- [137] I. Shorubalko, H. Q. Xu, I. Maximov, P. Omling, L. Samuelson, and W. Seifert, *Nonlinear operation of GaInAs/InP-based three-terminal ballistic junctions*, Appl. Phys. Lett. **79** (2001), 1384.
- [138] U. Sivan, Y. Imry, and A. G. Aronov, *Quasi-particle lifetime in a quantum dot*, Europhys. Lett. **28** (1994), 115.
- [139] G.E. Smith, G.A. Baraff, and J.M. Rowell, *Effective g Factor of Electrons and Holes in Bismuth*, Phys. Rev. **135** (1964), A1118.
- [140] A. M. Song, A. Lorke, A. Kriele, J. P. Kotthaus, W. Wegscheider, and M. Bichler, *Nonlinear Electron Transport in an Asymmetric Micro-junction: A Ballistic Rectifier*, Phys. Rev. Lett. **80** (1998), 3831.
- [141] A.M. Song, P. Omling, L. Samuelson, W. Seifert, I. Shorubalko, and H. Zirath, *Room-temperature and 50 GHz operation of a functional nanomaterial*, Appl. Phys. Lett. **79** (2001), 1357.
- [142] R. Taboryski, A. K. Geim, M. Persson, and P. E. Lindelof, *Nonlinear conductance at small driving voltage in quantum point contacts*, Phys. Rev. B **49** (1994), 7813.
- [143] Yositake Takane, *Phase relaxation time in open chaotic billiard*, J. Phys. Soc. Jpn. **67** (1998), 3003.
- [144] ———, *Anomalous behavior of the dephasing time in open diffusive cavities*, J. Phys. Soc. Jpn. **72** (2003), 233.
- [145] R. P. Taylor, A. P. Micolich, T. M. Fromhold, and R. Newbury, *Comment on “Fractal Conductance Fluctuations in a Soft-Wall Stadium and a Sinai Billiard”*, Physical Review Letters **83** (1999), 1074–1074.
- [146] R.P. Taylor, R. Newbury, A.S. Sachrajda, Y. Feng, P.T. Coleridge, C. Dettmann, Ningjia Zhu, Hong Guo, A. Delage, P.J. Kelly, and Z. Wasilewski, *Self-Similar Magnetoresistance of a Semiconductor Sinai Billiard*, Phys. Rev. Lett. **78** (1997), 1952.

- [147] V. S. Tsoi, JETP Letters **19** (1974), 70.
- [148] V. S. Tsoi, J. Bass, and P. Wyder, *Transverse electron focusing as a way of studying surface crystallography*, Adv. Phys. **41** (1992), 365.
- [149] J. Tworzydło, A. Tajic, H. Schomerus, P. W. Brouwer, and C. W. J. Beenakker, *Exponential Sensitivity to Dephasing of Electrical Conduction Through a Quantum Dot*, Phys. Rev. Lett. **93** (2004), 186806.
- [150] M. van der Burgt, V. C. Karavolas, F. M. Peeters, J. Singleton, R. J. Nicholas, F. Herlach, J. J. Harris, M. Van Hove, and G. Borghs, *Magnetotransport in a pseudomorphic GaAs/Ga_{0.8}In_{0.2}As/Ga_{0.75}Al_{0.25}As heterostructure with a Si delta-doping layer*, Phys. Rev. B **52** (1995), 12218–12231.
- [151] P. C. van Son, H. van Kempen, and P. Wyder, *New Method to Study the Electron-Phonon Interaction in Metals*, Phys. Rev. Lett. **58** (1987), 1567.
- [152] B. J. van Wees, H. van Houten, C. W. J. Beenakker, J. G. Williamson, L. P. Kouwenhoven, D. van der Marel, and C. T. Foxon, *Quantized conductance of point contacts in a two-dimensional electron gas*, Phys. Rev. Lett. **60** (1988), 848–850.
- [153] M. P. Vecchi and M. S. Dresselhaus, *Temperature dependence of the band parameters of bismuth*, Phys. Rev. B **10** (1974), 771.
- [154] R. A. Webb, *Breakdown of the independent electron picture in mesoscopic samples at low temperatures: The hunt for the Unicorn*, Superlattices and Microstructures **23** (1998), 969.
- [155] R. A. Webb, S. Washburn, C. P. Umbach, and R. B. Laibowitz, *Observation of h/e Aharonov-Bohm oscillations in normal-metal rings*, Phys. Rev. Lett. **54** (1985), 2696.
- [156] R. Williams, *Modern GaAs Processing Methods*, Artech House, Boston, 1990.
- [157] F.Y. Yang, Kai Liu, C.L. Chien, and P.C. Searson, *Large magnetoresistance and Finite-Size Effects in Electrodeposited Single-Crystal Bi Thin Films*, Phys. Rev. Lett. **82** (1999), 3328.
- [158] D. M. Zumbuhl, J. B. Miller, C. M. Marcus, K. Campman, and A. C. Gossard, *Spin-Orbit Coupling, Antilocalization, and Parallel Magnetic Fields in Quantum Dots*, Phys. Rev. Lett. **89** (2002), 276803.