

Bibliographie

1. Amorocho J. & DeVries J.J. (1980), A new evaluation of the wind stress coefficient over water surfaces, *J. Geophys. Res.*, Vol. 85, C1, pp. 433-442.
2. Banner M.L., Jones I.S. & Trinder J.C. (1989), Wavenumber spectra of short gravity waves, *J. Fluid Mech.*, Vol. 198, pp. 321-344.
3. Banner M.L. (1990), Equilibrium spectra of wind waves, *J. Phys. Ocean.*, Vol. 20, pp. 966-984.
4. Baufays C. (1984), Study on propagation and inverse scattering, *Interim Report, ESA/ESTEC, 5285/82, UCL, Louvain-la-Neuve*, 140 p.
5. Baufays C. (1985), Study on propagation and inverse scattering, *Interim Report, ESA/ESTEC, 5285/82, UCL, Louvain-la-Neuve*, 51p.
6. Baufays C. & Guissard A. (1986), Dependence of significant wave height on sea surface displacements and curvatures – application to the altimeter, *Proceedings of IGARSS'86 Symposium, ESA Publications Division*, pp. 1549-1554.
7. Baufays C. (1987), Modèle statistique de la surface de la mer en vue de son observation à distance en hyperfréquences, *Rapport DEA en sciences physiques, UCL, Louvain-la-Neuve*, 67 p.
8. Baufays C., Guissard A. & Sobieski P. (1988a), A three degree of freedom description of the ocean surface for microwave remote sensing of wave height and wind friction velocity, *Proceedings of the International Colloquium on Spectral Signatures*

of Objects in Remote Sensing, Aussois, France, ESA Publications, SP-287, pp. 55-61 et p. 73.

9. Baufays C., Guissard A. & Sobieski P. (1988b), Application of a new description of ocean surface spectrum to microwave remote sensing, *XIII General Assembly of the European Geophysical Society, Bologna, Italy, Special issue of Annales Geophysicae, Gauthier-Villars*, p. 130.
10. Baufays C., Sobieski P. & Guissard A. (1990), Comparison of microwave signatures of fully and non-fully developed seas : a parametric analysis, *Proceedings URSI Com. F Symposium, Hyannis, Massachusetts, USA*.
11. Baufays C. (1994), Modèle statistique de la surface de la mer – pleinement et non pleinement – développée en vue de son observation à distance en hyperfréquences, *URSI Com. F Forum 94, Louvain-la-Neuve, Belgique*.
12. Bjerkaas A.W. & Riedel W.K. (1979), Proposed model for the elevation spectrum of a wind-roughened sea surface, *Technical memorandum, JHU/APL TG 1328, Laurel, MD*, 31 p.
13. Bliven L.F., Billat V., Sobieski P.W., Guissard A.C., Branger H. & Giovanangeli J.P. (1995), An assessment of veering wind effects on scatterometry from the sea surface, *Int. J. Remote Sens.*, Vol. 16, 5, pp. 891-903.
14. Bliven L.F., Sobieski P.W. & Craeye C. (1997), Rain generated ring-waves : measurements and modelling for remote sensing, *Int. J. Remote Sens.*, Vol. 18, 1, pp. 221-228.
15. Bonnefille R. (1976), *Cours d'hydraulique maritime*, Masson, Paris.
16. Caudal G. & Hauser D. (1996), Directional spreading of the sea wave spectrum at short scale, inferred from multifrequency radar observations, *J. Geophys. Res.*, Vol. 101, C7, pp 16601-16613.
17. Cardone J.J (1969), Specification of wind distribution in the marine boundary layer for wave forecasting, *Scientific report GSL-TR69-1, University Heights, New York University*.
18. Cartwright D.E. & Longuet-Higgins M.S. (1956), The statistical distribution of the maxima of a random function, *Proc. Roy. Soc.*, A237, pp. 212-232.

19. Catchpole J.P. & Fulford G. (1966), Dimensionless groups, *Ind. Eng. Chem.*, Vol. 58, pp. 46-60.
20. Chang H.L. & Fung A.K. (1977), A theory of sea scatter at large incident angles, *J. Geophys. Res.*, Vol. 82, 24, pp. 3439-3444.
21. Cox C.S. (1958), Measurements of slopes of high frequency wind waves, *J. Marine Res.*, Vol. 16, 3, pp. 199-229.
22. Cox C.S. & Munk W.H. (1954a), Measurements of the roughness of the sea surface from photographs of the sun's glitter, *J. Opt. Soc. Am.*, Vol. 44, 11, pp. 838-850.
23. Cox C.S. & Munk W.H. (1954b), Statistics of the sea surface derived from sun's glitter, *J. Marine Res.*, Vol. 13, 2, pp. 198-227.
24. Donelan M.A., Hamilton J. & Hui W.H. (1985), Directional spectra of wind-generated waves, *Phil. Trans. Roy. Soc. Lond.*, A 315, pp. 509-562.
25. Donelan M.A., Dobson F.W., Smith S.D. & Anderson R.J. (1993), On the dependence of sea surface roughness on wave development, *J. Phys. Ocean.*, Vol. 23, pp. 2143-2149.
26. Elfouhaily T., Chapron B., Kataros K. & Vandemark D. (1997), A unified directional spectrum for long and short wind-driven waves, *J. Geophys. Res.*, Vol. 102, C7, pp. 15 781-15 796.
27. Ezraty R. & Cavanie A. (1981) Evaluation de la mesure de la direction des vagues à partir de données d'une bouée instrumentée, *Oceanologica Acta*, Vol.4, 2, pp. 139-149.
28. Fairall C.W, Schacher G.E., Davidson K.L. & Houlihan T.M. (1978), Shipboard evaluations of drag coefficients for the marine regime, *Ocean'78, The Ocean Challenge, Washington D.C., IEEE, New-York*, pp. 76-81.
29. Forristall G.Z. (1981), Measurements of saturated range in ocean wave spectra, *J. Geophys. Res.*, Vol. 86, 8075-8089.
30. Fung A.K., Dome G. & Moore R.K. (1977), Comparisons of some scattering theories with recent scatterometer measurements, *Proceedings URSI Com. F Symposium, La Baule, France*, pp. 597-602.
31. Fung A.K. & Lee K.K. (1982), A semi-empirical sea-spectrum model for scattering coefficient estimation, *J. Ocean. Eng.*, Vol. OE-7, 4, pp.166-176.

32. Garratt J.R. (1977), Review of drag coefficients over oceans and continents, *Mon. Weather Rev.*, Vol. 105, p. 915-929.
33. Geernaert G.L., Katsaros K.B. & Richter K. (1986), Variation of the drag coefficient and its dependence on the sea state, *J. Geophys. Res.*, Vol. 91, C6, 7667-7679.
34. Guissard A. (1983), Statistics and spectra of heights and slopes for a sea surface, *Internal Report, Telecom Lab, UCL, Louvain-la-Neuve*.
35. Guissard A. (1984), The spectra of a rough surface, *Internal report, Telecom Lab, UCL, Louvain-la-Neuve*.
36. Guissard A., Sobieski P. & Baufays C. (1984), Towards a tentative unified sea model for scattering and emission, *Proceedings URSI Com. F Symposium, Shores, Israël, NASA Conf. Publ. 2303 Washington*, pp. 257-274.
37. Guissard A., Baufays C. & Sobieki P. (1986), Sea surface description requirements for electromagnetic scattering calculations, *J. Geophys. Res.*, Vol. 91, C2, pp. 2477-2492.
38. Guissard A., Sobieski P. & Baufays C. (1988), Microwave remote determination of ocean surface parameters – A preliminary analysis, *Specialist Meeting in Microwave Radiometry and Remote Sensing Applications, Firenze, Italy, P. Pampaloni (ed.) VSP Zeist, NL*, pp. 257-269.
39. Guissard A., Sobieski P. & Baufays C. (1989), A comparison between the boundary perturbation approach and the classical small perturbation method for surface scattering, *Proceedings of IGARSS'89 Symposium, Vancouver, Canada*, pp. 1308-1310.
40. Guissard A., Sobieski P., Laloux A. & Baufays C. (1990), A scattering correction model for the inversion of microwave radiometric measurements of the sea surface and the atmosphere, *Proceedings of IGARSS' 90 Symposium, Washington, USA*, pp. 401-404.
41. Guissard A., Sobieski P. & Baufays C. (1992), A unified approach to bistatic scattering for active and passive remote sensing of rough ocean surfaces, *Trends in Geophys. Res.*, Vol. 1, pp. 43-68.

42. Guissard A. (1993), Directional spectrum of the sea surface and wind scatterometry, *Int. J. Remote Sens.*, Vol. 14, 8, pp. 1615-1633.
43. Guissard A., Baufays C. & Sobieki P. (1994), Fully and non-fully developed sea models for microwave remote sensing applications, *Remote Sens. Environ.*, Vol. 48, pp. 25-38.
44. Guissard A. (1996), Multispectra for ocean-like random rough surface scattering, *J. Electromagnetic Waves and Applications*, Vol. 10, pp. 1413-1443.
45. Guissard A. (1998), Note on atmospheric instability above the ocean, *Internal report, Telecom Lab, UCL, Louvain-la-Neuve*.
46. Hasselmann K., Barnett T.P., Bourns E, Carlson H., Cartwright D.E., Enke K., Ewing J.A, Gienapp H., Hasselmann D.E, Kruseman P., Meerburg A., Muller P., Olbers D.J., Richter K., Sell W. & Walden H. (1973), Measurement of wind-wave growth and swell decay during the Joint North Sea Wave Project (JONSWAP), *Report, German Hydrographic Institute, Hamburg*, 8(12), Suppl. A., 95 p.
47. Hasselmann K., Ross D.B., Muller P. & Sell W. (1976), A parametric wave prediction model, *J. Phys. Ocean.*, Vol. 2, pp. 200-228.
48. Hara T., Bock E.J. & Lyzenga D. (1994), In situ measurements of capillary-gravity wave spectra using a scanner slope gauge and microwave radars, *J. Geophys. Res.*, Vol. 99, C6, pp. 12593-12602.
49. Hauser D., Kahma K., Krogstad H.E., Lehner S., Monbaliu J.A. & Wyatt L.R. (2005), Measuring and analysing the directional spectra of ocean waves, *Cost Action 714, EUR 21367*.
50. Huang N.E & Long S.R. (1980), An experimental study of the surface elevation probability distribution and statistics of wind-generated waves, *J. Fluid Mech.*, Vol. 101-1, pp. 179-200.
51. Huang N.E, Long S.R & Bliven L.F. (1981a), On the importance of significant slope in empirical wind-waves studies, *J. Phys. Ocean*, Vol. 11, pp. 569-573.
52. Huang N.E., Long S.R., Tung C.C., Yuen Y. & Bliven L.F. (1981b), A unified two-parameter wave spectral model for a general sea state, *J. Fluid Mech.*, Vol. 113, pp. 203-224.

53. Huang N.E, Long S.R., Tung C.C., Yuen Y. & Bliven L.F. (1983), A non-gaussian statistical model for surface elevation of nonlinear random wave fields, *J. Geophys. Res.*, Vol. 88, C12, pp. 7597-7606.
54. Huang N.E. (1984), Non-gaussian statistical model of surface wave fields for remote sensing applications, *Proceedings URSI Com. F Symposium, NASA Conf. Publ.*, pp. 247-255.
55. Huang N.E., Long S.R., Bliven L.F. & Tung C.C. (1984), The non-gaussian joint probability density function of slope and elevation for a non-linear gravity wave field, *J. Geophys. Res.*, Vol. 89, C2, pp. 1961-1972.
56. Hwang P.A., Atakturk S., Sletten M.A. & Trizna D.B. (1996) A study of the wavenumber spectra of short water waves in the ocean, *J. Phys. Ocean.*, Vol. 26, p. 1266-1285.
57. Irani G.B., Gotwols B.L. & Bjerkaas A.W. (1981), Ocean wave dynamics test (WAVDYN) results and interpretations, *Report STD-R-537*, Applied Physics Lab., John Hopkins University.
58. Jacquet J. (1975), Mécanique des fluides et environnement – 2. La représentation des écoulements dans la couche fluide atmosphérique, *Mécanique des fluides appliquée aux problèmes d'aménagement et d'énergétique*, Chap. XIV, Edition Eyrolles.
59. Jähne B. & Riemer K.S. (1990), Two-dimensional wavenumber spectra of small-scale water surface waves, *J. Geophys. Res.*, Vol. 95, C7, pp. 11531-11546.
60. Johnson N.L. & Kotz S. (1970), Distribution in statistics – Continuous univariate distributions – 1, Wiley, N.Y.
61. Kahma K.K. (1981), A study of the growth of the wave spectrum with fetch, *J. Phys. Ocean.*, Vol. 11, pp. 1503-1515.
62. Kahma K.K. & Calkoen C.J. (1992), Reconciling discrepancies in the observed growth of wind generated waves, *J. Phys. Ocean.*, Vol. 22, pp. 1389-1405.
63. Keller W.C., Plant W.J. & Weissman D.E. (1985), The dependence of X band microwave sea return on atmospheric stability and sea state, *J. Geophys. Res.*, Vol. 90, C1, pp 1019-1029.
64. Kendall M.G. & Stuart A. (1976), The advanced theory of statistics, Griffin, London.

65. Keriaki M. (2004), Etude de la surface de la mer pour les simulations hyperfréquences actives et passives pour un modèle à double échelle, *Thèse de doctorat, Université de Versailles St Quentin-en-Yvelines*, 209 p.
66. Kinsman B. (1965), Wind waves : their generation and propagation on the ocean surface, *Prentice Hall*, Englewood Cliffs, New Jersey, 676 p.
67. Kitaigorodskii S.A. (1983), On the theory of the equilibrium range in the spectrum of wind-generated gravity waves, *J. Phys. Ocean.*, Vol. 13, pp. 816-827.
68. Klinke J. & Jähne B. (1992), 2D wavenumber spectra of short wind waves – results from wind wave facilities and extrapolation to the ocean, *Optics of the Air-Sea Interface*, Vol. 1749, pp. 245-257.
69. Kolmogoroff A.N. (1941), The local structure of turbulence in incompressible viscous fluid for very large Reynolds numbers, *C.R. Acad. Sci. URSS*, 30.
70. Kondo J. (1975), Air-sea bulk transfer coefficients in diabatic conditions, *Bound. Lay. Met.*, Vol. 9, pp. 91-112.
71. Large W.J. & Pond S. (1981), Open ocean momentum flux measurements in moderate to strong winds, *J. Phys. Ocean.*, Vol. 11, pp. 324-336.
72. Lawson L.M. & Long R.B. (1983), Multimodal properties of the surface-wave field observed with Pitch-Roll buoys during GATE, *J. Phys. Ocean.*, Vol. 13, 3.
73. Leblond P.H. & Mysak L.A. (1978), *Waves in the ocean*, Elsevier, Amsterdam, Oxford, New York.
74. Lemaire D. (1998), Non-fully developed sea state characteristics from real aperture radar remote sensing, *Thèse de doctorat, UCL, Louvain-la-Neuve*.
75. Lemaire D., Sobieski P., Craeye C. & Guissard A. (2002), Two-scale models for rough surface scattering: comparison between the boundary perturbation method and the integral equation method, *Radio Science*, Vol. 37, 1, pp. 1-16.
76. Liu H. & Lin J. (1982), On the spectra of high-frequency wind waves, *J. Fluid Mech.*, Vol. 123, pp. 165-185.

77. Liu P.C. (1983), A representation for the frequency spectrum of wind-generated waves, *Ocean Engineering*, Vol. 10, 6, p. 429-441.
78. Liu P.C. (1988), What is the slope of equilibrium range in the frequency spectrum of wind waves, *21th Coastal Engineering Conf.*, Vol. 2, pp.1045-1057.
79. Long S.R. & Huang N.E. (1976), On the variation and growth of wave-slope spectra in the capillarity-gravity range with increasing wind, *J. Fluid Mech.*, Vol. 77, 2, pp. 209-228.
80. Long R.B. (1980), The statistical evaluation of the directional spectrum estimates derived from pitch-roll buoy data, *J. Phys. Ocean.*, Vol. 10.
81. Longuet-Higgins M.S. (1952), On the statistical distribution of the heights of sea waves, *J. Marine Research*, Vol. 11, 3, pp. 245-265.
82. Longuet-Higgins M.S. (1962), The generation of capillarity waves by steep gravity waves, *J. Fluid Mech.*, Vol. 16, pp. 138-159.
83. Longuet-Higgins M.S. (1963), The effect of non-linearities on statistical distributions in the theory of sea waves, *J. Fluid Mech.*, Vol. 17, pp. 459-480.
84. Longuet-Higgins M.S. (1982), On the skewness of sea surfaces slopes, *J. Phys. Ocean.*, Vol. 12, pp. 1283-1291.
85. Mac Clain C.R., Chen D.T. & Hart W.D. (1982), On the use of laser profilometry for ocean wave studies, *J. Geophys. Res.*, Vol. 87, C12, pp. 9509-9515.
86. Mac Daniel S.T. & Gorman A.D. (1982), Acoustic and radar sea surface backscatter, *J. Geophys. Res.*, Vol. 87, C6, pp. 4127-4136.
87. Melchior P. (1982), Physics of the earth's interior, *Third international summer school in the mountains, Geodesy and global geodynamics*, Admont, Austria.
88. Moore R.K. & Fung A.K. (1979), Radar determination of winds at sea, *Proc. IEEE*, Vol. 7, 11, pp. 1504-1521.
89. Mitsuyasu H. & Honda T. (1974), The high-frequency spectrum of wind generated waves, *J. Ocean. Soc. of Japan*, Vol. 30, pp. 185-198.

90. Mitsuyasu H., Tani F., Suhara T., Mizuno S., Ohkusu M., Honda T. & Rikiishi K. (1975), Observations of the directional spectrum of ocean waves using a cloverleaf buoy, *J. Phys. Ocean.*, Vol. 5, 4, pp. 750-760.
91. Mitsuyasu H. (1977), Measurement of the high-frequency spectrum of ocean surface waves, *J. Phys. Ocean.*, Vol. 7, pp. 882-891.
92. Müller P. (1976), Parametrization of one-dimensional wind wave spectra and their dependence on the state of development, *Hamburger Geophysikalische Einzelschriften*, Heft 31, Hamburg, GML Wittenborn Söhne.
93. Phillips O.M. (1977), The dynamics of the upper ocean, *Cambridge University Press, Cambridge*.
94. Pierson W.J. & Moskowitz L. (1964), A proposed spectral form for fully developed wind seas based on the similarity theory of Kitaigorodskii, *J. Geophys. Res.*, Vol. 69, 24, pp. 5181-5189.
95. Pierson W.J. & Stacy R.A. (1973), The elevation, slope, and curvature spectra of a wind roughened sea surface, *Final report, NASA-CR-2247*, 129 p.
96. Plate E.J. (1978), Wind-generated water surface waves : the laboratory evidence, *Turbulent fluxes through the sea surface, wave dynamics and prediction*, Faure A. & Hasselmann K., *Nato Conference Series, Series V*, Vol. 1, Plenum Press, New York, pp. 385-401.
97. Racapé J.F. & Ezraty R. (1987), Mesures de comportement d'une bouée géante et évaluation du spectre directionnel de la houle à partir de ces mesures. Projet BEATRICE, *Association de recherches, Action des éléments*, Réf. I.F.P. 34972, 52 p.
98. Schooley A.H. (1954), A simple optical method for measuring the statistical distribution of water surface slopes, *J. Opt. Soc. Am.*, Vol. 44, 1, pp. 37-40.
99. Sedefian L. & Benett E. (1980), A comparison of turbulence classification schemes, *Atmos. Environ.*, 14, pp. 741-750.
100. Smith S.D. & Banke E.G. (1975), Variation of the sea surface drag coefficient with wind speed, *Quart. J. Roy. Meteor. Soc.*, Vol. 101, pp. 665-673.
101. Smith S.D., Anderson R.J., Oost W.A., Kraan C., Maat N., Decosmo J., Katsaros K.B., Davidson K.L., Bumke K., Hasse L.

- & Chadwick H.M. (1992), Sea surface wind stress and drag coefficients : the HEXOS results, *Bound. Lay. Met.*, Vol. 60, pp. 109-142.
102. Smith S.D., Fairall C.W., Geernaert G.L. & Hasse L. (1996), Air-sea fluxes : 25 years of progress, *Bound. Lay. Met.*, Vol. 78, pp. 247-290.
 103. Sobieski P., Guissard A., Baufays C., Vanhoenacker D., Guillaume A.M. & Vandervorst A. (1986), Study on propagation and inverse scattering, *Final report, ESA/ESTEC 5285/82, UCL, Louvain-la-Neuve*, 977 p.
 104. Sobieski P., Guissard A. & Baufays C. (1988), An approximate model for the microwave brightness temperature scattered by a rough open ocean surface, *Proceedings of the International Colloquium on Spectral Signatures of Objects in Remote Sensing, Aussois, France, ESA Publications, ESA SP-287*, pp. 221-224.
 105. Sobieski P., Guissard A. & Baufays C. (1989), Combined inversion of microwave radar and radiometric remote sensing measurements of the ocean surface, *Proceedings of IGARSS'89 Symposium, Vancouver, Canada*, pp. 1875-1878.
 106. Sobieski P., Guissard A., Baufays C. & Siraut Ph. (1989), Carrier to multipath ratio for maritime mobile communications from boundary perturbation method, *Proceedings URSI Com. F Symposium, Lalonde-les-Maures, France*, pp. 5.6.1-5.6.4.
 107. Sobieski P., Guissard A. & Baufays C. (1990), Synergy in microwave remote sensing, *Proceedings of the Colloquium on the interaction of microwave with the sea surface, London, IEE Digest 1990/037*, pp. 5/1-5/5.
 108. Sobieski P., Guissard A. & Baufays C. (1991), Synergic inversion technique for active and passive microwave remote sensing of the ocean, *IEEE Trans. Geoscience and Remote Sens.*, Vol. 29, 3, pp. 391-406.
 109. Sobieski P., Guissard A., Baufays C. & Siraut P. (1993), Sea surface scattering calculations in maritime satellite communications, *IEEE Trans. Communications*, Vol. 41, 10, pp. 1525-1533.

110. Sobieski P., Guissard A. & Baufays C. (1994), Comparison of microwave signatures for fully and non-fully developed sea models, *Remote Sens. Environ.*, Vol. 48, pp. 39-50.
111. Toba Y. (1973), Local balance in the air sea boundary processes. Part III : On the spectrum of wind waves, *J. Ocean. Soc. of Japan*, Vol. 29, 5, pp. 209-220.
112. Valenzuela G.R., Laing M.B. & Daley J.C. (1971), Ocean spectra for the high-frequency waves as determined from airborne radar measurements, *J. Marine Res.*, Vol. 29, pp. 69-84.
113. Van Dorn W.C. (1953), Wind stress on an artificial pond, *J. Marine Res.*, Vol. 12.
114. Walsh E.J., Hancock D.W., Hines D.E., Swift R.N. & Scott J.F. (1989), An observation of the directional wave spectrum evolution from shoreline to fully developed, *J. Phys. Ocean.*, Vol. 19, pp. 670-690.
115. Wu J. (1982), Effects of long waves on wind boundary layer and on ripple slope statistics, *J. Geophys. Res.*, Vol. 82, 9, pp. 1359-1362.
116. Zaslavskii M.M. & Kitaigoroskii S.A (1971), The equilibrium interval in the spectrum of wind-generated surface gravitational waves, *Bul. Acad. Sc. USSR, Atmosph. and Oceanic Physics*, Vol. 7, 5, pp. 375-378.
117. <http://seabord.ndbc.noaa.gov/>, site du National Oceanic and Atmospheric Administration, 2003.

