

## Bibliography

- [1] L. Gonzo, A. Simoni, M. Gottardi, D. Stoppa, and J. A. Beraldin, "Sensors optimized for 3-D digitization," *IEEE Trans. on Instr. Meas.*, vol. 52, no. 3, pp. 903–908, 2003.
- [2] H. Cho and M. Y. Kim, "Optomechatronic technology: the characteristics and perspectives," *IEEE Trans. on Industrial Electronics*, vol. 52, no. 4, pp. 932–943, 2005.
- [3] R. Klette, K. Schlüns, and A. Koschan, *Computer vision, three-dimensional data from images*. Springer, 1998. ISBN 981-3083-71-9.
- [4] T. A. Clarke and J. Fryer, "The development of camera calibration methods and models," *Photogrammetric Record*, vol. 16, pp. 51–66, 1998.
- [5] F. Jurie, E. Noirfalise, and P. Sturm, "Calibrage itératif de caméras à partir de scènes planes," in *Actes du 14ème Congrès AFCET de Reconnaissance des Formes et Intelligence Artificielle*, Toulouse, France, pp. 261–269, Jan. 2004.
- [6] C. Kold, D. Mitchell, and P. Hanrahan, "A realistic camera model for computer graphics," *Computer Graphics (Proceedings of SIGGRAPH '95)*, pp. 317–324, 1995.
- [7] R. G. Wilson, *Modeling and calibration of automated zoom lenses*. Ph.D. thesis, Carnegie Mellon University, Department of Electrical and Computer Engineering, 1994.
- [8] O. Faugeras, *Three-dimensional computer vision, a geometric viewpoint*. MIT Press, 1993. ISBN 0-262-06158-9.
- [9] M. Pollefeys, "3-D modeling from images," in *Tutorial notes of ECCV 2000*, Dublin, Ireland, 2000.
- [10] R. Horaud and O. Monga, *Vision par ordinateur, outils fondamentaux*. Editions Hermès, 1995.
- [11] Z. Zhang, "A flexible new technique for camera calibration," *IEEE Trans. on Pattern Analysis and Machine Intelligence*, vol. 22, no. 11, pp. 1330–1334, 2000.
- [12] N. Cornille, D. Garcia, M. Sutton, S. McNeill, and J.-J. Orteu, "Calibrage d'imageurs avec prise en compte des distorsions," *Intrumentation, Mesure, Métrologie*, vol. 4, no. 3-4, pp. 105–124, 2004.
- [13] C. Eugène and M. Demeyere, "Mesures ambulatoires de grandeurs dimensionnelles par triangulation laser sous éclairage structuré," in *Actes des "Journées d'étude Optique & Vision Industrielle," par Promoptica et Bemeko*, Louvain-la-Neuve, Belgium, 20–21 Jan. 2004.

- [14] C. Eugène and M. Demeyere, "Ambulatory measurements of dimensional quantities by laser triangulation under structured lighting," in *Proc. of the 13th IMEKO TC-4 International Symposium "Measurements for Research and Industry Applications,"* Athens, Greece, pp. 581–586, 29 Sep.–1 Oct. 2004.
- [15] R. Jarvis, "A perspective on range finding techniques for computer vision," *IEEE Trans. Pattern Analysis and Machine Intelligence*, vol. 5, no. 2, pp. 122–129, 1983.
- [16] K. Fu and R. Gonzalez, *Robotics: control, sensing, vision, and intelligence*. Mc Graw Hill, 1987.
- [17] P. J. Besl, "Active, optical range imaging sensors," *Machine Vision and Applications*, vol. 1, no. 2, pp. 127–152, 1988.
- [18] M. C. Amann, T. Bosch, M. Lescure, R. Myllyla, and M. Rioux, "Laser ranging: a critical review of usual techniques for distance measurement," *Optical Engineering*, vol. 40, no. 1, pp. 10–19, 2001.
- [19] F. Blais, "Review of 20 years of range sensor development," *Journal of Electronic Imaging*, vol. 13, no. 1, pp. 231–240, 2004.
- [20] J.-A. Beraldin, F. Blais, L. Cournoyer, M. Rioux, F. Bernier, and N. Harrison, "Portable digital 3-D imaging system for remote sites," in *Proc. of the 1998 IEEE International Symposium on Circuits and Systems*, Monterey, CA, United States, vol. 5, pp. 488–493, 31 May–3 June 1998.
- [21] J.-A. Beraldin, F. Blais, L. Cournoyer, M. Rioux, S. H. El-Hakim, R. Rodella, F. Bernier, and N. Harrison, "Digital 3-D imaging system for rapid response on remote sites," in *Proc. of the 1999 IEEE International Symposium on 3-D Imaging and Modeling*, Ottawa, Canada, pp. 34–43, 4–8 Oct. 1999.
- [22] I. Powell, "Linear diverging lens." U.S. Patent 4,826,299, May 2 1989.
- [23] C. Jamar, "Ccd ou cmos, vaine compétition ?," in *Actes des "Journées d'étude Optique & Vision Industrielle," par Promoptica et Bemeko*, Louvain-la-Neuve, Belgium, 20–21 Jan. 2004.
- [24] A. Pete and J. Govier, *Using filters*. Edmund Optics Inc. Published on the Web at <http://www.edmundoptics.co.uk>.
- [25] M. R. Shortis, T. A. Clarke, and T. Short, "A comparison of some techniques for the subpixel location of discrete target images," *SPIE Video-metrics III*, vol. 2350, pp. 239–250, 1994.

- [26] H. C. van Assen, M. Egmont-Petersen, and J. H. C. Reiber, "Accurate object localization in gray level images using the center of gravity measure: accuracy versus precision," *IEEE Trans. on Image Processing*, vol. 11, no. 12, pp. 1379–1384, 2002.
- [27] S. H. Saeid and J. K. Gautan, "Restoration of noise corrupted images using new 2-D window families," in *Proc. of the 1999 IEEE International Symposium on Circuits and Systems*, Orlando, FL, United States, vol. 4, pp. 29–32, 30 May–2 June 1999.
- [28] J. Forest, J. Salvi, E. Cabruja, and C. Pous, "Laser stripe peak detector for 3-D scanners. A FIR filter approach," in *Proc. of the 17th International Conference on Pattern Recognition ICPR'04*, vol. 3, pp. 646–649, 23–26 Aug. 2004.
- [29] P. E. Gill, W. Murray, and M. H. Wright, *Practical optimisation*. Academic Press Inc., 1981.
- [30] J.-Y. Bouguet, "Camera calibration toolbox for Matlab®." Published on the Web at [http://www.vision.caltech.edu/bouguetj/calib\\_doc](http://www.vision.caltech.edu/bouguetj/calib_doc).
- [31] D. Garcia, *Mesure de formes et de champs de déplacements tridimensionnels par stéréo-corrélation d'images*. Ph. D. thesis, Ecole des Mines, Albi, France, 2001.
- [32] R. Baribeau and M. Rioux, "Influence of speckle on laser range finders," *Applied Optics*, vol. 30, no. 20, pp. 2873–2878, 1991.
- [33] F. Blais, M. Rioux, J.-A. Beraldin, and P. Boulanger, "Range imaging sensors development at NRC laboratories," in *Proc. of the 1989 IEEE Workshop on Interpretation of 3-D Scenes*, Austin, TX, United States, pp. 154–160, Nov. 1989.
- [34] F. Blais, M. Rioux, and J. Domey, "Optical range image acquisition for the navigation of a mobile robot," in *Proc. of the 1991 IEEE International Conference on Robotics and Automation*, Sacramento, CA, United States, pp. 2574–2580, April 1991.
- [35] S. Lang, L. Korba, F. Blais, and M. Lecavalier, "Characterization and testing of the Biris range sensor," in *Proc. of the 1993 IEEE Instrumentation and Measurement Technology Conference*, Irvine, CA, United States, pp. 459–464, 18–20 May 1993.
- [36] F. Blais, M. Lecavalier, J. Domey, P. Boulanger, and J. Courteau, "Application of the Biris range sensor for wood volume measurement," Tech. Rep. 35033, National Research Council Canada, Institute for Information Technology, Oct. 1992.

- [37] X. Fouchet, *Modélisation corporelle pour le suivi de lésions dermatologiques*. Ph. D. thesis, Institut National Polytechnique, Toulouse, France, 1999.
- [38] B. F. Jones and P. Plassmann, "An instrument to measure the dimensions of skin wounds," *IEEE Trans. on Biomedical Engineering*, vol. 42, no. 5, pp. 464–470, 1995.
- [39] C. C. Liebe, C. Padgett, and J. Chang, "Three dimensional imaging utilizing structured lighting," in *Proc. of the 2004 IEEE Aerospace Conference*, Big Sky, MO, United States, pp. 2647–2655, 6–13 March 2004.
- [40] O. Duran, K. Althoefer, and L. D. Seneviratne, "Pipe inspection using a laser-based transducer and automated analysis techniques," *IEEE Trans. on Mechatronics*, vol. 8, no. 2, pp. 401–409, 2003.
- [41] C. Eugène, "The ultrasonic angular caliper: a promising new tool for computerized forest surveying," *Bull. Rech. Agron. Gembloux*, vol. 25, no. 1, pp. 153–160, 1990.
- [42] M. Thies and H. Spiecker, "Evaluation and future prospects of terrestrial laser-scanning for standardized forest inventories," in *Proc. of the ISPRS Working Group VIII/2 "Laser-Scanners for Forest and Landscape Assessment"*, 2004.
- [43] M. Demeyere and E. Dereine, *Measurement of cylindrical pieces by laser telemetry: a feasibility study*. Eng. diploma dissertation, Université catholique de Louvain, Louvain-la-Neuve, Belgium, 2000.
- [44] M. Demeyere, E. Dereine, C. Eugène, and V. Naydenov, "Measurement of cylindrical objects through laser telemetry: application to a new forest caliper," *IEEE Trans. Instrum. Meas.*, vol. 51, pp. 645–649, 2002.
- [45] M. Demeyere and C. Eugène, "Measurement of cylindrical objects by laser telemetry in a robotic environment," in *Proc. of VR-Mech'01 "Workshop on Virtual Reality in Mechanical and Production Engineering / Sensory Systems in Mobile Robotics"*, Brussels, Belgium, pp. 189–193, 22–23 Nov. 2001.
- [46] M. Demeyere and C. Eugène, "Measurement of cylindrical objects by laser telemetry: a generalization to a randomly tilted cylinder," *IEEE Trans. Instrum. Meas.*, vol. 53, pp. 566–570, 2004.
- [47] M. Demeyere, E. Dereine, C. Eugène, and V. Naydenov, "Measurement of cylindrical objects through laser telemetry." European Patent 1,305,567, June 27 2001.
- [48] "Material measures of length for general use." OIML R 35 Edition 1985 International recommendation, 1985.

- [49] M. Demeyere, D. Rurimunzu, and C. Eugène, “Application of the three-tangent method to the measurement of spherical objects by laser telemetry,” in *Proc. of the ISMCR’2005 “15th International Symposium on Measurement and Control in Robotics,”* Brussels, Belgium, 8–10 Nov. 2005.
- [50] M. Demeyere, D. Rurimunzu, and C. Eugène, “Measurement of spherical objects by laser telemetry in an ambulatory context,” accepted for publication in *IEEE Trans. Instr. Meas.*, 2006.
- [51] D. Rurimunzu, *Noncontact diameter determination of a sphere by laser triangulation under structured lighting*. Eng. postgraduate diploma dissertation, Université catholique de Louvain, Louvain-la-Neuve, Belgium, 2004.
- [52] D. Umbach and K. N. Jones, “A few methods for fitting circles to data,” *IEEE Trans. Instrum. Meas.*, vol. 52, pp. 1881–1885, 2003.
- [53] A. Debatty and G. Gérin, *Laser triangulation under structured lighting applied to dimensional measurements in the building sector*. Eng. diploma dissertation, Université catholique de Louvain, Louvain-la-Neuve, Belgium, 2002.
- [54] A. Debatty, G. Gérin, M. Demeyere, and C. Eugène, “Capteur angulaire 2-D à triangulation laser,” in *Actes du 3ème symposium MTOI “Méthodes et Techniques Optiques pour l’Industrie,”* Saint-Aubin de Médoc, France, pp. 321–326, 18–22 Nov. 2002.
- [55] A. Debatty, G. Gérin, M. Demeyere, and C. Eugène, “Dimensional statements by laser triangulation under structured lighting: application to the building sector,” in *Proc. of the 2d European Workshop Photomec “Photonics in Mechanical and Industrial Processes,”* Louvain-la-Neuve, Belgium, 20–21 Feb. 2003.
- [56] C. M. Bishop, *Neural networks for pattern recognition*, pp. 310–315. Oxford: Oxford University Press, 1995.
- [57] “Road and airfield surface characteristics – test methods – part 4: Method for measurement of slip/skid resistance of a surface; the pendulum test.” EN13036-4:2003 European standard, 2003.
- [58] M. Ergün and E. Agar, “Optimization of road surface friction from macro- and microtexture point of view,” in *Proc. of the IVth. PIARC International Symposium “SURF 2000” on Pavement Surface Characteristics*, Nantes, France, pp. 217–226, 22–24 May 2000.
- [59] “Characterization of pavement texture by use of surface profiles – part 1: Determination of mean profile depth.” ISO13473-1:1997 International standard, 1997.

- [60] L. Bursanescu and F. Blais, “Automated pavement distress data collection and analysis: a 3-D approach,” in *Proc. of the 1997 IEEE International Conf. on Recent Advances in 3-D Digital Imaging and Modeling*, Ottawa, Canada, pp. 311–317, 12–15 May 1997.
- [61] H. Zahouani, R. Vargiolu, and M.-T. Do, “Characterization of microtexture related to wet road/tire friction,” in *Proc. of the IVth. PIARC International Symposium “SURF 2000” on Pavement Surface Characteristics*, Nantes, France, pp. 196–205, 22–24 May 2000.
- [62] “Characterization of pavement texture by use of surface profiles – part 3: Specification and classification of profilometers.” ISO13473-3:2002 International standard, 2002.
- [63] M. Demeyere and C. Eugène, “Determination of the road surface microtexture by laser triangulation under structured lighting: a preliminary feasibility study,” in *Proc. of ODIMAP IV “4th Topical Meeting on Optoelectronic Distance/Displacement Measurements and Applications,”* Oulu, Finland, pp. 114–119, 16–18 June 2004.
- [64] A. Soete, C. Vasile, M. Demeyere, L. Goubert, and C. Eugène, “Instrument de terrain pour la mesure combinée de la micro- et la macrotexture des revêtements routiers,” in *Actes du 6ème symposium MTOI “Méthodes et Techniques Optiques pour l’Industrie,”* Marseille, France, 21–25 Nov. 2005.
- [65] A. Soete, *Development of a field instrument for the combined measurement of micro- and macrotexture of road surfaces*. Eng. diploma dissertation, Université catholique de Louvain, Louvain-la-Neuve, Belgium, 2005.
- [66] C. Vasile, *Development of a field instrument for the combined measurement of micro- and macrotexture of road surfaces; part two: man-machine interface, calibration and tests*. Eng. postgraduate diploma dissertation, Université catholique de Louvain, Louvain-la-Neuve, Belgium, 2005.

