

Bibliographie

1. Fischer E., Einfluss der Configuration auf die Wirkung der Enzyme. *Ber. Dtsch. Chem. Ges.*, **1894**, 27: 2985-2993.
2. Weber E., Molecular recognition, in *Kirk-Othmer Encyclopedia of Chemical Technology*, John Wiley & Sons, Inc., **2000**, online article.
3. Chen B., Piletsky S. & Turner A.P.F., Molecular recognition: Design of "keys". *Comb. Chem. High Throughput Screen.*, **2002**, 5(6): 409-427.
4. Koshland D.E., Jr., Application of a theory of enzyme specificity to protein synthesis. *Proc. Natl. Acad. Sci. U.S.A.*, **1958**, 44: 98-105.
5. Houk K.N., Leach A.G., Kim S.P. & Zhang X., Binding affinities of host-guest, protein-ligand, and protein-transition state complexes. *Angew. Chem. Int. Ed.*, **2003**, 42(40): 4872-4897.
6. Wolfenden R. & Snider M.J., The depth of chemical time and the power of enzymes as catalysts. *Acc. Chem. Res.*, **2001**, 34(12): 938-945.
7. Zachariou M., Immobilized metal ion affinity chromatography of proteins. *Methods Mol. Biol.*, **2004**, 251(HPLC of Peptides and Proteins): 89-102.
8. Arnold F.H., Metal-affinity separations: a new dimension in protein processing. *Biotechnology*, **1991**, 9(2): 151-156.
9. Toma S., Campagnoli S., Margarit I., Gianna R., Grandi G., Bolognesi M., De Filippis V. & Fontana A., Grafting of a calcium-binding loop of thermolysin to *Bacillus subtilis* neutral protease. *Biochemistry*, **1991**, 30(1): 97-106.
10. Klemmba M., Gardner K.H., Marino S., Clarke N.D. & Regan L., Novel metal-binding proteins by design. *Nat. Struct. Biol.*, **1995**, 2(5): 368-373.
11. Marvin J.S. & Hellinga H.W., Conversion of a maltose receptor into a zinc biosensor by computational design. *Proc. Natl. Acad. Sci. U.S.A.*, **2001**, 98(9): 4955-4960.
12. Lu Y., Berry S.M. & Pfister T.D., Engineering novel metalloproteins: Design of metal-binding sites into native protein scaffolds. *Chem. Rev.*, **2001**, 101(10): 3047-3080.
13. Looger L.L., Dwyer M.A., Smith J.J. & Hellinga H.W., Computational design of receptor and sensor proteins with novel functions. *Nature*, **2003**, 423(6936): 185-190.
14. Rowley G.L., Rubenstein K.E., Huisjen J. & Ullman E.F., Mechanism by which antibodies inhibit hapten-malate dehydrogenase conjugates. Enzyme immunoassay for morphine. *Journal of Biological Chemistry*, **1975**, 250(10): 3759-3766.
15. Brennan C., Christianson K., Surowy T. & Mandecki W., Modulation of enzyme activity by antibody binding to an alkaline phosphatase-epitope hybrid protein. *Protein Eng.*, **1994**, 7(4): 509-514.
16. Brennan C.A., Christianson K., La Fleur M.A. & Mandecki W., A molecular sensor system based on genetically engineered alkaline phosphatase. *Proc. Natl. Acad. Sci. U.S.A.*, **1995**, 92(13): 5783-5787.
17. Benito A., Mateu M.G. & Villaverde A., Improved mimicry of a foot-and-mouth disease virus antigenic site by a viral peptide displayed on β -galactosidase surface. *Biotechnology*, **1995**, 13(8): 801-804.
18. Feliu J.X. & Villaverde A., Engineering of solvent-exposed loops in *Escherichia coli* β -galactosidase. *FEBS Lett.*, **1998**, 434(1,2): 23-27.
19. Feliu J.X., Ramirez E. & Villaverde A., Distinct mechanisms of antibody-mediated enzymatic reactivation in β -galactosidase molecular sensors. *FEBS Lett.*, **2000**, 473(1): 123.

20. Feliu J.X., Ferrer-Miralles N., Blanco E., Cazorla D., Sobrino F. & Villaverde A., Enhanced response to antibody binding in engineered β -galactosidase enzymatic sensors. *Biochim. Biophys. Acta*, **2002**, 1596(2): 212-224.
21. Ferrer-Miralles N., Feliu J.X., Vandevuer S., Muller A., Cabrera-Crespo J., Ortmans I., Hoffmann F., Cazorla D., Rinas U., Prevost M. & Villaverde A., Engineering regulable *Escherichia coli* β -galactosidases as biosensors for anti-HIV antibody detection in human sera. *J. Biol. Chem.*, **2001**, 276(43): 40087-40095.
22. Kobe B. & Kemp B.E., Active site-directed protein regulation. *Nature*, **1999**, 402(6760): 373-376.
23. Saghatelian A., Guckian K.M., Thayer D.A. & Ghadiri M.R., DNA detection and signal amplification via an engineered allosteric enzyme. *J. Am. Chem. Soc.*, **2003**, 125(2): 344-345.
24. McGrath M.E., Haymore B.L., Summers N.L., Craik C.S. & Fletterick R.J., Structure of an engineered, metal-actuated switch in trypsin. *Biochemistry*, **1993**, 32(8): 1914-1919.
25. Tang J. & Breaker R.R., Rational design of allosteric ribozymes. *Chem. Biol.*, **1997**, 4(6): 453-459.
26. Soukup G.A. & Breaker R.R., Allosteric nucleic acid catalysts. *Curr. Opin. Struct. Biol.*, **2000**, 10(3): 318-325.
27. Breaker R.R., Engineered allosteric ribozymes as biosensor components. *Curr. Opin. Biotechnol.*, **2002**, 13(1): 31-39.
28. Loeb L.A., Unnatural nucleotide sequences in biopharmaceutics. *Adv. Pharmacol.*, **1996**, 35: 321-347.
29. Horwitz M.S.Z. & Loeb L.A., Promoters selected from random DNA sequences. *Proc. Natl. Acad. Sci. U.S.A.*, **1986**, 83(19): 7405-7409.
30. Jensen L.J., Andersen K.V., Svendsen A. & Kretschmar T., Scoring functions for computational algorithms applicable to the design of spiked oligonucleotides. *Nucleic Acids Res.*, **1998**, 26(3): 697-702.
31. Tomandl D., Schober A. & Schwienhorst A., Optimizing doped libraries by using genetic algorithms. *J. Comput. Aided Mol. Des.*, **1997**, 11(1): 29-38.
32. Deshler J.O., A simple method for randomly mutating cloned DNA fragments by using chemical mutagens and the polymerase chain reaction. *Gen. Anal. Techn. Appl.*, **1992**, 9(4): 103-106.
33. Greener A., Callahan M. & Jerpseth B., An efficient random mutagenesis technique using an *E. coli* mutator strain. *Methods Mol. Biol.*, **1996**, 57(2): 375-385.
34. Cadwell R.C. & Joyce G.F., Randomization of genes by PCR mutagenesis. *PCR Methods Appl.*, **1992**, 2(1): 8-33.
35. Stemmer W.P.C., DNA shuffling by random fragmentation and reassembly: *in vitro* recombination for molecular evolution. *Proc. Natl. Acad. Sci. U.S.A.*, **1994**, 91(22): 10747-10751.
36. Moore G.L. & Maranas C.D., Modeling DNA mutation and recombination for directed evolution experiments. *J. Theor. Biol.*, **2000**, 205(3): 483-503.
37. Crameri A., Raillard S.A., Bermudez E. & Stemmer W.P.C., DNA shuffling of a family of genes from diverse species accelerates directed evolution. *Nature*, **1998**, 391(6664): 288-291.
38. Zhao H. & Arnold F.H., Optimization of DNA shuffling for high fidelity recombination. *Nucleic Acids Research*, **1997**, 25: 1307-1308.
39. Shao Z., Zhao H., Giver L. & Arnold F.H., Random-priming *in vitro* recombination: an effective tool for directed evolution. *Nucleic Acids Res.*, **1998**, 26(2): 681-683.
40. Orr-Weaver T.L., Szostak J.W. & Rothstein R.J., Genetic applications of yeast transformation with linear and gapped plasmids. *Methods Enzymol.*, **1983**, 101(Recomb. DNA, Pt. C): 228-245.
41. Cherry J.R., Lamsa M.H., Schneider P., Vind J., Svendsen A., Jones A. & Pedersen A.H., Directed evolution of a fungal peroxidase. *Nat. Biotechnol.*, **1999**, 17(4): 379-384.

42. Abecassis V., Pompon D. & Truan G., High efficiency family shuffling based on multi-step PCR and *in vivo* DNA recombination in yeast: statistical and functional analysis of a combinatorial library between human cytochrome P450 1A1 and 1A2. *Nucleic Acids Res.*, **2000**, 28(20): e88.
43. Fisch I., Kontermann R.E., Finnern R., Hartley O., Soler-Gonzalez A.S., Griffiths A.D. & Winter G., A strategy of exon shuffling for making large peptide repertoires displayed on filamentous bacteriophage. *Proc. Natl. Acad. Sci. U.S.A.*, **1996**, 93(15): 7761-7766.
44. Kolkman J.A. & Stemmer W.P.C., Directed evolution of proteins by exon shuffling. *Nat. Biotechnol.*, **2001**, 19(5): 423-428.
45. Voigt C.A., Mayo S.L., Arnold F.H. & Wang Z.G., Computational method to reduce the search space for directed protein evolution. *Proc. Natl. Acad. Sci. U.S.A.*, **2001**, 98(7): 3778-3783.
46. Hayes R.J., Bentzien J., Ary M.L., Hwang M.Y., Jacinto J.M., Vielmetter J., Kundu A. & Dahiyat B.I., Combining computational and experimental screening for rapid optimization of protein properties. *Proc. Natl. Acad. Sci. U.S.A.*, **2002**, 99(25): 15926-15931.
47. Smith G.P., Filamentous fusion phage: novel expression vectors that display cloned antigens on the virion surface. *Science*, **1985**, 228(4705): 1315-1317.
48. Smith G.P. & Petrenko V.A., Phage display. *Chem. Rev.*, **1997**, 97(2): 391-410.
49. Sidhu S.S., Lowman H.B., Cunningham B.C. & Wells J.A., Phage display for selection of novel binding peptides. *Methods Enzymol.*, **2000**, 328(Applications of Chimeric Genes and Hybrid Proteins, Pt. C): 333-363.
50. Wilson D.R. & Finlay B.B., Phage display: applications, innovations, and issues in phage and host biology. *Can. J. Microbiol.*, **1998**, 44(4): 313-329.
51. Iannolo G., Minenkova O., Petruzzelli R. & Cesareni G., Modifying filamentous phage capsid: limits in the size of the major capsid protein. *J. Mol. Biol.*, **1995**, 248(4): 835-844.
52. Bass S., Greene R. & Wells J.A., Hormone phage: an enrichment method for variant proteins with altered binding properties. *Proteins*, **1990**, 8(4): 309-314.
53. Kretzschmar T. & Geiser M., Evaluation of antibodies fused to minor coat protein III and major coat protein VIII of bacteriophage M13. *Gene*, **1995**, 155(1): 61-65.
54. Sidhu S.S., Weiss G.A. & Wells J.A., High copy display of large proteins on phage for functional selections. *J. Mol. Biol.*, **2000**, 296(2): 487-495.
55. Verhaert R.M.D., Van Duin J. & Quax W.J., Processing and functional display of the 86 kDa heterodimeric penicillin G acylase on the surface of phage fd. *Biochem. J.*, **1999**, 342(2): 415-422.
56. Marvin D.A., Filamentous phage structure, infection and assembly. *Curr. Opin. Struct. Biol.*, **1998**, 8(2): 150-158.
57. Armstrong J., Perham R.N. & Walker J.E., Domain structure of bacteriophage fd adsorption protein. *FEBS Lett.*, **1981**, 135(1): 167-172.
58. Riechmann L. & Holliger P.H., The C-terminal domain of TolA is the coreceptor for filamentous phage infection of *E. coli*. *Cell*, **1997**, 90(2): 351-360.
59. Rakonjac J., Feng J.-n. & Model P., Filamentous phage are released from the bacterial membrane by a two-step mechanism involving a short C-terminal fragment of pIII. *J. Mol. Biol.*, **1999**, 289(5): 1253-1265.
60. Model P. & Russel M., Filamentous bacteriophage, in *The Bacteriophages* (Ed.: R. Calendar), Vol. 2, Plenum Press, New York, **1988**, 375-456.
61. Devlin J.J., Panganiban L.C. & Devlin P.E., Random peptide libraries: a source of specific protein binding molecules. *Science*, **1990**, 249(4967): 404-406.
62. Scott J.K. & Smith G.P., Searching for peptide ligands with an epitope library. *Science*, **1990**, 249(4967): 386-390.

63. Felici F., Castagnoli L., Musacchio A., Jappelli R. & Cesareni G., Selection of antibody ligands from a large library of oligopeptides expressed on a multivalent exposition vector. *J. Mol. Biol.*, **1991**, 222(2): 301-310.
64. Smith G.P., Surface display and peptide libraries (Articles Occasioned by a Meeting at the Banbury Center, Cold Spring Harbor Laboratory). *Gene*, **1993**, 128(1): 144 pp.
65. Gao C., Mao S., Lo C.-H.L., Wirsching P., Lerner R.A. & Janda K.D., Making artificial antibodies: a format for phage display of combinatorial heterodimeric arrays. *Proc. Natl. Acad. Sci. U.S.A.*, **1999**, 96(11): 6025-6030.
66. Jespers L.S., Messens J.H., De Keyser A., Eeckhout D., Van Den Brande I., Gansemans Y.G., Lauwereys M.J., Vlasuk G.P. & Stanssens P.E., Surface expression and ligand-based selection of cDNAs fused to filamentous phage gene VI. *Biotechnology*, **1995**, 13(4): 378-382.
67. Fuh G., Pisabarro M.T., Li Y., Quan C., Lasky L.A. & Sidhu S.S., Analysis of PDZ domain-ligand interactions using carboxyl-terminal phage display. *J. Biol. Chem.*, **2000**, 275(28): 21486-21491.
68. Fuh G. & Sidhu S.S., Efficient phage display of polypeptides fused to the carboxy-terminus of the M13 gene-3 minor coat protein. *FEBS Lett.*, **2000**, 480(2,3): 231-234.
69. Beekwilder J., Rakonjac J., Jongsma M. & Bosch D., A phagemid vector using the *E. coli* phage shock promoter facilitates phage display of toxic proteins. *Gene*, **1999**, 228(1-2): 23-31.
70. Nemoto N., Miyamoto-Sato E., Husimi Y. & Yanagawa H., *In vitro* virus: Bonding of mRNA bearing puromycin at the 3'-terminal end to the C-terminal end of its encoded protein on the ribosome *in vitro*. *FEBS Lett.*, **1997**, 414(2): 405-408.
71. Roberts R.W. & Szostak J.W., RNA-peptide fusions for the *in vitro* selection of peptides and proteins. *Proc. Natl. Acad. Sci. U.S.A.*, **1997**, 94(23): 12297-12302.
72. Mattheakis L.C., Dias J.M. & Dower W.J., Cell-free synthesis of peptide libraries displayed on polysomes. *Methods Enzymol.*, **1996**, 267(Combinatorial Chemistry): 195-207.
73. Hanes J. & Pluckthun A., *In vitro* selection and evolution of functional proteins by using ribosome display. *Proc. Natl. Acad. Sci. U.S.A.*, **1997**, 94(10): 4937-4942.
74. Tawfik D.S. & Griffiths A.D., Man-made cell-like compartments for molecular evolution. *Nat. Biotechnol.*, **1998**, 16(7): 652-656.
75. Griffiths A.D. & Tawfik D.S., Man-made enzymes - from design to *in vitro* compartmentalisation. *Curr. Opin. Biotechnol.*, **2000**, 11(4): 338-353.
76. Ghadessy F.J., Ong J.L. & Holliger P., Directed evolution of polymerase function by compartmentalized self-replication. *Proc. Natl. Acad. Sci. U.S.A.*, **2001**, 98(8): 4552-4557.
77. Doi N. & Yanagawa H., STABLE: protein-DNA fusion system for screening of combinatorial protein libraries *in vitro*. *FEBS Lett.*, **1999**, 457(2): 227-230.
78. Griffiths A.D. & Tawfik D.S., Directed evolution of an extremely fast phosphotriesterase by *in vitro* compartmentalization. *EMBO J.*, **2003**, 22(1): 24-35.
79. Schatz P.J., Cull M.G., Martin E.L. & Gates C.M., Screening of peptide libraries linked to lac repressor. *Methods Enzymol.*, **1996**, 267(Combinatorial Chemistry): 171-191.
80. Fuchs P., Weichel W., Duebel S., Breitling F. & Little M., Separation of *E. coli* expressing functional cell-wall bound antibody fragments by FACS. *Immunotech.*, **1996**, 2(2): 97-102.
81. Georgiou G., Stathopoulos C., Daugherty P.S., Nayak A.R., Iverson B.L. & Curtiss R., III, Display of heterologous proteins on the surface of microorganisms: from the screening of combinatorial libraries to live recombinant vaccines. *Nat. Biotechnol.*, **1997**, 15(1): 29-34.
82. Cohen N., Abramov S., Dror Y. & Freeman A., *In vitro* enzyme evolution: the screening challenge of isolating the one in a million. *Trends Biotechnol.*, **2001**, 19(12): 507-510.
83. Hansson L.O., Widersten M. & Mannervik B., An approach to optimizing the active site in a glutathione transferase by evolution *in vitro*. *Biochem. J.*, **1999**, 344(1): 93-100.

84. Vanwetswinkel S., Avelle B. & Fastrez J., Selection of β -lactamases and penicillin binding mutants from a library of phage displayed TEM-1 β -lactamase randomly mutated in the active site Ω -loop. *J. Mol. Biol.*, **2000**, 295(3): 527-540.
85. Pedersen H., Holder S., Sutherlin D.P., Schwitter U., King D.S. & Schultz P.G., A method for directed evolution and functional cloning of enzymes. *Proc. Natl. Acad. Sci. U.S.A.*, **1998**, 95(18): 10523-10528.
86. Demartis S., Huber A., Viti F., Lozzi L., Giovannoni L., Neri P., Winter G. & Neri D., A strategy for the isolation of catalytic activities from repertoires of enzymes displayed on phage. *J. Mol. Biol.*, **1999**, 286(2): 617-633.
87. Jestin J.-L., Kristensen P. & Winter G., A method for the selection of catalytic activity using phage display and proximity coupling. *Angew. Chem. Int. Ed.*, **1999**, 38(8): 1124-1127.
88. Cesaro-Tadic S., Lagos D., Honegger A., Rickard J.H., Partridge L.J., Blackburn G.M. & Plueckthun A., Turnover-based *in vitro* selection and evolution of biocatalysts from a fully synthetic antibody library. *Nat. Biotechnol.*, **2003**, 21(6): 679-685.
89. Ladner R.C., Constrained peptides are binding entities. *Trends Biotechnol.*, **1995**, 13(10): 426-430.
90. Ku J. & Schultz P.G., Alternate protein frameworks for molecular recognition. *Proc. Natl. Acad. Sci. U.S.A.*, **1995**, 92(14): 6552-6556.
91. Schier R., Bye J., Apell G., McCall A., Adams G.P., Malmqvist M., Weiner L.M. & Marks J.D., Isolation of high-affinity monomeric human anti-c-erbB-2 single chain Fv using affinity-driven selection. *J. Mol. Biol.*, **1996**, 255(1): 28-43.
92. Lowman H.B., Bass S.H., Simpson N. & Wells J.A., Selecting high-affinity binding proteins by monovalent phage display. *Biochemistry*, **1991**, 30(45): 10832-10838.
93. Cunningham B.C., Lowe D.G., Li B., Bennett B.D. & Wells J.A., Production of an atrial natriuretic peptide variant that is specific for a type A receptor. *EMBO J.*, **1994**, 13(11): 2508-2515.
94. Pinilla C., Appel J., Blondelle S., Dooley C., Doerner B., Eichler J., Ostresh J. & Houghten R.A., A review of the utility of soluble peptide combinatorial libraries. *Biopolymers*, **1995**, 37(3): 221-240.
95. McBride J.D., Freeman N., Domingo G.J. & Leatherbarrow R.J., Selection of chymotrypsin inhibitors from a conformationally-constrained combinatorial peptide library. *J. Mol. Biol.*, **1996**, 259(4): 819-827.
96. Gates C.M., Stemmer W.P.C., Kaptein R. & Schatz P.J., Affinity selective isolation of ligands from peptide libraries through display on a lac repressor 'headpiece dimer'. *J. Mol. Biol.*, **1996**, 255(3): 373-386.
97. Lu Z., Murray K.S., Van Cleave V., LaVallie E.R., Stahl M.L. & McCoy J.M., Expression of thioredoxin random peptide libraries on the *Escherichia coli* cell surface as functional fusions to flagellin: a system designed for exploring protein-protein interactions. *Biotechnology*, **1995**, 13(4): 366-372.
98. Zwick M.B., Shen J. & Scott J.K., Phage-displayed peptide libraries. *Curr. Opin. Biotechnol.*, **1998**, 9(4): 427-436.
99. Kay B.K., Adey N.B., He Y.S., Manfredi J.P., Mataragnon A.H. & Fowlkes D.M., An M13 phage library displaying random 38-amino-acid peptides as a source of novel sequences with affinity to selected targets. *Gene*, **1993**, 128(1): 59-65.
100. O'Neil K.T., Hoess R.H., Jackson S.A., Ramachandran N.S., Mousa S.A. & DeGrado W.F., Identification of novel peptide antagonists for GPIIb/IIIa from a conformationally constrained phage peptide library. *Proteins*, **1992**, 14(4): 509-515.
101. Sparks A.B., Quilliam L.A., Thorn J.M., Der C.J. & Kay B.K., Identification and characterization of Src SH3 ligands from phage-displayed random peptide libraries. *J. Biol. Chem.*, **1994**, 269(39): 23853-23856.

102. Goodson R.J., Doyle M.V., Kaufman S.E. & Rosenberg S., High-affinity urokinase receptor antagonists identified with bacteriophage peptide display. *Proc. Natl. Acad. Sci. U.S.A.*, **1994**, 91(15): 7129-7133.
103. Daniels D.A. & Lane D.P., The characterization of p53 binding phage isolated from phage peptide display libraries. *J. Mol. Biol.*, **1994**, 243(4): 639-652.
104. Doorbar J. & Winter G., Isolation of a peptide antagonist to the thrombin receptor using phage display. *J. Mol. Biol.*, **1994**, 244(4): 361-369.
105. Koivunen E., Wang B. & Ruoslahti E., Phage libraries displaying cyclic peptides with different ring sizes: ligand specificities of the RGD-directed integrins. *Biotechnology*, **1995**, 13(3): 265-270.
106. Renschler M.F., Bhatt R.R., Dower W.J. & Levy R., Synthetic peptide ligands of the antigen binding receptor induce programmed cell death in a human B-cell lymphoma. *Proc. Natl. Acad. Sci. U.S.A.*, **1994**, 91(9): 3623-3627.
107. Hoess R.H., Mack A.J., Walton H. & Reilly T.M., Identification of a structural epitope by using a peptide library displayed on filamentous bacteriophage. *J. Immunol.*, **1994**, 153(2): 724-729.
108. Krook M., Mosbach K. & Lindbladh C., Selection of peptides with affinity for single stranded DNA using a phage display library. *Biochem. Biophys. Res. Commun.*, **1994**, 204(2): 849-854.
109. Matthews D.J. & Wells J.A., Substrate phage: selection of protease substrates by monovalent phage display. *Science*, **1993**, 260(5111): 1113-1117.
110. Oldenburg K.R., Loganathan D., Goldstein I.J., Schultz P.G. & Gallop M.A., Peptide ligands for a sugar-binding protein isolated from a random peptide library. *Proc. Natl. Acad. Sci. U.S.A.*, **1992**, 89(12): 5393-5397.
111. Barbas C.F., III, Kang A.S., Lerner R.A. & Benkovic S.J., Assembly of combinatorial antibody libraries on phage surfaces: the gene III site. *Proc. Natl. Acad. Sci. U.S.A.*, **1991**, 88(18): 7978-7982.
112. Marks J.D., Hoogenboom H.R., Bonnert T.P., McCafferty J., Griffiths A.D. & Winter G., By-passing immunization. Human antibodies from V-gene libraries displayed on phage. *J. Mol. Biol.*, **1991**, 222(3): 581-597.
113. Hoogenboom H.R., Designing and optimizing library selection strategies for generating high-affinity antibodies. *Trends Biotechnol.*, **1997**, 15(2): 62-70.
114. Ward E.S., Gussow D., Griffiths A.D., Jones P.T. & Winter G., Binding activities of a repertoire of single immunoglobulin variable domains secreted from *Escherichia coli*. *Nature*, **1989**, 341(6242): 544-546.
115. Hamers-Casterman C., Atarhouch T., Muyldermans S., Robinson G., Hamers C., Bajyana Songa E., Bendahman N. & Hamers R., Naturally occurring antibodies devoid of light chains. *Nature*, **1993**, 363(6428): 446-448.
116. Muyldermans S., Atarhouch T., Saldanha J., Barbosa J.A. & Hamers R., Sequence and structure of V_H domain from naturally occurring camel heavy chain immunoglobulins lacking light chains. *Protein Eng.*, **1994**, 7(9): 1129-1135.
117. Davies J. & Riechmann L., Antibody V_H domains as small recognition units. *Biotechnology*, **1995**, 13(5): 475-479.
118. Davies J. & Riechmann L., Single antibody domains as small recognition units: design and *in vitro* antigen selection of camelized, human V_H domains with improved protein stability. *Protein Eng.*, **1996**, 9(6): 531-537.
119. Pessi A., Bianchi E., Crameri A., Venturini S., Tramontano A. & Sollazzo M., A designed metal-binding protein with a novel fold. *Nature*, **1993**, 362(6418): 367-369.
120. Martin F., Toniatti C., Salvati A.L., Venturini S., Ciliberto G., Cortese R. & Sollazzo M., The affinity-selection of a minibody polypeptide inhibitor of human interleukin-6. *EMBO J.*, **1994**, 13(22): 5303-5309.

121. Roberts B.L., Markland W., Ley A.C., Kent R.B., White D.W., Guterman S.K. & Ladner R.C., Directed evolution of a protein: selection of potent neutrophil elastase inhibitors displayed on M13 fusion phage. *Proc. Natl. Acad. Sci. U.S.A.*, **1992**, 89(6): 2429-2433.
122. Dennis M.S. & Lazarus R.A., Kunitz domain inhibitors of tissue factor-factor VIIa. I. Potent inhibitors selected from libraries by phage display. *J. Biol. Chem.*, **1994**, 269(35): 22129-22136.
123. Markland W., Ley A.C., Lee S.W. & Ladner R.C., Iterative optimization of high-affinity protease inhibitors using phage display. 1. Plasmin. *Biochemistry*, **1996**, 35(24): 8045-8057.
124. Roettgen P. & Collins J.K., A human pancreatic secretory trypsin inhibitor presenting a hypervariable highly constrained epitope via monovalent phagemid display. *Gene*, **1995**, 164(2): 243-250.
125. Wang C.-I., Yang Q. & Craik C.S., Isolation of a high affinity inhibitor of urokinase-type plasminogen activator by phage display of ecotin. *J. Biol. Chem.*, **1995**, 270(20): 12250-12256.
126. McConnell S.J. & Hoess R.H., Tendamistat as a scaffold for conformationally constrained phage peptide libraries. *J. Mol. Biol.*, **1995**, 250(4): 460-470.
127. Nord K., Gunneriusson E., Ringdahl J., Stahl S., Uhlen M. & Nygren P.-A., Binding proteins selected from combinatorial libraries of an α -helical bacterial receptor domain. *Nat. Biotechnol.*, **1997**, 15(8): 772-777.
128. Beste G., Schmidt F.S., Stibora T. & Skerra A., Small antibody-like proteins with prescribed ligand specificities derived from the lipocalin fold. *Proc. Natl. Acad. Sci. U.S.A.*, **1999**, 96(5): 1898-1903.
129. Schlehuber S., Beste G. & Skerra A., A novel type of receptor protein, based on the lipocalin scaffold, with specificity for digoxigenin. *J. Mol. Biol.*, **2000**, 297(5): 1105-1120.
130. Liu Q., Segal D.J., Ghiara J.B. & Barbas C.F., III, Design of polydactyl zinc-finger proteins for unique addressing within complex genomes. *Proc. Natl. Acad. Sci. U.S.A.*, **1997**, 94(11): 5525-5530.
131. Segal D.J., Dreier B., Beerli R.R. & Barbas C.F., III, Toward controlling gene expression at will: selection and design of zinc finger domains recognizing each of the 5'-GNN-3' DNA target sequences. *Proc. Natl. Acad. Sci. U.S.A.*, **1999**, 96(6): 2758-2763.
132. Beerli R.R., Segal D.J., Dreier B. & Barbas C.F., III, Toward controlling gene expression at will: specific regulation of the erbB-2/HER-2 promoter by using polydactyl zinc finger proteins constructed from modular building blocks. *Proc. Natl. Acad. Sci. U.S.A.*, **1998**, 95(25): 14628-14633.
133. Beerli R.R., Dreier B. & Barbas C.F., III, Positive and negative regulation of endogenous genes by designed transcription factors. *Proc. Natl. Acad. Sci. U.S.A.*, **2000**, 97(4): 1495-1500.
134. Heyd B., Pecorari F., Collinet B., Adjadj E., Desmadril M. & Minard P., *In vitro* evolution of the binding specificity of neocarzinostatin, an enediynes-binding chromoprotein. *Biochemistry*, **2003**, 42(19): 5674-5683.
135. Zeytun A., Jeromin A., Scalettar B.A., Waldo G.S. & Bradbury A.R.M., Fluorobodies combine GFP fluorescence with the binding characteristics of antibodies. *Nat. Biotechnol.*, **2003**, 21(12): 1473-1479.
136. Legendre D., Soumillion P. & Fastrez J., Engineering a regulatable enzyme for homogeneous immunoassays. *Nat. Biotechnol.*, **1999**, 17(1): 67-72.
137. Legendre D., Vucic B., Hougardy V., Girboux A.-L., Henrioul C., Van Haute J., Soumillion P. & Fastrez J., TEM-1 β -lactamase as a scaffold for protein recognition and assay. *Protein Sci.*, **2002**, 11(6): 1506-1518.
138. Robertson M.P. & Ellington A.D., *In vitro* selection of an allosteric ribozyme that transduces analytes to amplicons. *Nat. Biotechnol.*, **1999**, 17(1): 62-66.
139. Matagne A., Lamotte-Brasseur J. & Frere J.-M., Catalytic properties of class A β -lactamases: efficiency and diversity. *Biochem. J.*, **1998**, 330(2): 581-598.

140. Philippon A., Dusart J., Joris B. & Frere J.-M., The diversity, structure and regulation of β -lactamases. *Cell. Mol. Life Sci.*, **1998**, 54(4): 341-346.
141. Waley S.G., β -lactamase: mechanisms of action, in *The Chemistry of β -lactams* (Ed.: M.I. Page), London, **1992**, 198-228.
142. Jacoby G.A., Extrachromosomal resistance in gram-negative organisms: the evolution of β -lactamase. *Trends Microbiol.*, **1994**, 2(10): 357-360.
143. Ambler R.P., The structure of β -lactamases. *Philos. Trans. R. Soc. Lond., B, Biol. Sci.*, **1980**, 289(1036): 321-331.
144. Joris B., Ghuysen J.-M., Dive G., Renard A., Dideberg O., Charlier P., Frere J.-M., Kelly J.A., Boyington J.C., Moews P.C. & Knox J.R., The active-site-serine penicillin-recognizing enzymes as members of the *Streptomyces* R-61 DD-peptidase family. *Biochem. J.*, **1988**, 250(2): 313-324.
145. Carfi A., Pares S., Duee E., Galleni M., Duez C., Frere J.-M. & Dideberg O., The 3-D structure of a zinc metallo- β -lactamase from *Bacillus cereus* reveals a new type of protein fold. *EMBO J.*, **1995**, 14(20): 4914-4921.
146. Wiedemann B., Kliebe C. & Kresken M., The epidemiology of β -lactamases. *J. Antimicrob. Chemother.*, **1989**, 24(Suppl. B): 1-22.
147. Jelsch C., Mourey L., Masson J.-M. & Samama J.-P., Crystal structure of *Escherichia coli* TEM1 β -lactamase at 1.8 Å resolution. *Proteins*, **1993**, 16(4): 364-383.
148. Matagne A. & Frere J.-M., Contribution of mutant analysis to the understanding of enzyme catalysis. The case of class A β -lactamases. *Biochim. Biophys. Acta*, **1995**, 1246(2): 109-127.
149. Lamotte-Brasseur J., Dive G., Dideberg O., Charlier P., Frere J.-M. & Ghuysen J.-M., Mechanism of acyl transfer by the class A serine β -lactamase of *Streptomyces albus* G. *Biochem. J.*, **1991**, 279(1): 213-221.
150. Gibson R.M., Christensen H. & Waley S.G., Site-directed mutagenesis of β -lactamase I. Single and double mutants of Glu-166 and Lys-73. *Biochem. J.*, **1990**, 272(3): 613-619.
151. Vijayakumar S., Ravishanker G., Pratt R.F. & Beveridge D.L., Molecular dynamics simulation of a class A β -lactamase: structural and mechanistic implications. *J. Am. Chem. Soc.*, **1995**, 117(6): 1722-1730.
152. Strynadka N.C.J., Adachi H., Jensen S.E., Johns K., Sielecki A., Betzel C., Sutoh K. & James M.N.G., Molecular structure of the acyl-enzyme intermediate in β -lactam hydrolysis at 1,7 Å resolution. *Nature*, **1992**, 359(6397): 700-705.
153. Guillaume G., Vanhove M., Lamotte-Brasseur J., Ledent P., Jamin M., Joris B. & Frere J.-M., Site-directed mutagenesis of glutamate 166 in two β -lactamases. Kinetic and molecular modeling studies. *J. Biol. Chem.*, **1997**, 272(9): 5428-5444.
154. Matagne A., Dubus A., Galleni M. & Frere J.-M., The β -lactamase cycle: a tale of selective pressure and bacterial ingenuity. *Nat. Prod. Rep.*, **1999**, 16(1): 1-19.
155. Huang W., Petrosino J.F., Hirsch M., Shenkin P.S. & Palzkill T., Amino acid sequence determinants of β -lactamase structure and activity. *J. Mol. Biol.*, **1996**, 258(4): 688-703.
156. Hallet B., Sherratt D.J. & Hayes F., Pentapeptide scanning mutagenesis: random insertion of a variable five amino acid cassette in a target protein. *Nucleic Acids Res.*, **1997**, 25(9): 1866-1867.
157. Muyldermans S., Single domain camel antibodies: current status. *Rev. Mol. Biotechnol.*, **2001**, 74(4): 277-302.
158. Pascarella S. & Argos P., Analysis of insertions/deletions in protein structures. *J. Mol. Biol.*, **1992**, 224(2): 461-471.
159. Schwede T., Kopp J., Guex N. & Peitsch M.C., SWISS-MODEL: an automated protein homology-modeling server. *Nucleic Acids Res.*, **2003**, 31(13): 3381-3385.

160. Decanniere K., Desmyter A., Lauwereys M., Ghahroudi M.A. & Muyldermans S., A single-domain antibody fragment in complex with RNase A: non-canonical loop structures and nanomolar affinity using two CDR loops. *Structure*, **1999**, 7(4): 361-370.
161. Oliphant A.R., Nussbaum A.L. & Struhl K., Cloning of random-sequence oligodeoxynucleotides. *Gene*, **1986**, 44(2-3): 177-183.
162. Soumillion P., Jespers L., Bouchet M., Marchand-Brynaert J., Winter G. & Fastrez J., Selection of β -lactamase on filamentous bacteriophage by catalytic activity. *J. Mol. Biol.*, **1994**, 237(4): 415-422.
163. Kunkel T.A., Roberts J.D. & Zakour R.A., Rapid and efficient site-specific mutagenesis without phenotypic selection. *Methods Enzymol.*, **1987**, 154(Recomb. DNA, Pt. E): 367-382.
164. Kunkel T.A., Rapid and efficient site-specific mutagenesis without phenotypic selection. *Proc. Natl. Acad. Sci. U.S.A.*, **1985**, 82(2): 488-492.
165. Vanhove M., Guillaume G., Ledent P., Richards J.H., Pain R.H. & Frere J.-M., Kinetic and thermodynamic consequences of the removal of the Cys-77-Cys-123 disulfide bond for the folding of TEM-1 β -lactamase. *Biochem. J.*, **1997**, 321(2): 413-417.
166. Dagnelie P., *Théorie et Méthodes Statistiques, Applications Agronomiques*, Tome I et II (2^{ème} édition), Les Presses Académiques de Gembloux, A.S.B.L., Belgique, **1984**.
167. Van Hove F., Elaboration d'une méthode de sélection d'acides aminés cystéine dans des banques de protéines présentées en surface de phage, *Thèse UCL*, **2001**.
168. Lee K.Y., Hopkins J.D., O'Brien T.F. & Syvanen M., Gly-238-Ser substitution changes the substrate specificity of the SHV Class A β -lactamases. *Proteins*, **1991**, 11(1): 45-51.
169. Palzkill T. & Botstein D., Identification of amino acid substitutions that alter the substrate specificity of TEM-1 β -lactamase. *J. Bacteriol.*, **1992**, 174(16): 5237-5243.
170. Cantu C., III & Palzkill T., The role of residue 238 of TEM-1 β -lactamase in the hydrolysis of extended-spectrum antibiotics. *J. Biol. Chem.*, **1998**, 273(41): 26603-26609.
171. Raquet X., Lamotte-Brasseur J., Fonze E., Goussard S., Courvalin P. & Frere J.M., TEM β -lactamase mutants hydrolyzing third-generation cephalosporins. A kinetic and molecular modeling analysis. *J. Mol. Biol.*, **1994**, 244(5): 625-639.
172. Cantu C., III, Huang W. & Palzkill T., Selection and characterization of amino acid substitutions at residues 237-240 of TEM-1 β -lactamase with altered substrate specificity for aztreonam and ceftazidime. *J. Biol. Chem.*, **1996**, 271(37): 22538-22545.
173. Raquet X., Vanhove M., Lamotte-Brasseur J., Goussard S., Courvalin P. & Frere J.M., Stability of TEM β -lactamase mutants hydrolyzing third generation cephalosporins. *Proteins*, **1995**, 23(1): 63-72.
174. Voet D., Voet J.G. & Pratt C.W., *Fundamentals of Biochemistry*, John Wiley & Sons, **1999**, 1024 pp.
175. Helms L.R. & Wetzel R., Destabilizing loop swaps in the CDRs of an immunoglobulin VL domain. *Protein Sci.*, **1995**, 4(10): 2073-2081.
176. Nagi A.D. & Regan L., An inverse correlation between loop length and stability in a four-helix-bundle protein. *Fold. Des.*, **1997**, 2(1): 67-75.
177. Ladurner A.G. & Fersht A.R., Glutamine, alanine or glycine repeats inserted into the loop of a protein have minimal effects on stability and folding rates. *J. Mol. Biol.*, **1997**, 273(1): 330-337.
178. Collinet B., Herve M., Pecorari F., Minard P., Eder O. & Desmadril M., Functionally accepted insertions of proteins within protein domains. *J. Biol. Chem.*, **2000**, 275(23): 17428-17433.
179. Betton J.M., Jacob J.P., Hofnung M. & Broome-Smith J.K., Creating a bifunctional protein by insertion of β -lactamase into the maltodextrin-binding protein. *Nat. Biotechnol.*, **1997**, 15(12): 1276-1279.

180. Gu H., Kim D. & Baker D., Contrasting roles for symmetrically disposed β -turns in the folding of a small protein. *J. Mol. Biol.*, **1997**, 274(4): 588-596.
181. Collinet B., Garcia P., Minard P. & Desmadril M., Role of loops in the folding and stability of yeast phosphoglycerate kinase. *Eur. J. Biochem.*, **2001**, 268(19): 5107-5118.
182. Urfer R. & Kirschner K., The importance of surface loops for stabilizing an eightfold $\beta\alpha$ barrel protein. *Protein Sci.*, **1992**, 1(1): 31-45.
183. Gekko K., Kunori Y., Takeuchi H., Ichihara S. & Kodama M., Point mutations at glycine-121 of *Escherichia coli* dihydrofolate reductase: important roles of a flexible loop in the stability and function. *J. Biochem. Tokyo*, **1994**, 116(1): 34-41.
184. Hoedemaeker F.J., van Eijsden R.R., Diaz C.L., Sylvia de Pater B. & Kijne J.W., Destabilization of pea lectin by substitution of a single amino acid in a surface loop. *Plant Mol. Biol.*, **1993**, 22(6): 1039-1046.
185. Parge H.E., Hallewell R.A. & Tainer J.A., Atomic structures of wild-type and thermostable mutant recombinant human copper-zinc superoxide dismutase. *Proc. Natl. Acad. Sci. U.S.A.*, **1992**, 89(13): 6109-6113.
186. MacBeth G., Kast P. & Hilvert D., Redesigning enzyme topology by directed evolution. *Science*, **1998**, 279(5358): 1958-1961.
187. Green S.M., Gittis A.G., Meeker A.K. & Lattman E.E., One-step evolution of a dimer from a monomeric protein. *Nat. Struct. Biol.*, **1995**, 2(9): 746-751.
188. Di Donato A., Cafaro V. & D'Alessio G., Ribonuclease A can be transformed into a dimeric ribonuclease with antitumor activity. *J. Biol. Chem.*, **1994**, 269(26): 17394-17396.
189. Chen Y.W., Stott K. & Perutz M.F., Crystal structure of a dimeric chymotrypsin inhibitor 2 mutant containing an inserted glutamine repeat. *Proc. Natl. Acad. Sci. U.S.A.*, **1999**, 96(4): 1257-1261.
190. Nriagu J.O., *Nickel in the environment*, Wiley-Interscience Publication, Canada, **1980**, 833 pp.
191. Kato T., Nakamura S. & Morita M., Determination of nickel, copper, zinc, silver, cadmium and lead in seawater by isotope dilution inductively coupled plasma mass spectrometry. *Anal. Sci.*, **1990**, 6(4): 623-626.
192. Lewis C.L. & Ott W.L., *Analytical chemistry of nickel*, Vol. 43, International Series of Monographs in Analytical Chemistry, Pergamon Press, Oxford, **1970**, 233 pp.
193. Toei K., Motomizu S. & Kuse S., Naphthoquinonediaxime derivatives as analytical reagents for the spectrophotometric determination of nickel. *Anal. Chim. Acta*, **1975**, 75(2): 323-334.
194. Adeloju S.B. & Hadjichari A., Simultaneous determination of nickel and cobalt in natural water and sediment samples on an in-situ plated mercury film electrode by adsorptive cathodic stripping voltammetry. *Anal. Sci.*, **1999**, 15(1): 95-100.
195. Lewis C.L. & Ott W.L., *Analytical chemistry of nickel*, Pergamon Press, Oxford, **1970**.
196. Ponnuswamy T. & Chyan O., Detection of Ni^{2+} by a dimethylglyoxime probe using attenuated total-reflection infrared spectroscopy. *Anal. Sci.*, **2002**, 18(4): 449-453.
197. Korkeala H., Sorvettula O., Maki-Petays O. & Hirn J., Comparison of different agar diffusion methods for the detection of residues in the kidneys of pigs treated with antimicrobial drugs. *Meat Sci.*, **1983**, 9(4): 291-304.
198. Koenen-Dierick K., Okermann L., De Zutter L., Degroodt J.M., Van Hoof J. & Srebrnik S., A one-plate microbiological screening test for antibiotic residue testing in kidney tissue and meat: an alternative to the EEC four-plate method? *Food Addit. Contam.*, **1995**, 12(1): 77-82.
199. Korsrud G.O., Boison J.O., Nouws J.F.M. & MacNeil J.D., Bacterial inhibition tests used to screen for antimicrobial veterinary drug residues in slaughtered animals. *J. AOAC Int.*, **1998**, 81(1): 21-24.
200. Commission Regulation (EC) no. 1140/1996. *Off. J. Eur. Communities*, L151

201. Charm S.E., Zomer E., Lieu T., Gandman M. & Gandman L., Microbial inhibition apparatus, test kit, and method for detection of antimicrobial drugs, in *U.S.*, **1994**, (Charm Sciences, Inc., USA). U.S., 22 pp., No. US5354663.
202. Haasnoot W., Cazemier G., Koets M. & van Amerongen A., Single biosensor immunoassay for the detection of five aminoglycosides in reconstituted skimmed milk. *Anal. Chim. Acta*, **2003**, 488(1): 53-60.
203. Schnappinger P., Usleber E., Maertlbauer E. & Terplan G., Enzyme immunoassay for the detection of streptomycin and dihydrostreptomycin in milk. *Food Agric. Immunol.*, **1993**, 5(2): 67-73.
204. Beier R.C. & Stanker L.H., Application of immunoassay for detection of antibiotics in foods and feed: a review, in *Recent Research Developments in Agricultural & Food Chemistry*, Vol. 4, Pt. 1, **2000**, 59-93.
205. Di Corcia A. & Nazzari M., Liquid chromatographic-mass spectrometric methods for analyzing antibiotic and antibacterial agents in animal food products. *J. Chromatogr. A*, **2002**, 974(1-2): 53-89.
206. Haasnoot W., Stouten P., Cazemier G., Lommen A., Nouws J.F.M. & Keukens H.J., Immunochemical detection of aminoglycosides in milk and kidney. *Analyst*, **1999**, 124(3): 301-305.
207. Verheijen R., Osswald I.K., Dietrich R. & Haasnoot W., Development of a one step strip test for the detection of (dihydro)streptomycin residues in raw milk. *Food Agric. Immunol.*, **2000**, 12(1): 31-40.
208. Commission Regulation (EC) no. 508/1999. *Off. J. Eur. Communities*, L60: pp. 16-52.
209. Braham R., Black W.D., Claxton J. & Yee A.J., A rapid assay for detecting sulfonamides in tissues of slaughtered animals. *J. Food Prot.*, **2001**, 64(10): 1565-1573.
210. Spinks C.A., Schut C.G., Wyatt G.M. & Morgan M.R.A., Development of an ELISA for sulfachlorpyridazine and investigation of matrix effects from different sample extraction procedures. *Food Addit. Contam.*, **2001**, 18(1): 11-18.
211. Haasnoot W., Korsrud G.O., Cazemier G., Maneval F., Keukens H. & Nouws J., Application of an enzyme immunoassay for the determination of sulfamethazine (sulfadimidine) residues in swine urine and plasma and their use as predictors of the level in edible tissue. *Food Addit. Contam.*, **1996**, 13(7): 811-822.
212. Furusawa N., Determining the procedure for routine residue monitoring of sulfamethazine in edible animal tissues. *Biomed. Chromatogr.*, **2001**, 15(4): 235-239.
213. Van Eeckhout N., Perez J.C. & Van Peteghem C., Determination of eight sulfonamides in bovine kidney by liquid chromatography/tandem mass spectrometry with on-line extraction and sample clean-up. *Rapid Commun. Mass Spectrom.*, **2000**, 14(24): 2331-2338.
214. Haasnoot W., Bienenmann-Ploum M. & Kohen F., Biosensor immunoassay for the detection of eight sulfonamides in chicken serum. *Anal. Chim. Acta*, **2003**, 483(1-2): 171-180.
215. Dyson M.R. & Murray K., Selection of peptide inhibitors of interactions involved in complex protein assemblies: Association of the core and surface antigens of hepatitis B virus. *Proc. Natl. Acad. Sci. U.S.A.*, **1995**, 92(6): 2194-2198.
216. Fowlkes D.M., Adams M.D., Fowler V.A. & Kay B.K., Multipurpose vectors for peptide expression on the M13 viral surface. *Biotechniques*, **1992**, 13(3): 422-426, 428.
217. de Kruif J., Terstappen L., Boel E. & Logtenberg T., Rapid selection of cell subpopulation-specific human monoclonal antibodies from a synthetic phage antibody library. *Proc. Natl. Acad. Sci. U.S.A.*, **1995**, 92(9): 3938-3942.
218. McCafferty J., Griffiths A.D., Winter G. & Chiswell D.J., Phage antibodies: filamentous phage displaying antibody variable domains. *Nature*, **1990**, 348(6301): 552-554.
219. Parmley S.F. & Smith G.P., Antibody-selectable filamentous fd phage vectors: affinity purification of target genes. *Gene*, **1988**, 73(2): 305-318.

220. McConnell S.J., Uveges A.J., Fowlkes D.M. & Spinella D.G., Construction and screening of M13 phage libraries displaying long random peptides. *Mol. Diversity*, **1996**, 1(3): 165-176.
221. Salivar W.O., Tzagoloff H. & Pratt D., Some physical-chemical and biological properties of the rod-shaped coliphage M13. *Virology*, **1964**, 24(3): 359-371.
222. Muslin E.H., Clark S.E. & Henson C.A., The effect of proline insertions on the thermostability of a barley α -glucosidase. *Protein Eng.*, **2002**, 15(1): 29-33.
223. Hall E.A.H., *Biosensors*, Prentice-Hall, Englewood Cliffs, NJ, **1991**.
224. Thevenot D.R., Toth K., Durst R.A. & Wilson G.S., Electrochemical biosensors: recommended definitions and classification. *Biosens. Bioelectron.*, **2001**, 16(1-2): 121-131.
225. Gao W., Xing B., Tsien R.Y. & Rao J., Novel fluorogenic substrates for imaging β -lactamase gene expression. *J. Am. Chem. Soc.*, **2003**, 125(37): 11146-11147.
226. Chao H.-P. & Lee W.-C., A bioelectrode for penicillin detection based on gluten-membrane-entrapped microbial cells. *Biotechnol. Appl. Biochem.*, **2000**, 32(1): 9-14.
227. Liang P., Dong L. & Martin M.T., Light emission from ruthenium-labeled penicillins signaling their hydrolysis by β -lactamase. *J. Am. Chem. Soc.*, **1996**, 118(38): 9198-9199.
228. Martin M.T., Liang P. & Dong L., Electrochemiluminescent monitoring of compounds, in *PCT Int. Appl.*, **1996**, (Igen, Inc., USA). Wo, 56 pp., No. 9640978.
229. Fernandez-Gacio A., Uguen M. & Fastrez J., Phage display as a tool for the directed evolution of enzymes. *Trends Biotechnol.*, **2003**, 21(9): 408-414.
230. Degrado S.J., Mizutani H. & Hoveyda A.H., Efficient Cu-catalyzed asymmetric conjugate additions of alkylzincs to trisubstituted cyclic enones. *J. Am. Chem. Soc.*, **2002**, 124(45): 13362-13363.
231. Berkowitz S.A. & Day L.A., Mass, length, composition and structure of the filamentous bacterial virus fd. *J. Mol. Biol.*, **1976**, 102(3): 531-547.
232. Waley S.G., Spectrophotometric assay of β -lactamase action on penicillins. *Biochem. J.*, **1974**, 139(3): 789-790.
233. Jones R.N., Wilson H.W., Novick W.J., Jr., Barry A.L. & Thornsberry C., *In vitro* evaluation of CENTA, a new β -lactamase-susceptible chromogenic cephalosporin reagent. *J. Clin. Microbiol.*, **1982**, 15(5): 954-958.
234. Sanger F., Nicklen S. & Coulson A.R., DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. U.S.A.*, **1977**, 74(12): 5463-5467.