

Erratum: "Atomic force microscopy imaging of viscoelastic properties in toughened polypropylene resins" [J. Appl. Phys. 78, 5956 (1995)]

Bernard Nysten, Roger Legras, and JeanLouis Costa

Citation: J. Appl. Phys. 79, 7411 (1996); doi: 10.1063/1.362686

View online: <http://dx.doi.org/10.1063/1.362686>

View Table of Contents: <http://jap.aip.org/resource/1/JAPIAU/v79/i9>

Published by the American Institute of Physics.

Related Articles

Dynamics of chains and dendrimers with heterogeneous semiflexibility

J. Chem. Phys. 132, 124905 (2010)

Modeling the nanoscale viscoelasticity of fluids by bridging non-Markovian fluctuating hydrodynamics and molecular dynamics simulations

J. Chem. Phys. 131, 234115 (2009)

Cauchy relation in relaxing liquids

J. Chem. Phys. 128, 214502 (2008)

The microrheology of polystyrene sulfonate combs in aqueous solution

J. Chem. Phys. 123, 214904 (2005)

Viscoelastic properties of dendrimers in the melt from nonequilibrium molecular dynamics

J. Chem. Phys. 121, 12050 (2004)

Additional information on J. Appl. Phys.

Journal Homepage: <http://jap.aip.org/>

Journal Information: http://jap.aip.org/about/about_the_journal

Top downloads: http://jap.aip.org/features/most_downloaded

Information for Authors: <http://jap.aip.org/authors>

ADVERTISEMENT



**FIND THE NEEDLE IN THE
HIRING HAYSTACK**

Post jobs and reach
thousands of hard-to-find
scientists with specific skills



<http://careers.physicstoday.org/post.cfm> **physicstoday JOBS**

Erratum: "Atomic force microscopy imaging of viscoelastic properties in toughened polypropylene resins" [J. Appl. Phys. 78, 5956 (1995)]

Bernard Nysten^{a)} and Roger Legras

Unité de Chimie et de Physique des Hauts Polymères, Université Catholique de Louvain, place Croix du Sud 1, B-1348 Louvain-la-Neuve, Belgium

Jean-Louis Costa

Division Polypropylène, Solvay S.A., 310 rue de Ransbeek, B-1120 Bruxelles, Belgium

[S0021-8979(96)10809-4]

Figures 4 and 5 were poorly reproduced in the original publication. These figures are reproduced below.




FIG. 4. Images recorded on a sample of resin A (images size= $15 \times 15 \mu\text{m}^2$): (a) topographic image (z -scale= $0.6 \mu\text{m}$); (b) image of the in-phase response where brighter regions correspond to harder material having a higher rigidity (higher elastic modulus); (c) image of out-of-phase response where brighter regions correspond to materials having a more viscous behavior (higher loss modulus). For images (b) and (c), arbitrary units are used for the color scales.

^{a)} Author to whom correspondence should be addressed;

Fax: +32(10)451593, Electronic mail: nysten@pcpm.ucl.ac.be




FIG. 5. Images obtained on a sample of resin *B* (images size= $15 \times 15 \mu\text{m}^2$): (a) topographic image ($z=0.6 \mu\text{m}$); (b) image of the in-phase response; (c) image of out-of-phase response. For images (b) and (c), arbitrary units are used for the color scales.