

EMPIRICAL ARTICLE

WILEY

Non-problematic and problematic binge-watchers do not differ on prepotent response inhibition: A preregistered pilot experimental study

Maëva Flayelle^{1,2}  | Frederick Verbruggen³  | Julie Schiel¹ | Claus Vögele¹ | Pierre Maurage⁴  | Joël Billieux^{1,2} 

¹Institute for Health and Behaviour, Department of Behavioural and Cognitive Sciences, University of Luxembourg, Esch-sur-Alzette, Luxembourg

²Institute of Psychology, University of Lausanne, Lausanne, Switzerland

³Department of Experimental Psychology, Ghent University, Ghent, Belgium

⁴Louvain Experimental Psychopathology Research Group (LEP), Psychological Sciences Research Institute, UCLouvain, Louvain-La-Neuve, Belgium

Correspondence

Maëva Flayelle and Joël Billieux, Institute of Psychology, University of Lausanne, Geopolis, CH-1015 Lausanne, Switzerland.
Email: maeva.flayelle@unil.ch (M. F.) and joel.billieux@unil.ch (J. B.)

Abstract

Binge-watching (i.e., watching multiple episodes of a TV series back-to-back) has become standard viewing practice. Yet, this phenomenon has recently generated concerns regarding its potential negative outcomes on the long run. The presumed addictive nature of this behavior has also received increasing scientific interest, with preliminary findings reporting associations between binge-watching, self-control impairments, and heightened impulsivity. Nevertheless, previous studies only relied on self-report data. The current preregistered study therefore investigated whether non-problematic and problematic binge-watchers differ not only in self-report but also in experimental measures of behavioral impulsivity. Based on their viewing characteristics, 60 TV series viewers were allocated to one of three predetermined groups: non-binge-watchers, trouble-free binge-watchers (absence of negative impact) and problematic binge-watchers (presence of negative impact). Participants performed tasks assessing response inhibition (Stop-Signal Task) and impulsive reward seeking (Delay Discounting Task), and completed self-reported questionnaires on sociodemographics, affect, symptoms of problematic binge-watching, and impulsive personality traits. According to the preregistered analytic plan, one-way analyses of covariance (ANCOVAs) were computed to compare the predetermined groups. With gender being controlled for, no differences were identified in self-report impulsivity and response inhibition abilities. Trouble-free binge-watchers reported higher rates of delay discounting than non-binge-watchers. Although preliminary, our results challenge the notion that problematic binge-watching is characterized by the same neuropsychological impairments as in addictive disorders as, contrary to our preregistered hypotheses, no differences emerged between non-problematic and problematic binge-watchers regarding self-control variables considered as hallmarks of the latter. These results suggest the need for formulating and testing alternative conceptualizations of problematic binge-watching.

KEYWORDS

addictive behaviors, behavioral addictions, binge-watching, delay discounting, impulsivity, prepotent response inhibition, pre-registration, self-control, stop-signal task, TV series

1 | INTRODUCTION

With the expansion of video streaming platforms (e.g., Netflix, Amazon Prime, Hulu) offering viewers unlimited access to countless serialized programs, binge-watching (i.e., watching multiple episodes of a TV series back-to-back) has rapidly become the standard TV viewing mode (Deloitte, 2018; YouGov Omnibus, 2017). This popularization of binge-watching has raised concerns about the development of problematic viewing patterns, impacting daily living and health. In this respect, initial evidence suggests the potential harmfulness of excessive binge-watching in terms of sleep deprivation, sedentary lifestyle, and reduction of social relationships or other activities (De Feijter, Khan, & Van Gisbergen, 2016; Exelmans & Van den Bulck, 2017; Rubenking, Bracken, Sandoval, & Rister, 2018; Vaterlaus, Spruance, Frantz, & Kruger, 2019). A growing body of literature even considers this activity as an addictive behavior (Ciaramella & Biscuiti, 2014; Orosz, Bóthe, & Tóth-Király, 2016; Panda & Pandey, 2017; Riddle, Peebles, Davis, Xu, & Schroeder, 2017; Shim, Lim, Jung, & Shin, 2018; Starosta, Izydorczyk, & Lizyńczyk, 2019).

This view is supported by repeated qualitative evidence showing that binge-watchers commonly watch longer than intended and report unsuccessful attempts to reduce or cut down viewing (De Feijter et al., 2016; Devasagayam, 2014; Flayelle, Maurage, & Billieux, 2017), an observation further strengthened by quantitative results showing positive associations between binge-watching involvement and self-control deficits (Hasan, Kumar Jha, & Liu, 2018; Sung, Kang, & Lee, 2015; Tukachinsky & Eyal, 2018). In line with this, unplanned and unregulated binge-watching is related to heightened impulsivity (Flayelle, Maurage, Karila, Vögele, & Billieux, 2019; Riddle et al., 2017), with more severe binge-watchers also reporting higher sensitivity towards immediate gratification (Shim et al., 2018). These findings, however, are nuanced by other data showing no connection between low self-control and binge-watching (Merrill & Rubenking, 2019; Rubenking & Bracken, 2018; Tefertiller & Maxwell, 2018). Yet, a shared limitation of all of these investigations is that they exclusively relied on self-report measures, even though it has been proposed that combining multimodal measurement strategies might be better suited for a thorough determination of individual impulsivity levels (see, in particular, findings from a meta analytic review; Sharma, Markon, & Clark, 2014).

This study addresses this issue by testing whether TV series viewers with more or less proneness to binge-watching (and especially problematic binge-watching) differ not only in self-report but also in behavioral impulsivity measures. Impulsivity is indeed a complex multidimensional construct (Evenden, 1999; MacKillop et al., 2016) involving three broad domains: impulsive personality traits, motor impulsivity, and cognitive impulsivity (Caswell, Morgan, & Duka, 2013; Chamberlain & Sahakian, 2007; Malloy-Diniz, Fuentes, Leite, Correa, & Bechara, 2007; Vassileva, Gonzalez, Bechara, & Martin, 2007; Whiteside & Lynam, 2001); each requiring specific assessment methods. Impulsive personality traits reflect self-rated regulatory abilities, assessed using self-report questionnaires. According to one of the most influential models in the field, the *UPPS model of impulsivity*

(Cyders & Smith, 2008; Whiteside & Lynam, 2001), impulsivity traits relate to five main facets: negative urgency (the tendency to act rashly when experiencing intense negative emotions), positive urgency (the tendency to act rashly when experiencing intense positive emotions), lack of premeditation (the tendency not to take into account the consequences of an act before engaging in that act), lack of perseverance (the tendency to have difficulty remaining focused on a boring and/or difficult task), and sensation seeking (the tendency to enjoy and pursue new and exciting activities). While motor impulsivity refers to impulsive actions, characterized by an impaired capacity to refrain or suppress prepotent motor responses (see Friedman & Miyake, 2004), cognitive impulsivity is thought to reflect impulsive choices, marked by the preference for smaller immediate rewards over larger distal ones (i.e., delay discounting: Grant & Chamberlain, 2014; Green & Myerson, 2004; delay of gratification: Reynolds & Schiffbauer, 2005). Motor and cognitive impulsivity can be experimentally assessed with the Stop-Signal Task (Verbruggen & Logan, 2008) and the Delay Discounting Task (Lynam & Miller, 2004), both of which are highly effective for quantifying response inhibition and delay discounting (Bartholdy, Dalton, O'Daly, Campbell, & Schmidt, 2016; Lipszyc & Schachar, 2010; Rachlin, Raineri, & Cross, 1991; van den Bos, Rodriguez, Schweitzer, & McClure, 2015). Investigating these three psychological constructs in binge-watching is of prime interest to the matter at hand as impulsive personality traits, executive function impairment, and lower tolerance of delayed rewards are well-established characteristics of impulsive and addictive disorders (Dawe & Loxton, 2004; Groman, James, & Jentsch, 2009; MacKillop et al., 2011). A preregistered experiment was, therefore, conducted to assess these three indices of impulsivity in three predetermined groups of TV series viewers: (a) *non-binge-watchers*, (b) *trouble-free binge-watchers*, and (c) *problematic binge-watchers*. The current groups' determination aligns with converging evidence pointing to the distinctiveness of high (but non-harmful) and problematic binge-watching involvement (Flayelle et al., 2020; Flayelle, Maurage, Karila, et al., 2019), notably through the identification of common and distinct psychological processes underlying both viewing patterns. Based on our previous research, we proposed that, due to a higher (emotional) responsiveness to the cliffhanger ending of TV series episodes (i.e., leaving the storyline unresolved), binge-watchers (in general) would be more likely to seek the immediate gratification of watching the next episode, with those facing poorer self-control abilities being more at risk of developing uncontrolled patterns of binge-watching (Flayelle, Maurage, Karila, et al., 2019).

Prior to conducting this research, the study hypotheses, methodology and proposed analytic plan were preregistered in the *Open Science Framework* at: <https://osf.io/srg9w> (Doi:10.17605/OSF.IO/SRG9W). The preregistered hypotheses formulated are the following:

- 1 Compared to *non-binge-watchers*, (*trouble-free* and *problematic*) *binge-watchers* will report higher levels of negative and positive urgency (i.e., sub-facets of impulsivity referring to the tendency to act rashly when experiencing intense negative or positive emotions).

- 2 Compared to *non-binge-watchers* and *trouble-free binge-watchers*, *problematic binge-watchers* will show poorer performances in the inhibition of prepotent responses.
- 3 Compared to *non-binge-watchers*, (*trouble-free* and *problematic*) *binge-watchers* will report higher rates of delay discounting.

These assumptions were tested while considering a set of factors recognized to influence inhibitory control, that is, age, gender, and affect (Billieux, Gay, Rochat, & Van der Linden, 2010; Cross, Copping, & Campbell, 2011).

2 | METHODS

2.1 | Participants and procedure

This study followed a two-stage process. First, a brief online survey assessing sociodemographic characteristics and TV series watching behaviors was disseminated among students of the University of Luxembourg. Specifically, we asked them to report hours spent watching and number of episodes seen back-to-back during a typical viewing session. They also self-reported presence of functional impact and problematic binge-watching in the form of the two following “yes/no” questions: “Does TV series watching have already negatively impacted your everyday life (e.g., sleep deprivation, postponing of daily

tasks, displacement of other activities, close relatives' reproaches, etc.)?”; “Do you consider your TV series consumption as problematic?”. Inclusion criteria were age 18 years or older, French-speaker, and having watched TV series episodes on a regular basis on DVD, USB, SVOD, or streaming devices, over the past 6 months. Based on their viewing characteristics, 60 participants (76.7% female) aged between 18 and 37 years ($M = 23.4$, $SD = 3.28$) were selected in total (according to the inclusion criteria specified in Figure 1) and allocated to the three pre-determined groups (i.e., *non-binge-watchers*, *trouble-free binge-watchers*, and *problematic binge-watchers*) with 20 participants in each group. The current sample size determination was guided by an a priori computation (using G*Power software) to allow the detection of large effect sizes ($f^2 = 0.40$) with a statistical power of 0.80 and an α -error set at 0.05. The quantitative threshold used for grouping binge-watchers was drawn from the literature, where the cut-off point to start considering binge-level watching is most commonly set at three “hour-long” (average length: 42 min) TV series episodes (e.g., Erickson, Dal Cin, & Byl, 2019; Merrill & Rubenking, 2019; Riddle et al., 2017; Tukachinsky & Eyal, 2018).

This study obtained approval from the Ethics Review Panel of the University of Luxembourg (project identification code: ERP 18-055), and the selected participants received an incentive of 10€ for their participation. After providing informed consent, they completed a Stop-Signal Task (Verbruggen et al., 2008) assessing inhibition of prepotent responses, together with a Delay Discounting Task (Lynam &




FIGURE 1 Selection criteria for the three groups

Miller, 2004). Subsequently, they answered three self-report questionnaires in the following order: (a) the Binge-Watching Engagement and Symptoms Questionnaire (BWESQ; Flayelle et al., 2019), three subscales of which (i.e., binge-watching, dependency, loss of control) were used to assess symptoms of problematic binge-watching, and thus ascertain the validity of participants' allocation to one of the predefined groups; (b) the short Impulsive Behavior Scale (s-UPPS-P; Billieux, Rochat, et al., 2012); and (c) the Positive And Negative Affect Schedule (PANAS; Gaudreau, Sanchez, & Blondin, 2006).

2.2 | Instruments

2.2.1 | Stop-Signal Task (SST)

The SST (Verbruggen et al., 2008) measures inhibition of prepotent responses. In the primary task, participants were requested to respond as rapidly as possible to the shape of a go stimulus (left response key for a square, and right response key for a circle) displayed on a computer screen. Participants were instructed to refrain from responding when an auditory stop signal appeared shortly after the presentation of the go stimulus, which occurred in 25% of the trials. The delay between the go stimulus and the stop signal (i.e., stop-signal delay; SSD) was adjusted throughout the experiment via a staircase procedure aimed at identifying a point at which the participant successfully inhibited responses on approximately 50% of stop trials (see Verbruggen et al., 2008 for further methodological details). Following an initial practice block of 32 trials, the task comprised three blocks of 64 trials, resulting in 48 stop trials considered for analysis. Inhibitory control performance was estimated by the stop-signal reaction time (SSRT; Logan & Cowan, 1984), where the calculation is based on the integration method (with replacement of go omissions), as recommended by a recent consensus among Stop-Signal Task experts (Verbruggen et al., 2019). Larger SSRTs index poorer response inhibition.

2.2.2 | Delay discounting task (DDT)

The DDT (Lynam & Miller, 2004) is a monetary choice task in which participants are presented with a series of choices between smaller (hypothetical) amounts available immediately and a larger one available after a variable delay. Three blocks of 34 trials, each involving a specific time length (i.e., 1 week, 1 month, and 6 months) for the delayed reward permanently fixed at 1000€, occurred twice: in ascending sequence, with the immediately available amount systematically increasing (from 1€ to 990€), and in descending sequence, with the immediately available amount continuously decreasing (from 990€ to 1€). For each time period, the equivalence point was derived by averaging the ascending and descending values for which participants switched from preferring the delayed reward to the immediate one, and vice versa. A mean total score was then computed as overall discounting rate, with a lower equivalence point indicating a higher preference for smaller immediate rewards (Lynam & Miller, 2004).

2.2.3 | Binge-watching engagement and symptoms questionnaire (BWESQ)

The BWESQ (Flayelle, Canale, Vögele, et al., 2019) is a 40-item scale assessing binge-watching engagement and features of problematic binge-watching. Only three subscales of the questionnaire were used in the present experiment: *binge-watching* (6 items, for example, "When an episode comes to an end, and because I want to know what happens next, I often feel an irresistible tension that makes me push through the next episode."), *dependency* (5 items, for example, "I get tense, irritated or agitated when I can't watch my favorite TV series."), and *loss of control* (7 items, for example, "I sometimes try not to spend as much time watching TV series, but I fail every time."). Items are scored on a 4-point Likert scale ranging from 1 (*strongly disagree*) to 4 (*strongly agree*), with an average score being calculated for each subscale. The internal consistencies of these three subscales ranged from 0.65 (*dependency*) to 0.83 (*loss of control*) in the current sample.

2.2.4 | Short impulsive behavior scale (s-UPPS-P)

The s-UPPS-P (Billieux, Rochat, et al., 2012) is a 20-item scale evaluating five facets of impulsivity: *negative urgency* (e.g., "When I am upset I often act without thinking."), *positive urgency* (e.g., "When I am really excited, I tend not to think on the consequences of my actions."), *lack of premeditation* (e.g., "I usually think carefully before doing anything."—the item is reverse scored), *lack of perseverance* (e.g., "I generally like to see things through to the end."), and *sensation-seeking* (e.g., "I sometimes like doing things that are a bit frightening."). Items are scored on a 4-point Likert scale ranging from 1 (*strongly agree*) to 4 (*strongly disagree*), and a total score is calculated for each of the five subscales. The internal consistencies of the s-UPPS-P subscales ranged from 0.74 (*positive urgency*) to 0.88 (*lack of perseverance, sensation seeking*) in the current sample.

2.2.5 | Positive and negative affect schedule (PANAS)

The PANAS (original French version; Gaudreau et al., 2006) measures the experience of *positive affect* (e.g., "Enthusiastic") and *negative affect* (e.g., "Distressed") through two 10-item mood scales. Items are rated on a 5-point Likert scale ranging from 1 (*not at all*) to 5 (*very much*). A total score is computed for each subscale. Their internal consistency ranged from 0.76 (*positive affect*) to 0.83 (*negative affect*) in the current sample.

3 | RESULTS

3.1 | Data reduction

The data from two participants in the *non-binge-watchers* group were excluded from the analyses due to longer or identical average reaction times on unsuccessful stop trials than on go trials, which preclude

reliable SSRT estimation (Verbruggen et al., 2019). The final sample thus comprised 58 TV series viewers (75.9% female) aged between 18 and 37 years ($M = 23.5$, $SD = 3.26$), with 18 participants in the *non-binge-watchers* group, and 20 each in the two *binge-watchers* groups. The viewing characteristics of the three groups are summarized in Table 1.

3.2 | Initial group differences

According to the preregistered data-analytic plan, potential pre-existing group differences regarding age, gender, affect, and symptoms of problematic binge-watching, were examined using one-way analyses of variance (ANOVAs) and applying Bonferroni-corrected post-hoc *t*-tests when significant differences emerged. As indicated in Table 2, the results showed that, compared with *non-binge-watchers*,

problematic binge-watchers comprised significantly more female viewers, with members of this group reporting higher levels of loss of control and dependency on TV series watching. Furthermore, *problematic binge-watchers* presented significantly higher binge-watching rates than both *non-binge-watchers* and *trouble-free binge-watchers*. These results suggest that *problematic binge-watchers* can be distinguished from other groups on the basis of self-reported symptoms of problematic binge-watching, thereby confirming the validity of the present group allocation procedure.

3.3 | Impulsivity traits, inhibition of prepotent responses, and delay discounting

One-way analyses of covariance (ANCOVAs) were then computed to compare levels of impulsivity traits, and scores on the stop-signal and delay discounting tasks, while controlling for gender. Although the

TABLE 1 Viewing characteristics of the three groups

		Non-binge-watchers (N = 18)	Trouble-free binge-watchers (N = 20)	Problematic binge-watchers (N = 20)
	Range	M (SD)	M (SD)	M (SD)
Hours spent watching (working-day)	0–4	0.66 (0.53)	1.87 (0.65)	1.83 (1.08)
Hours spent watching (day-off)	0–8	1.14 (0.72)	3.64 (1.77)	3.26 (1.62)
Number of episodes in one session	1–6	1.94 (0.72)	3.70 (1.30)	3.35 (0.75)
		%	%	%
Reported functional impact		0	0	100
Self-identified as problematic viewer		0	0	30

TABLE 2 Comparison of age, gender, affect, and symptoms of problematic binge-watching between the three groups

		Non-binge-watchers (N = 18)	Trouble-free binge-watchers (N = 20)	Problematic binge-watchers (N = 20)	F
	Range	M (SD)	M (SD)	M (SD)	
Sociodemographic characteristics					
Age	18–37	23.50 (2.50)	23.80 (4.57)	23.10 (2.27)	0.23
Gender (F = 1; M = 2)		1.44 (0.51)	1.25 (0.44)	1.05 (0.22) ^a	4.44*
Self-reported questionnaires					
PANAS	1–5				
Negative affect		2.26 (0.67)	2.39 (0.51)	2.31 (0.62)	0.23
Positive affect		3.68 (0.28)	3.46 (0.53)	3.49 (0.52)	1.21
BWESQ	1–4				
Binge-watching		1.86 (0.59)	2.17 (0.52)	2.67 (0.48) ^{a,b}	11.18**
Dependency		1.30 (0.30)	1.61 (0.50)	1.65 (0.43) ^a	3.84*
Loss of control		1.44 (0.38)	1.87 (0.47)	2.16 (0.59) ^a	10.06**

Abbreviations: BWESQ, Binge-Watching Engagement and Symptoms Questionnaire; PANAS, Positive and Negative Affect Schedule.

^aStatistically significant in comparison to non-binge-watchers ($p < .05$).

^bStatistically significant in comparison to trouble-free binge-watchers ($p < .05$).

* $p < .05$.

** $p < .01$.

results indicate that *trouble-free binge-watchers* are characterized by a higher preference for smaller immediate rewards over relatively short periods of time (i.e., 1 week and 1 month) than *non-binge-watchers*, no further differences were found between groups regarding self-reported impulsivity and inhibitory control performance. These results are shown in Table 3.

The current findings were mostly supported by computing (additional and non-preregistered) Bayes factors (Schönbrodt & Wagenmakers, 2017). In the light of these post-hoc analyses, however, the findings proved inconclusive (i.e., no evidence) as to whether or not groups differed regarding the self-reported lack of perseverance and delay discounting rates (for the 1 week time period only), while providing anecdotal to strong evidence for the null hypothesis regarding all other assessed variables. Although not preregistered either, and following the procedure proposed by Lawrence, Luty, Bogdan, Sahakian, and Clark (2009), we also computed additional analyses to test whether groups differed in response monitoring (i.e., post-error slowing). We conducted these additional analyses as impairments in response adjustment have recently been reported for another type of binge behavior (i.e., binge-drinking; Bø, Aker, Billieux, & Landrø, 2016). In the current study, however, the *t* test comparing mean reaction time in go trials following successful and failed stop trials revealed no significant differences for each of the three groups. These additional results together with the complete anonymized data and matrix of correlations can be found at: <https://osf.io/2jzrw/>.

4 | DISCUSSION

Recently, binge-watching has been increasingly conceptualized as an addictive behavior. This preregistered pilot experimental study explored potential differences on behavioral and self-reported impulsivity in viewers with varying patterns of TV series watching. Three groups (i.e., *non-binge-watchers*, *trouble-free binge-watchers*, *problematic binge-watchers*) were compared with regard to impulsivity-related processes (i.e., self-reported impulsivity traits, inhibition of prepotent responses, and delay discounting), whose disruption is a well-documented correlate of behavioral and substance-related addictive disorders (Biernacki, McLennan, Terrett, Labuschagne, & Rendell, 2016; Billieux, Lagrange, et al., 2012; Smith, Mattick, Jamadar, & Iredale, 2014). Contrary to our preregistered assumptions, the results only show *trouble-free binge-watchers'* higher propensity to impulsive reward seeking (logically reflected by their practice of binge-watching, or in other words, seeking the immediate gratification of watching the next episode) compared with *non-binge-watchers*, while *problematic binge-watchers* do not stand out from the two other groups on any assessed forms of impulsivity.

Although preliminary, these findings imply that, unlike what typically happens in addictive disorders, inhibitory control impairment does not come into play as a key criterion to distinguish problematic from non-problematic binge-watching behavior, which suggests that problematic binge-watching requires its own framework of understanding. At a more general level, these experimental results thus stress again the

TABLE 3 Comparison of impulsivity traits, scores on the Stop-Signal Task and delay discounting rates between the three groups

	Non-binge-watchers (N = 18)	Trouble-free binge-watchers (N = 20)	Problematic binge-watchers (N = 20)	F
	M (SD)	M (SD)	M (SD)	
Self-reported assessment				
<i>s-UPPS-P</i>				
Negative urgency	2.22 (0.66)	2.25 (0.66)	2.29 (0.59)	0.46
Positive urgency	2.44 (0.42)	2.45 (0.68)	2.69 (0.58)	0.67
Lack of premeditation	1.81 (0.54)	1.84 (0.55)	2.06 (0.62)	0.78
Lack of perseverance	1.51 (0.60)	1.84 (0.71)	2.11 (0.72)	2.71
Sensation seeking	2.69 (0.69)	2.28 (0.58)	2.53 (0.82)	1.65
Laboratory assessment				
<i>Stop-signal task</i>				
SSRT	206.67 (40.95)	214.65 (28.97)	212.75 (45.09)	0.38
goRT	536.28 (86.37)	587.95 (153.84)	569.30 (116.82)	0.64
sRT	473.94 (65.88)	524.30 (128.03)	496.70 (83.69)	1.09
goPmiss	0.0008 (0.00226)	0.0063 (0.01221)	0.0066 (0.01253)	1.17
goERR	0.0070 (0.00635)	0.0067 (0.01052)	0.0071 (0.01199)	0.01
<i>Delay discounting task</i>				
EP 1 week	984.44 (23.88)	931 (90.08) ^a	960.00 (53.36)	3.39*
EP 1 month	912.78 (92.06)	751.75 (248.73) ^a	829.50 (117.32)	3.63*
EP 6 months	796.94 (138.64)	680.25 (276.82)	657.50 (195.98)	0.80

Abbreviations: EP, equivalence point; goERR, choice errors on go trials; goPmiss, go trials without a go response; goRT, reaction time on go trials; SSRT, stop-signal reaction time; sRT, reaction time on unsuccessful stop trials; s-UPPS-P, short Impulsive Behaviour Scale.

^aStatistically significant in comparison to non-binge-watchers ($p < .05$).

* $p < .05$.

potential inadequacy of approaches limiting their understanding of excessive-like recreational behaviors to the boundaries of addiction models, rather than focusing on their specific underlying psychological processes (i.e., Billieux, Schimmenti, Khazaal, Maurage, & Heeren, 2015; Kardefelt-Winther et al., 2017). In concert with others who previously stressed the necessity of investigating binge-watching through the lens of further theoretical models (Merrill & Rubenking, 2019), we, therefore, argue that alternative conceptualizations of problematic binge-watching should be explored, notably those considering problematic binge-watching as a maladaptive coping or emotion-regulation strategy (Flayelle, Maurage, Karila, et al., 2019; Flayelle, Maurage, Vögele, Karila, & Billieux, 2019; Rubenking & Bracken, 2018; Tukachinsky & Eyal, 2018).

Nonetheless, this study has several limitations. First, and most importantly, the current predetermined groups were created by relying on preliminary criteria which, although based on the existing literature, need further research to ascertain their validity. Moreover, the self-report nature of our single-item assessment of functional impairment is another weakness to acknowledge, which could be overcome through validated measures of functional impairment (e.g., WHODAS 2.0; Üstün, 2010) in future attempts at constituting groups of non-problematic and problematic binge-watchers. In addition, it cannot be ruled out that group differences may have occurred if a treatment-seeking group of binge-watchers had participated in this experiment. Finally, it is also possible that inhibitory control impairments do not play a role in problematic binge-watchers when confronted with neutral stimuli such as those used in the present study, but could have occurred if emotional stimuli (known to interfere with response inhibition ability; Rebetz, Roach, Ghisletta, Walder, & Van der Linden, 2015; Verbruggen & De Houwer, 2007) or even TV series-related stimuli have been used.

At this time, however, by revealing no differences on self-control-related dimensions between non-problematic and problematic binge-watchers, this preregistered experimental study suggests that problematic binge-watching is not affected by the same inhibitory control impairments as in addictive disorders. This, in turn, underscores the importance of developing sound alternative theoretical rationales that better serve a genuine understanding of this emerging behavior, and the conditions under which it may become problematic.

ORCID

Maëva Flayelle  <https://orcid.org/0000-0003-2941-6926>

Frederick Verbruggen  <https://orcid.org/0000-0002-7958-0719>

Pierre Maurage  <https://orcid.org/0000-0003-0197-0810>

Joël Billieux  <https://orcid.org/0000-0002-7388-6194>


REFERENCES

- Bartholdy, S., Dalton, B., O'Daly, O. G., Campbell, I. C., & Schmidt, U. (2016). A systematic review of the relationship between eating, weight and inhibitory control using the stop signal task. *Neuroscience & Biobehavioral Reviews*, 64, 35–62. <https://doi.org/10.1016/j.neubiorev.2016.02.010>
- Biernacki, K., McLennan, S. N., Terrett, G., Labuschagne, I., & Rendell, P. G. (2016). Decision-making ability in current and past users of opiates: A meta-analysis. *Neuroscience and Biobehavioral Reviews*, 71, 342–351. <https://doi.org/10.1016/j.neubiorev.2016.09.011>
- Billieux, J., Gay, P., Roach, L., & Van der Linden, M. (2010). The role of urgency and its underlying psychological mechanisms in problematic behaviours. *Behaviour Research and Therapy*, 48, 1085–1096. <https://doi.org/10.1016/j.brat.2010.07.008>
- Billieux, J., Lagrange, G., Van der Linden, M., Lançon, C., Adida, M., & Jeanningros, R. (2012). Investigation of impulsivity in a sample of treatment-seeking pathological gamblers: A multidimensional perspective. *Psychiatry Research*, 198, 291–296. <https://doi.org/10.1016/j.psychres.2012.01.001>
- Billieux, J., Roach, L., Ceschi, G., Carré, A., Offerlin-Meyer, I., Defeldre, A. C., ... Van der Linden, M. (2012). Validation of a short French version of the UPPS-P Impulsive Behavior Scale. *Comprehensive Psychiatry*, 53, 609–615. <https://doi.org/10.1016/j.comppsy.2011.09.001>
- Billieux, J., Schimmenti, A., Khazaal, Y., Maurage, P., & Heeren, A. (2015). Are we overpathologizing everyday life? A tenable blueprint for behavioral addiction research. *Journal of Behavioral Addictions*, 4, 119–123. <https://doi.org/10.1556/2006.4.2015.009>
- Bø, R., Aker, M., Billieux, J., & Landrø, N. I. (2016). Binge drinkers are fast, able to stop – But they fail to adjust. *Journal of the International Neuropsychological Society*, 22, 38–46. <https://doi.org/10.1017/S1355617715001204>
- Caswell, A. J., Morgan, M. J., & Duka, T. (2013). Inhibitory control contributes to “motor”—But not “cognitive”—Impulsivity. *Experimental Psychology*, 60, 324–334. <https://doi.org/10.1027/1618-3169/a000202>
- Chamberlain, S. R., & Sahakian, B. J. (2007). The neuropsychiatry of impulsivity. *Current Opinion in Psychiatry*, 20, 255–261. <https://doi.org/10.1097/YCO.0b013e3280ba4989>
- Ciarabella, D., & Biscuiti, M. (2014). *Can't stop, won't stop: Binge-viewing is our new favourite addiction*. New York, NY: Miner.
- Cross, C. P., Copping, L. T., & Campbell, A. (2011). Sex differences in impulsivity: A meta-analysis. *Psychological Bulletin*, 137, 97–130. <https://doi.org/10.1037/a0021591>
- Cyders, M. A., & Smith, G. T. (2008). Emotion-based dispositions to rash action: Positive and negative urgency. *Psychological Bulletin*, 134, 807–828. <https://doi.org/10.1037/a0013341>
- Dawe, S., & Loxton, N. J. (2004). The role of impulsivity in the development of substance use and eating disorders. *Neuroscience and Biobehavioral Reviews*, 28, 343–351. <https://doi.org/10.1016/j.neubiorev.2004.03.007>
- De Feijter, D., Khan, J. V., & Van Gisbergen, M. S. (2016). Confessions of a ‘guilty’ couch potato: Understanding and using context to optimize binge-watching behavior. *TVX '16 Proceedings of the ACM International Conference on Interactive Experiences for TV and Online Video*, Chicago, IL: ACM, 2016. <https://doi.org/10.1145/2932206.2932216>
- Deloitte's digital media trends survey, 12th edition (2018). A new world of choice for digital consumers. Retrieved from https://www2.deloitte.com/content/dam/insights/us/articles/4479_Digital-media-trends/4479_Digital_media%20trends_Exec%20Sum_vFINAL.pdf
- Devasagayam, R. (2014). Media bingeing: A qualitative study of psychological influences. *Proceedings of the Marketing Management Association*, 40–44.
- Erickson, S. E., Dal Cin, S., & Byl, H. (2019). An experimental examination of binge watching and narrative engagement. *Social Sciences*, 8, 19. <https://doi.org/10.3390/socsci8010019>
- Evenden, J. L. (1999). Varieties of impulsivity. *Psychopharmacology*, 146, 348–361. <https://doi.org/10.1007/pl00005481>
- Exelmans, L., & Van den Bulck, J. (2017). Binge viewing, sleep, and the role of pre-sleep arousal. *Journal of Clinical Sleep Medicine*, 13, 1001–1008. <https://doi.org/10.5664/jcsm.6704>
- Flayelle, M., Canale, N., Vögele, C., Karila, L., Maurage, P., & Billieux, J. (2019). Assessing binge-watching behaviors: Development and validation of the “watching TV series motives” and “binge-watching engagement and symptoms” questionnaires. *Computers in Human Behavior*, 90, 26–36. <https://doi.org/10.1016/j.chb.2018.08.022>
- Flayelle, M., Maurage, P., & Billieux, J. (2017). Toward a qualitative understanding of binge-watching behaviors: A focus group approach. *Journal*

- of *Behavioral Addictions*, 6, 457–471. <https://doi.org/10.1556/2006.6.2017.060>
- Flayelle, M., Maurage, P., Karila, L., Vögele, C., & Billieux, J. (2019). Overcoming the unitary exploration of binge-watching: A cluster analytical approach. *Journal of Behavioral Addictions*, 8, 586–602. <https://doi.org/10.1556/2006.8.2019.53>
- Flayelle, M., Maurage, P., Ridell Di Lorenzo, K., Vögele, C., Gainsbury, S. M., & Billieux, J. (2020). Binge-watching: What do we know so far? A first systematic review of the evidence. *Current Addiction Reports*, 7, 44–60. <https://doi.org/10.1007/s40429-020-00299-8>
- Flayelle, M., Maurage, P., Vögele, C., Karila, L., & Billieux, J. (2019). Time for a plot twist: Beyond confirmatory approaches to binge-watching research. *Psychology of Popular Media Culture*, 8, 308–318. <https://doi.org/10.1037/ppm0000187>
- Friedman, N. P., & Miyake, A. (2004). The relations among inhibition and interference control functions: A latent-variable analysis. *Journal of Experimental Psychology General*, 133, 101–135. <https://doi.org/10.1037/0096-3445.133.1.101>
- Gaudreau, P., Sanchez, X., & Blondin, J.-P. (2006). Positive and negative affective states in a performance-related setting: Testing the factorial structure of the panas across two samples of French-Canadian participants. *European Journal of Psychological Assessment*, 22, 240–249. <https://doi.org/10.1027/1015-5759.22.4.240>
- Grant, J. E., & Chamberlain, S. R. (2014). Impulsive action and impulsive choice across substance and behavioral addictions: Cause or consequence? *Addictive Behaviors*, 39, 1632–1639. <https://doi.org/10.1016/j.addbeh.2014.04.022>
- Green, L., & Myerson, J. (2004). A discounting framework for choice with delayed and probabilistic rewards. *Psychological Bulletin*, 130, 769–792. <https://doi.org/10.1037/0033-2909.130.5.769>
- Groman, S. M., James, A. S., & Jentsch, J. D. (2009). Poor response inhibition: At the nexus between substance abuse and attention deficit/hyperactivity disorder. *Neuroscience & Biobehavioral Reviews*, 33, 690–698. <https://doi.org/10.1016/j.neubiorev.2008.08.008>
- Hasan, R., Kumar Jha, A., & Liu, Y. (2018). Excessive use of online video streaming services: Impact of recommender system use, psychological factors, and motives. *Computers in Human Behavior*, 80, 220–228. <https://doi.org/10.1016/j.chb.2017.11.020>
- Kardefelt-Winther, D., Heeren, A., Schimmenti, A., van Rooij, A., Maurage, P., Carras, M., ... Billieux, J. (2017). How can we conceptualize behavioural addiction without pathologizing common behaviours? *Addiction*, 112, 1709–1715. <https://doi.org/10.1111/add.13763>
- Lawrence, A. J., Luty, J., Bogdan, N. A., Sahakian, B. J., & Clark, L. (2009). Impulsivity and response inhibition in alcohol dependence and problem gambling. *Psychopharmacology*, 207, 163–172. <https://doi.org/10.1007/s00213-009-1645-x>
- Lipszyc, J., & Schachar, R. (2010). Inhibitory control and psychopathology: A meta-analysis of studies using the stop signal task. *Journal of the International Neuropsychological Society*, 16, 1–13. <https://doi.org/10.1017/S1355617710000895>
- Logan, G. D., & Cowan, W. B. (1984). On the ability to inhibit thought and action: A theory of an act of control. *Psychological Review*, 91, 295–327. <https://doi.org/10.1037/0033-295X.91.3.295>
- Lynam, D. R., & Miller, J. D. (2004). Personality pathways to impulsive behavior and their relations to deviance: Results from three samples. *Journal of Quantitative Criminology*, 20, 319–341. <https://doi.org/10.1007/s10940-004-5867-0>
- MacKillop, J., Amlung, M. T., Few, L. R., Ray, L. A., Sweet, L. H., & Munafò, M. R. (2011). Delayed reward discounting and addictive behavior: A meta-analysis. *Psychopharmacology*, 216, 305–321. <https://doi.org/10.1007/s00213-011-2229-0>
- MacKillop, J., Weafer, J., Gray, J. C., Oshri, A., Palmer, A., & Wit, H. D. (2016). The latent structure of impulsivity: Impulsive choice, impulsive action, and impulsive personality traits. *Psychopharmacology*, 233, 3361–3370. <https://doi.org/10.1007/s00213-016-4372-0>
- Malloy-Diniz, L., Fuentes, D., Leite, W. B., Correa, H., & Bechara, A. (2007). Impulsive behaviour in adults with attention deficit/hyperactivity disorder: Characterisation of attention, motor and cognitive impulsiveness. *Journal of the International Neuropsychological Society*, 13, 693–698. <https://doi.org/10.1017/S1355617707070889>
- Merrill, K., & Rubenking, B. (2019). Go long or go often: Influences on binge-watching frequency and duration among college students. *Social Sciences*, 8, 10. <https://doi.org/10.3390/socsci8010010>
- YouGov Omnibus. (2017). 58% of Americans binge-watch TV show. Retrieved from <https://today.yougov.com/news/2017/09/13/58-americans-binge-watch-tv-shows/>
- Orosz, G., Bóthe, B., & Tóth-Király, I. (2016). The development of the problematic series watching scale (PSWS). *Journal of Behavioral Addictions*, 5, 144–150. <https://doi.org/10.1556/2006.5.2016.011>
- Panda, S., & Pandey, S. C. (2017). Binge-watching and college students: Motivations and outcomes. *Young Consumers*, 18, 425–438. <https://doi.org/10.1108/YC-07-2017-00707>
- Rachlin, H., Raineri, A., & Cross, D. (1991). Subjective probability and delay. *Journal of the Experimental Analysis of Behavior*, 55, 233–244. <https://doi.org/10.1901/jeab.1991.55-233>
- Rebetez, M. M. L., Rochat, L., Ghisletta, P., Walder, B., & Van der Linden, M. (2015). Association between impulsivity, emotional/behavioural hyperactivation and functional outcome one year after severe traumatic brain injury. *Brain Injury*, 29, 1175–1181. <https://doi.org/10.3109/02699052.2015.1035326>
- Reynolds, B., & Schiffbauer, R. (2005). Delay of gratification and delay discounting: A unifying feedback model of delay-related impulsive behavior. *Psychological Record*, 55, 439–460. <https://doi.org/10.1007/BF03395520>
- Riddle, K., Peebles, A., Davis, C., Xu, F., & Schroeder, E. (2017). The addictive potential of television binge-watching: Comparing intentional and unintentional binges. *Psychology of Popular Media Culture*, 7, 589–604. <https://doi.org/10.1037/ppm0000167>
- Rubenking, B., & Bracken, C. C. (2018). Binge-watching: A suspenseful, emotional, habit. *Communication Research Reports*, 35, 381–391. <https://doi.org/10.1080/08824096.2018.1525346>
- Rubenking, B., Bracken, C. C., Sandoval, J., & Rister, A. (2018). Defining new viewing behaviours: What makes and motivates TV binge-watching? *International Journal of Digital Television*, 9, 69–85. https://doi.org/10.1386/jdvt.9.1.69_1
- Schönbrodt, F. D., & Wagenmakers, E.-J. (2017). Bayes factor design analysis: Planning for compelling evidence. *Psychonomic Bulletin & Review*, 25, 128–142. <https://doi.org/10.3758/s13423-017-1230-y>
- Sharma, L., Markon, K. E., & Clark, L. A. (2014). Toward a theory of distinct types of 'impulsive' behaviors: A meta-analysis of self-report and behavioral measures. *Psychological Bulletin*, 140, 374–408. <https://doi.org/10.1037/a0034418.supp>
- Shim, H., Lim, S., Jung, E. E., & Shin, E. (2018). I hate binge-watching but I can't help doing it: The moderating effect of immediate gratification and need for cognition on binge-watching attitude-behavior relation. *Telematics and Informatics*, 35, 1971–1979. <https://doi.org/10.1016/j.tele.2018.07.001>
- Smith, J. L., Mattick, R. P., Jamadar, S. D., & Iredale, J. M. (2014). Deficits in behavioural inhibition in substance abuse and addiction: A meta-analysis. *Drug and Alcohol Dependence*, 145, 1–33. <https://doi.org/10.1016/j.drugalcdep.2014.08.009>
- Starosta, J., Izydorczyk, B., & Lizyńczyk, S. (2019). Characteristics of people's binge-watching behavior in the 'entering into early adulthood' period of life. *Health Psychology Report*, 7, 149–164. <https://doi.org/10.5114/hpr.2019.83025>
- Sung, Y. H., Kang, E. Y., & Lee, W. N. (2015). A bad habit for your health? An exploration of psychological factors for binge-watching behavior. In *65th ICA Annual Conference*, San Juan, Puerto Rico.
- Tefertiller, A. C., & Maxwell, L. C. (2018). Depression, emotional states, and the experience of binge-watching narrative television. *Atlantic*

- Journal of Communication*, 26, 278–290. <https://doi.org/10.1080/15456870.2018.1517765>
- Tukachinsky, R., & Eyal, K. (2018). The psychology of marathon television viewing: Antecedents and viewer involvement. *Mass Communication and Society*, 21, 275–295. <https://doi.org/10.1080/15205436.2017.1422765>
- Üstün, T. B. (2010). *Measuring health and disability: Manual for WHO disability assessment schedule WHODAS 2.0*, Geneva, Switzerland: World Health Organization.
- van den Bos, W., Rodriguez, C. A., Schweitzer, J. B., & McClure, S. M. (2015). Adolescent impatience decreases with increased frontostriatal connectivity. *Proceedings of the National Academy of Sciences of the United States of America*, 112, 3765–3774. <https://doi.org/10.1073/pnas.1423095112>
- Vassileva, J., Gonzalez, R., Bechara, A., & Martin, E. M. (2007). Are all drug addicts impulsive? Effects of antisociality and extent of multidrug use on cognitive and motor impulsivity. *Addictive Behaviours*, 32, 3071–3076. <https://doi.org/10.1016/j.addbeh.2007.04.017>
- Vaterlaus, J. M., Spruance, L. A., Frantz, K., & Kruger, J. S. (2019). College student television binge watching: Conceptualization, gratifications, and perceived consequences. *The Social Science Journal*, 56, 470–479. <https://doi.org/10.1016/j.soscij.2018.10.004>
- Verbruggen, F., Aron, A. R., Band, G. P., Beste, C., Bissett, P. G., Brockett, A. T., ... Colzato, L. S. (2019). A consensus guide to capturing the ability to inhibit actions and impulsive behaviors in the stop-signal task. *eLife*, 8, e46323. <https://doi.org/10.7554/eLife.46323.001>
- Verbruggen, F., & De Houwer, J. (2007). Do emotional stimuli interfere with response inhibition? Evidence from the stop signal paradigm. *Cognition and Emotion*, 21, 391–403. <https://doi.org/10.1080/02699930600625081>
- Verbruggen, F., & Logan, G. D. (2008). Response inhibition in the stop-signal paradigm. *Trends in Cognitive Sciences*, 12, 418–424. <https://doi.org/10.1016/j.tics.2008.07.005>
- Whiteside, S. P., & Lynam, D. R. (2001). The five factor model and impulsivity: Using a structural model of personality to understand impulsivity. *Personality and Individual Differences*, 30, 669–689. [https://doi.org/10.1016/S0191-8869\(00\)00064-7](https://doi.org/10.1016/S0191-8869(00)00064-7)

AUTHOR BIOGRAPHIES



Maëva Flayelle received her PhD from the University of Luxembourg in 2020. She is currently a lecturer at the Institute of Psychology of the University of Lausanne (UNIL) in Switzerland. Her research focuses on the understanding of the psychological processes underlying non-problematic and problematic binge-watching behaviors. Additional research interests include the use and effects of emerging technologies on human cognition and behavior.



Frederick Verbruggen received his PhD from Ghent University (Belgium) in 2005. He was a visiting fellow at Vanderbilt University (Nashville, TN) and Cardiff University (UK) before he became a senior lecturer at the University of Exeter (UK). In 2012, he was appointed to a Chair in Cognitive Psychology at Exeter University. In 2017, he moved back to Ghent University to take up a Research Professorship. His contributions to psychology are in the

study of “executive control” mechanisms. He examines how people withhold or suppress inappropriate or impulsive actions, switch between tasks and response strategies, and adjust behavior after bad outcomes. He also studies how executive control and learning interact, and how action control, decision-making, and motivation are related.



Julie Schiel received her master's degree in Psychology, with a focus on Clinical Psychology, from the University of Luxembourg in 2019. Her master thesis was on inhibitory control abilities and impulsivity at different levels of binge-watchers.



Claus Vögele is Professor of Clinical and Health Psychology, and Head of the Department of Behavioural and Cognitive Sciences of the University of Luxembourg. He is a recognized expert in research on psychophysiology, emotion regulation, health-risk behaviors, stress, interoception and mental disorders. He is also a chartered clinical psychologist and health psychologist (British Psychological Society) and licensed psychotherapist (Ministry of Health, Luxembourg) with a focus on cognitive-behavioral therapy. He has been involved in experimental work and field studies to examine psychological risk factors, emotion regulation and stress responses in children, adolescents and adults. More recently, he has been involved in several projects on resilience, and the effects of early life adversity on mental and physical health in later life.



Pierre Maurage is Senior Research Associate at the Belgian Fund for Scientific Research (F.R.S.—FNRS) and co-director of the Louvain Experimental Psychopathology research group at the Psychological Science Research Institute of the UCLouvain (Belgium). His research is mostly focused on the exploration, using combined experimental psychopathology and neuroscience approaches, of the psychological and cerebral processes (cognition, emotion, and social interactions) involved in the development and maintenance of alcohol-related disorders. All information about his current research projects and all his publications are available on his lab's website: <http://www.ucllep.be>.



Joël Billieux recently joined the University of Lausanne (UNIL) in Switzerland as an Associate Professor of Clinical Psychology, Psychopathology, and Psychological Assessment. In the past years, he worked as a Professor of Clinical Psychology at the University of Luxembourg (2017–2020) and at the Catholic University of Louvain in Belgium (2011–2017). His main area of research concerns the psychological factors

(cognitive, affective, motivational, and interpersonal) involved in the etiology of addictive behaviors, with a particular focus on self-regulation-related processes. Other research interests include the conceptualization and diagnosis of behavioral addictions, and the effect of emerging technologies on human behavior and cognition.

How to cite this article: Flayelle M, Verbruggen F, Schiel J, Vögele C, Maurage P, Billieux J. Non-problematic and problematic binge-watchers do not differ on prepotent response inhibition: A preregistered pilot experimental study. *Hum Behav & Emerg Tech*. 2020;2:259–268. <https://doi.org/10.1002/hbe2.194>