



Université catholique de Louvain
Faculté des Sciences Appliquées
LABORATOIRE DE TÉLÉCOMMUNICATIONS
ET
TÉLÉDÉTECTION

Place du Levant, 2
B - 1348 Louvain-la-Neuve
Belgique

Perception and Re-Synchronization Issues for the Watermarking of 3D Shapes

Patrice Rondão Alface

*Thèse présentée en vue de l'obtention du grade de
Docteur en Sciences Appliquées*

Examination Committee:

Benoît MACQ (UCL/TELE) - *Supervisor*
Mauro BARNI (Universita di Siena, Italy)
Vincent BLONDEL (UCL/INMA)
Henri MAÎTRE (GET/ENST Paris, France)
Jean-Jacques QUISQUATER (UCL/DICE)
Jean-Didier LEGAT (UCL/DICE) - *President*

Octobre 2006

Acknowledgments

A PhD thesis is truly a long quest that I would not have been able to complete without the aid and support of countless people over the four past years. My first acknowledgments go therefore to my supervisor, Benoît Macq, who has introduced me to a stimulating work environment and to this interesting research field.

Many thanks to my jury members for their advice and support during this research and for having kindly accepted to read and review this thesis. Their comments and remarks have helped to improve the quality of this work.

This thesis has been funded by the F.R.I.A. grant for which I am honored and grateful.

I would like to especially thank the people (and may I say friends) with whom I have collaborated on the topics of this thesis. From Louvain-La-Neuve to Grenoble, through Paris and Rennes, François Cayre has been a guide at the beginning of my research and a close collaborator during this thesis. The research works presented in Chapters 7 and 9 have been developed with him. Mathieu De Craene, who is always ready to help and who is fond of mutual information applications, has worked with me on the perceptive metric described in Chapter 4. Considering the same Chapter, many thanks to all the twenty-one anonymous people who have bravely participated to the psychovisual experiment.

Many people have brought some light on specific details of this research by interesting and useful discussions at conferences, workshops and meetings: Francis Schmitt, Isabelle Bloch, Laurent Jacques, Tony Tung,

Teddy Furon, Patrick Bas, Jeffrey Bloom, Sébastien Valette, Frédéric Lefebvre, Frédéric Payan, Pierre Moulin, Gabriel Peyré, Xavier Tricoche, Pierre Alliez, Wolfgang Funk, Massimiliano Corsini, Francesca Uccheddu, Jihane Bennour, Jean-Luc Dugelay, Luh Yen, Marco Saerens, Vincent Nicolas, Daniela Trevisan, Jacek Czyz, Damien Delannay, Aloys du Bois d'Aische, Julien Pironet, Paulo Pereira and so many others.

It is now nearly common knowledge that acquiring useful data is sometimes the hardest part of a thesis. I acknowledge the Stanford 3D Scanning Repository, The Digital Michelangelo Project, Cyberware, The Princeton Shape Benchmark, CRIF, Pratt & Whitney, Technical Arts Co. and GET/ENST Sculpteur Project.

I am very thankful to my friends inside and outside university: Dimitri, Luh, Guibert, Aurélie, Paulo, Daniela, Vincent, Mathieu, Aloys, Cédric, Diego and all I am ashamed to forget in these lines.

Last and most importantly, I would like to thank my family and Sandra for their unconditional support, understanding, care, love and patience.

Contents

List of figures	ix
-----------------	----

I General Introduction and Notions of Digital Shape Processing	1
1 General Introduction	3
1.1 Context of the work	3
1.2 Organization of the thesis	6
2 Digital Shape Processing	9
2.1 Introduction	9
2.2 Shapes and their digital representations	9
2.2.1 Non-Uniform Rational B-Splines (NURBS)	10
2.2.2 3D triangle meshes	11
2.3 Digital Topology	13
2.4 Parameterization	14
2.4.1 Digital parameterization	16
2.4.2 Distortion energy estimation	16
2.4.3 Tutte parameterization	18
2.4.4 Conformal and harmonic parameterizations	18
2.4.5 Authalic parameterization	19
2.5 Differential Geometry	20
2.6 Geodesic distances	25
2.7 Spectral Analysis	26
2.8 Multiresolution Analysis	27
2.9 Conclusion	30

II	Shape Perception	31
3	Perception of a 3D Shape	33
3.1	Introduction	33
3.2	Visualization Techniques	34
3.2.1	Rendering	34
3.2.2	Lighting Models	35
3.2.3	Textures	39
3.2.4	Global Illumination	40
3.2.5	Non-Photorealistic Rendering (NPR)	41
3.2.6	Level of Detail	42
3.3	Three-Dimensional Distance Metrics	43
3.3.1	Hausdorff distance	44
3.3.2	Volume based metric	44
3.3.3	Quadric Error Measure	45
3.3.4	Curvature Based Distance	45
3.3.5	RMSE, VSNR and Geometric Laplacian	45
3.3.6	Image-based metrics	46
3.3.7	Perceptive models	46
3.4	Conclusion	48
4	Shape Quality Assessment for 3D Watermarking Attacks	49
4.1	Introduction	49
4.2	Visual similarity metric through 2D projections	50
4.2.1	Mutual information	50
4.2.2	Generating 2D views	51
4.3	Subjective evaluation experiment	53
4.3.1	Experiment script	55
4.3.2	Statistical Analysis of the Experimental Results	56
4.4	Validation of the proposed metric	60
4.4.1	Noise addition	61
4.4.2	Vertex simplification	62
4.4.3	Smoothing	62
4.4.4	Image-based metrics and view variance	63
4.4.5	Final observations	64
4.5	Conclusion	65

III	Towards 3D Shape Watermarking	69
5	Introduction to Digital Watermarking	71
5.1	Introduction	71
5.2	Terminology	72
5.3	Applications of watermarking	75
5.3.1	Copy protection	75
5.3.2	Copyright protection	76
5.3.3	Integrity protection	76
5.3.4	Self-indexed contents	76
5.3.5	Augmented contents	77
5.3.6	Steganography	77
5.3.7	Fingerprinting	77
5.4	Watermarking of 3D Data	78
5.4.1	Why should 3D graphics content be protected?	78
5.4.2	Are there alternatives to 3D watermarking?	79
5.5	Conclusion	82
6	Survey of 3D Digital Watermarking: From 3D Mesh Data Hiding towards 3D Shape Blind and Robust Watermarking	83
6.1	Introduction	84
6.2	3D Watermarking Applications and Requirements	85
6.2.1	3D Watermarking Applications	85
6.2.2	Robustness and Attacks	85
6.2.3	Imperceptibility	87
6.2.4	Capacity, Content and Security	89
6.2.5	3D Watermarking Schemes Requirements	90
6.3	3D Watermarking Schemes	91
6.3.1	Spatial Domain	91
6.3.2	Transform Domain	100
6.3.3	Compression Domain	105
6.3.4	Attribute Domain	105
6.3.5	3D embedding and 2D retrieval	106
6.4	Conclusion	106
7	Spectral Watermarking of 3D meshes	109
7.1	Introduction	109
7.2	Spectral decomposition	110
7.2.1	Discrete Laplacian Operator	110

7.2.2	Discrete Laplacian operators and the Principal Component Analysis	112
7.2.3	Discrete Laplacian operators as connectivity-preserving linear mesh system	113
7.2.4	Properties of discrete combinatorial mesh Laplacian operators	115
7.2.5	Mesh spectra	117
7.3	Fixed basis decomposition, partitioning and overlapping . .	118
7.3.1	Tutte projection	120
7.3.2	Vertex mapping	120
7.3.3	Partitioning and patch augmentation by overlapping	122
7.4	Mesh geometry compression and progressive transmission .	124
7.4.1	Visual metric	125
7.4.2	Geometric compression	126
7.4.3	Progressive transmission	127
7.5	Watermarking	128
7.5.1	Method	128
7.5.2	Results and discussion	130
7.6	Conclusion, limitations and future work	134
8	Re-Synchronization of Spectral Watermarks by Umbilical Points	137
8.1	Introduction	137
8.2	Feature Points	138
8.2.1	Umbilical Points	139
8.2.2	Curvature Tensor Estimation	140
8.2.3	Curvature Tensor Field Filtering and Topological Analysis	141
8.2.4	Multi-Scale Analysis and Robust Umbilical Points . .	150
8.2.5	Analogy with the Scale-Invariant Feature Transform	151
8.3	Partition And Remeshing	152
8.3.1	Sampling Independent Wavefronts	152
8.3.2	Building The Geodesic Delaunay Triangulation . . .	153
8.3.3	Remeshing	154
8.4	Watermarking Encoding And Decoding	155
8.5	Results	156
8.6	Conclusion	159
9	3D Blind Local Watermarking and Robustness to Resampling and Cropping Attacks	161
9.1	Introduction	161

9.2	Overview of the proposed scheme	163
9.3	Robust Prongs Detection	165
9.3.1	Protrusion Function	165
9.3.2	Geodesics	166
9.3.3	Detecting Local Maxima	167
9.3.4	Computational Cost Optimization	169
9.4	Robust Local Neighborhoods	170
9.5	Patch Radial Watermarking	172
9.5.1	Robust Center of Gravity Estimation	173
9.5.2	Shape Histogram	174
9.5.3	Watermark Embedding	176
9.5.4	Watermark Decoding	178
9.6	Robustness Experimental Results	179
9.6.1	Robustness of Prong Detection	179
9.6.2	Robustness of the Watermarking Scheme	179
9.7	Conclusion	180
10	Conclusion	183
10.1	Contributions	183
10.1.1	Perceptual metric	184
10.1.2	Blind semi-fragile watermarking scheme based on spectral decomposition	184
10.1.3	Blind watermarking scheme robust against resampling	185
10.1.4	Blind watermarking scheme robust against resam- pling and cropping	185
10.1.5	Related Applications	186
10.2	Lines of Future Work	186
	Bibliography	189

List of Figures

2.1	Triangulated surface	13
2.2	Delaunay triangulation	13
2.3	Parameterization	15
2.4	Digital parameterization	15
2.5	Curvature of a 2D curve	20
2.6	Curvature of a 3D surface	21
2.7	Principal curvatures for basic 3D shapes	22
2.8	Principal curvatures directions	23
2.9	Mean and gaussian curvatures	24
2.10	Geodesic distance	25
2.11	Fast Marching wavefronts	25
2.12	Multiresolution Analysis	27
2.13	Subdivision surface	28
2.14	Wavelet	29
3.1	Shading models	40
3.2	Image texture mapping	41
3.3	Bump and environment mappings	41
3.4	LODs and simplification	43
3.5	LODs and scale	43
3.6	3D metrics and perception	47
4.1	Views generated to compare 3D shapes	53
4.2	Models used for the psychovisual experiment	54
4.3	Snapshot of the experiment environment	54
4.4	Perception of noise attack for the <i>Bunny</i> model	61
4.5	Perception of noise attack for the <i>Head</i> model	62
4.6	Perception of simplification attack for the <i>Bunny</i> model	63
4.7	Perception of simplification attack for <i>Hand</i> model	64

4.8	Perception of smoothing attack for <i>Feline</i> model	65
4.9	Perception of smoothing attack for the <i>Head</i> model	66
4.10	Visual appearance of smoothing and simplification attacks	66
4.11	Visual appearance of noise and smoothing attacks for the <i>Head</i> model	67
4.12	Visual appearance of the <i>Bunny</i> model for noise attack	67
4.13	View variance of image-based metrics for the noise attack	67
4.14	View variance of image-based metrics for the smoothing at- tack	68
4.15	View variance of image-based metrics for the vertex simpli- fication attack	68
5.1	Watermark embedding scheme	74
5.2	Watermark blind decoding scheme	75
5.3	Rendering pipeline protection issue	80
6.1	Remeshing and shape perception	88
6.2	Embedding strategies of connectivity-driven watermarking schemes	92
6.3	Examples of connectivity-driven watermarking schemes	93
7.1	Point distribution	112
7.2	Planar mesh vibration modes and KL operator	117
7.3	Planar mesh vibration modes, TL and GL operators	118
7.4	Mesh vibration modes	119
7.5	Connectivity Shapes	120
7.6	Spectra of the dark blue patch for models <i>Bunny</i> and <i>Fandisk</i> (optimal basis).	121
7.7	Tutte projection of original and regular connectivity	122
7.8	Patch augmentation by overlapping	123
7.9	Artifacts caused by partitioning	124
7.10	LOT example for the <i>bunny</i> model	125
7.11	Spectral bitstream	126
7.12	Rate-distortion curves	127
7.13	Progressive reconstruction of the <i>Fandisk</i> model	128
7.14	Influence of patch size on the watermark visibility	129
7.15	Watermark embedding	130
7.16	Watermark strength and overlapping	131
7.17	Watermark strength and measured visual distortion	132
7.18	Watermark strength and measured visual distortion	133

7.19	Partitioning and watermark embedding	134
7.20	Watermark robustness against compression	135
7.21	Watermark robustness against noise addition, RST trans- forms and smoothing	136
8.1	Curvature estimation details	141
8.2	Curvature estimation visual results	142
8.3	Tensor index	145
8.4	Wedges and trisectors	147
8.5	Combined umbilical points	148
8.6	Tensor filtering	149
8.7	Multi-scale curvature estimation	150
8.8	Front propagation	153
8.9	Harmonic parameterization	155
8.10	Harmonic parameterization and density	156
8.11	Shape partition	157
8.12	Regular connectivity remeshing	157
8.13	Projection	158
8.14	Benchmark of the umbilical points robustness	158
8.15	Benchmark of the whole watermarking scheme robustness .	159
8.16	Visual appearance of watermarked patches	159
8.17	Visual appearance of a watermarked model	160
9.1	Meaningful cropping attacks	162
9.2	Perceptual segmentation	163
9.3	Voronoi and barycentric and 1-ring neighborhoods	166
9.4	Protrusion function	166
9.5	Prongs and MDS	168
9.6	Convex hull approximations	169
9.7	Optimization of the protrusion estimation	171
9.8	Prong neighborhoods	173
9.9	Radius shape histogram	175
9.10	Generating a random point	176
9.11	Shape histogram invariance to resampling	177
9.12	Mean distribution shift	178
9.13	Cropping Attack and prong neighborhood	179
9.14	Benchmark of the prong detection robustness	180
9.15	Benchmark of the prong detection robustness	180

