



3119

REPRINT

Koen Decancq

Measuring cumulative deprivation
and affluence based on the diagonal
dependence diagram

Metron, online, 2020



CORE

Voie du Roman Pays 34, L1.03.01

B-1348 Louvain-la-Neuve

Tel (32 10) 47 43 04

Email: lidam-library@uclouvain.be

[https://uclouvain.be/en/research-institutes/
lidam/core/reprints.html](https://uclouvain.be/en/research-institutes/lidam/core/reprints.html)



Measuring cumulative deprivation and affluence based on the diagonal dependence diagram

Koen Decancq^{1,2,3,4} 

Received: 28 March 2020 / Accepted: 18 May 2020
© Sapienza Università di Roma 2020

Abstract

In this paper, I introduce the diagonal dependence diagram to chart dependence around the main diagonal of a multivariate distribution. This diagonal dependence diagram is a useful tool to quantify phenomena such as cumulative deprivation and affluence. A society is said to exhibit more cumulative deprivation when more persons occupy bottom positions in all dimensions of well-being. Analogously, there is more cumulative affluence in a society when more persons occupy top positions in all dimensions. The diagonal dependence diagram consists of two curves which are obtained by taking the diagonal section of the underlying copula and survival functions, respectively. I show the elementary multivariate rearrangements underlying dominance in terms of both curves. The area under each curve leads to a natural index of diagonal dependence. Interestingly, the average of both indices equals a multivariate generalization of Spearman's footrule and is closely related to the cograduation index proposed by Gini.

Keywords Copula · Cumulative deprivation · Cumulative affluence · Diagonal dependence · Spearman's footrule · Gini's cograduation index

JEL Classification D63 · I31

I thank Begoña Cabeza, Shaun Da Costa, Vanesa Jordá, Ana Perez Espartero, Mercedes Prieto Alaiz, Giovanna Sarchilli, and Mateo Séré for useful comments. Financial support of the Research Foundation-Flanders is gratefully acknowledged.

✉ Koen Decancq
koen.decancq@uantwerpen.be

¹ Centre for Social Policy, University of Antwerp, Antwerp, Belgium

² Department of Economics, KULeuven, Leuven, Belgium

³ Centre for Philosophy of Natural and Social Science, LSE, London, UK

⁴ CORE, Université catholique to Louvain, Louvain-la-Neuve, Belgium

1 Introduction

The contribution of Corrado Gini to the field of inequality measurement can hardly be overestimated.¹ In his path-breaking work, Gini [24] introduced the concentration ratio as a new inequality measure and showed how it is linked to the Lorenz curve and to the mean absolute difference between all income pairs. This contribution spearheaded the statistical approach to inequality measurement.²

The focus of Gini and his contemporaries was on the measurement of inequality in a single characteristic. Often, the characteristic of interest was a monetary variable such as income and wealth, but Gini [25, p. 124] stressed himself that “the same methods are, on the other hand, not only applicable to incomes and wealth, but to all other quantitative characteristics (economic, demographic, anatomical or physiological)”. More recently, under the impetus of scholars like Amartya Sen [48,49], an interest has grown around measures of multidimensional inequality that summarize the inequality in multiple characteristics in a single measure.³

The main difference between a multidimensional approach to the measurement of inequality and a dimension-by-dimension analysis of each characteristic separately, is that the latter is not sensitive to the dependence between the characteristics [16]. Consider, for instance, a society where one individual is top-ranked according to all characteristics, another individual second-ranked, and so on. This society, reminiscent of a caste system, is arguably less equal than another society with exactly the same distributional profile in each characteristic separately, but where some individuals are performing relatively well on some characteristics and other individuals on others. Despite the difference in dependence between the dimensions, both societies will be judged to be at the same level of inequality by all dimension-by-dimension approaches.

In this paper, I discuss the measurement of a specific aspect of dependence between dimensions of well-being, i.e., the cumulative deprivation and affluence. We say that there is more cumulative deprivation in a society when more persons occupy bottom positions in all dimensions of well-being.⁴ Several observers have argued that cumulative deprivation in itself is undesirable and unjust, see [17] for an overview. Similarly, there is more cumulative affluence in a society when more persons occupy top positions in all dimensions. While the notions of cumulative deprivation and affluence focus on different parts of the distribution, they are both concerned with the question of whether the positions in all characteristics are aligned. In other words, both notions focus on the dependence around the main diagonal of the multivariate distribution of positions.⁵

To quantify the dependence around the main diagonal, I follow an approach that echoes the Gini approach to inequality measurement. First, I introduce the diagonal dependence diagram, which is a graphical representation that consists of two curves: the downward and

¹ See [26,27] for (bibliographic) overviews of Gini’s contribution to the field of inequality measurement.

² The statistical approach may be contrasted with the normative approach to the measurement of inequality, developed in the wake of [5,14]. This normative approach focuses on the social welfare cost of inequality, rather than on inequality itself.

³ For a non-exhaustive overview of the literature on multidimensional inequality measurement, see [8,12,31,32,56,59]. Andreoli and Zoli [4] provide a recent review and study how results about unidimensional stochastic dominance can be extended to the multidimensional setting.

⁴ The notion of cumulative deprivation generalizes the intersection approach that is used in the analysis of multidimensional poverty, see [2,3,6].

⁵ The main diagonal connects the position vector that consists of the bottom position in all dimensions with the position vector that consists of the top position in all dimensions.

upward diagonal dependence curve. These curves are obtained by taking a diagonal section of the underlying copula and survival function, respectively. The downward diagonal dependence curve plays a role comparable to the Lorenz curve in inequality measurement and the upward diagonal dependence curve can be compared to the Leimkhuler curve [45]. While the downward diagonal dependence curve summarizes the relevant information about cumulative deprivation, the upward diagonal dependence curve is useful to summarize cumulative affluence. Next, I study the elementary rearrangements that are equivalent to dominance in terms of these curves. These rearrangements play a role akin to that of Pigou–Dalton transfers in inequality measurement. Finally, I derive indices of diagonal dependence based on the area under the diagonal dependence curves. The average of the obtained indices of diagonal dependence equals Spearman’s footrule, a measure of rank association that was proposed by Spearman in [51]. Interestingly, this measure is closely related to the cograduation index, the “*indice di cograduazione semplice*”, which was originally proposed by Gini [23, §98].⁶

The current work fits into a literature that uses copula-based techniques to measure dependence between dimensions of well-being in a scale-free manner. Early contributions by [7,42,43] focus on the measurement of the dependence between health and income. Decancq [16] looks at the dependence between income, health, and education in Russia, using non-parametric estimates of Spearman’s ρ and Kendall’s τ , and finds an increase in dependence between 1995 and 2005. Tkach and Gigliarano [54] follow a parametric approach and derive Spearman’s ρ and Kendall’s τ for several European countries. Pérez and Prieto [40] refine the non-parametric measures used by Decancq [16] and look at the dependence between income, material deprivation, and work intensity in Spain between 2009 and 2013. In a follow-up paper, García-Gomez et al. [21] extend the analysis for 28 European countries between 2008 and 2014. Atkinson and Lakner [9] consider the dependence between top labour and capital incomes in the United States between 1962 and 2006, and Aaberge et al. [1] look at the case of Norway between 1995 and 2005. The paper by Pérez and Prieto-Alaiz [41] is arguably closest to the current one in terms of dependence measures used. The authors look at the dependence between the dimensions of the Human Development Index using Spearman’s footrule and Gini’s cograduation index. They find that the dependence structure between these three dimensions is rather stable over time.

The contribution of the paper is threefold. First, it introduces the diagonal dependence diagram, which allows a parsimonious description of the dependence structure of a multivariate distribution around the diagonal with a one-dimensional representation. The diagram provides a specific (geometric) interpretation of some existing abstract results from mathematical statistics and is closely related to the notion of tail dependence. The curves in the diagonal dependence diagram are useful to represent the cumulative deprivation and affluence in a society, but may be relevant for other applications as well (such as the measurement of multidimensional poverty). Second, the paper connects the curves of the diagonal dependence diagram to recent developments in multivariate stochastic dominance analysis, which provides additional insights into the underlying elementary rearrangements. Third, two natural measures of diagonal dependence are derived in this paper. These measures are closely related to Spearman’s footrule and Gini’s cograduation index.

The paper is structured as follows. Section 2 introduces the notation and presents the copula and survival functions as central building blocks. Section 3 introduces the diagonal dependence diagram. Section 4 studies dominance in terms of the diagonal dependence curves. In Sect. 5 the diagonal dependence indices are derived and compared to other dependence measures. Section 6 concludes.

⁶ See [22] for a historical overview of the use of Spearman’s footrule and its link to Gini’s cograduation index.

2 The copula

Let there be m relevant dimensions of well-being such as income, health, social interactions, education, and so on. The random vector $X = (X_1, \dots, X_m)$ describes the distribution of the outcomes in these dimensions across the individuals in a society. The cumulative distribution function of the random vector X is denoted F_X . For all $x = (x_1, \dots, x_m)$, we have:

$$F_X(x_1, \dots, x_m) = \Pr[X_1 \leq x_1 \text{ and } \dots \text{ and } X_m \leq x_m]. \quad (1)$$

For each realization of the random vector, the cumulative distribution function returns the proportion of individuals in the society who have less or equal in each dimension of well-being. Similarly, $\bar{F}_X$, the decumulative distribution function or survival function, returns for each realization of the random vector the proportion of individuals in the society who have strictly more in every dimension. For all $x = (x_1, \dots, x_m)$, we have:

$$\bar{F}_X(x_1, \dots, x_m) = \Pr[X_1 > x_1 \text{ and } \dots \text{ and } X_m > x_m]. \quad (2)$$

In contrast to the univariate case, the equation $F_X = 1 - \bar{F}_X$ is generally not true in the multivariate case.

The marginal distribution function of dimension $j = 1, \dots, m$ is denoted F_j . In what follows, the position of the individual having x_j in dimension j , will be referred to as $p_j = F_j(x_j)$. A position belongs to the set $\mathbb{I} \subseteq [0, 1]$ and may be interpreted as the rank in the distribution of the individual having x_j . The position vector $p = (p_1, \dots, p_m)$ of an individual lists their positions in all dimensions of well-being. An individual with a position vector equal to $(1, \dots, 1)$ is top-ranked in all dimensions, whereas an individual with position vector $(0, \dots, 0)$ is bottom-ranked. One position vector is said to be outranked by another if it has a lower or equal position in all dimensions. Conversely, one position vector outranks another if it has a higher position in all dimensions.

The random variable $P_j = F_j(X_j)$, describes the distribution of the positions in the j th dimension of well-being and follows a standard uniform distribution. The random vector $P(X) = (F_1(X_1), \dots, F_m(X_m))$ captures the distribution and alignment of the positions in the society. The cumulative distribution function of the positions $F_{P(X)}$ is a *copula function*, and will be denoted C_X .⁷ A copula function is an m -dimensional cumulative distribution function whose support is $\mathbb{I}^m$ and whose one-dimensional marginal distribution functions follow a standard uniform distribution. The copula function of random vector X returns for every position vector the proportion of individuals in the society who are outranked by the position vector. Hence, for all $p = (p_1, \dots, p_m)$ in $\mathbb{I}^m$, we have:

$$C_X(p_1, \dots, p_m) = \Pr[F_1(X_1) \leq p_1 \text{ and } \dots \text{ and } F_m(X_m) \leq p_m]. \quad (3)$$

The more the position vectors are aligned, the larger the proportion of individuals in the society being outranked, and the larger the copula function for any given position vector.

The *survival function* $\bar{C}_X$ can be defined in an analogous way. It returns, for every position vector, the proportion of individuals in the society who are outranking the position vector. For all $p = (p_1, \dots, p_m)$ in $\mathbb{I}^m$, we have:

$$\bar{C}_X(p_1, \dots, p_m) = \Pr[F_1(X_1) > p_1 \text{ and } \dots \text{ and } F_m(X_m) > p_m]. \quad (4)$$

In the multivariate case, the copula function C_X and the survival function $\bar{C}_X$ offer a complementary view on the alignment of the position vectors. While the copula function looks

⁷ See [38] and [55] for a thorough discussion of the copula function and its properties.

“downwards” at the proportion of individuals who are outranked, the survival function looks “upwards” at the proportion of individuals who are outranking. The copula function will turn out to be a useful tool to describe the phenomenon of cumulative deprivation, while the survival function is useful to describe cumulative affluence.

The popularity of the copula function can be largely attributed to the result by Sklar [50] that shows that every multivariate distribution function F_X can be written as a function of its m marginal distribution functions F_j and its copula function C_X :

$$F_X(x_1, \dots, x_m) = C_X(F_1(x_1), \dots, F_m(x_m)). \quad (5)$$

Moreover, if $F_1, \dots, F_m$ are all continuous, C_X is unique; otherwise C_X is uniquely determined on $\mathbb{I}^m = \text{Range } F_1 \times \dots \times \text{Range } F_m$. Sklar’s result permits a decomposition of the m -dimensional distribution function into its marginal distribution functions and its copula function. Standard (one-dimensional) inequality measures such as the Gini coefficient can be used to quantify the inequality in the marginal distributions, while copula-based measures of dependence allows one to summarize the dependence structure.

The independence copula $C_\perp(p_1, \dots, p_m) = p_1 \times \dots \times p_m$ is an intuitive example of a copula function. By substituting $p_j = F_j(x_j)$, the independence joint distribution function can be retrieved as the product of its marginal distribution functions. When the distribution of the position vectors in a society is given by the independence copula, the dimensions of well-being are independent. The political philosopher Michael [58] describes such a society as a complex equal society (see also [33]).

Every copula function is bounded by its Fréchet–Hoeffding bounds, which are defined by $C_-(p_1, \dots, p_m) = \max(p_1 + \dots + p_m - m + 1, 0)$ and $C_+(p_1, \dots, p_m) = \min(p_1, \dots, p_m)$ respectively [38, p. 11].⁸ Hence, for all $p = (p_1, \dots, p_m)$ in $\mathbb{I}^m$, we have:

$$C_-(p_1, \dots, p_m) \leq C_X(p_1, \dots, p_m) \leq C_+(p_1, \dots, p_m). \quad (6)$$

The Fréchet–Hoeffding bounds C_- and C_+ will be referred to as the countermonotonic and comonotonic case. In the countermonotonic case C_- , high ranks in some dimensions come with low ranks in others, and none of the position vectors outrank or is outranked by any other position vector. In the comonotonic case C_+ , on the other hand, there is one individual who is top-ranked in all dimensions of well-being, another individual second-ranked in all dimensions, and so on.

Figure 1 shows contour diagrams of C_- , $C_\perp$, and C_+ in the bivariate case. Between two contour curves in the diagram, ten percent of the individuals in the society can be found. While all individuals can be found on the antidiagonal that connects the position vectors (0, 1) and (1, 0) in the first case, they are evenly scattered around in the second case, and are all situated on the main diagonal between the position vectors (0, 0) and (1, 1) in the latter case. The contour curves are linear for C_- , are curved for $C_\perp$, and kinked for C_+ . In all three cases, the marginal distributions of the positions follow a standard uniform distribution.

3 The diagonal dependence diagram

In this section, the diagonal dependence diagram is introduced. It consists of two curves: the downward and upward diagonal dependence curve. These curves are derived from the copula and survival function, respectively.

⁸ For $m \geq 3$, the function C_- is a lower bound for the copula function, but it is not a distribution function and, hence, cannot be a copula function [38, p. 47].




Fig. 1 Contour diagrams of C_- , $C_\perp$, and C_+

The contour diagrams of Fig. 1 are useful to introduce the downward diagonal dependence curve. In every panel the main diagonal is indicated with a dashed line. The downward diagonal dependence curve is obtained by making a section of the copula function along that diagonal.⁹

Definition 1 (*Downward diagonal dependence curve*) For all m -dimensional random vectors X with copula function C_X , we say that D_X is the *downward diagonal dependence curve* of X , if for all p in $\mathbb{I}$:

$$D_X(p) = C_X(p, \dots, p). \quad (7)$$

For each position p , the downward diagonal dependence curve gives the proportion of the society who have a lower or equal position than p in *all* dimensions of well-being. The proportion of the society which is below or equal to the median in all dimensions is given by $D_X(0.5)$, for instance. The curve represents the local information about dependence around the main diagonal and takes a “downward” perspective, by focusing on the position vectors with a lower or equal position than the position vectors on the diagonal.

The left-hand panel of Fig. 2 gives an example of a downward diagonal dependence curve for a multivariate random vector X . The dashed line gives the downward diagonal dependence curve of the comonotonic case and is denoted D_+ . The downward diagonal dependence curve of an independent m -dimensional distribution equals p^m and is denoted $D_\perp$. Every downward diagonal dependence curve starts at 0 (when $p = 0$) and ends at 1 (when $p = 1$). Moreover, we have that $D_X(p) \leq p$ for all random vectors X .

Analogous to the derivation of the downward diagonal dependence curve D_X from the copula function C_X , the upward diagonal dependence curve $\bar{D}_X$ can be derived from the survival function $\bar{C}_X$.¹⁰

Definition 2 (*Upward diagonal dependence curve*) For all m -dimensional random vectors X with survival function $\bar{C}_X$, we say that $\bar{D}_X$ is the *upward diagonal dependence curve* of X , if for all p in $\mathbb{I}$:

$$\bar{D}_X(p) = \bar{C}_X(1 - p, \dots, 1 - p). \quad (8)$$

⁹ In mathematical statistics, the downward diagonal dependence curve is known as the diagonal section of a copula function, see [38, p. 12]. Fernández-Sánchez and Úbeda-Flores [20] give a recent review of the statistical literature that deals with the existence and properties of the copula for a given diagonal section.

¹⁰ To be precise, the upward diagonal dependence curve is the diagonal section of the survival copula $\hat{C}_X(p, \dots, p) = \bar{C}_X(1 - p, \dots, 1 - p)$. On the definition of the survival copula $\hat{C}$ and its relation to the survival function $\bar{C}$, see [38, pp. 32–33].





Fig. 2 The downward diagonal dependence curve D_X (left) and upward diagonal dependence curve $\bar{D}_X$ (right) of random vector X

Fig. 3 The diagonal dependence diagram



For each position p , the upward diagonal dependence curve gives the proportion of the society who have a higher position than $1 - p$ in *all* dimensions of well-being. The proportion of the society which belongs to the top decile in all dimensions is given by $\bar{D}_X(0.1)$, for instance. While the downward diagonal dependence curve presents the “downward” perspective of the copula function, the upward diagonal dependence curve presents the “upward” perspective of the survival function. In general, both diagonal dependence curves do not coincide.¹¹ The right-hand panel of Fig. 2 gives an example of an upward diagonal dependence curve. The dashed line shows the upward diagonal dependence curve of the comonotonic case C_+ .

Conveniently, both diagonal dependence curves can be plotted in one diagram, the *diagonal dependence diagram* (see Fig. 3), by rotating the upward diagonal dependence curve $\bar{D}_X$ (the right-hand panel of Fig. 2) 180° and super-imposing it on the downward diagonal dependence curve D_X (the left-hand panel of Fig. 2). The downward diagonal dependence curve uses the origin in the south-west and the upward diagonal dependence curve uses the origin in the north-east.

The diagonal dependence diagram contains information about the local dependence around the main diagonal, both from an upward and downward perspective. For some applications, such as the measurement of cumulative deprivation and affluence, the focus on the local dependence information around the diagonal is warranted or even desired. For other applications, this may not be the case. Compared to its underlying copula and survival functions, the diagonal dependence diagram has the advantage of being one-dimensional and, hence, easier to visualize and represent. This practical advantage comes at a price, however, as information

¹¹ Both curves coincide for random vectors which exhibit radial symmetry about $(1/2, \dots, 1/2)$, so that $C_X(p, \dots, p) = \bar{C}_X(1 - p, \dots, 1 - p)$ for all $p = (p_1, \dots, p_m)$ in $\mathbb{I}$ [38, p. 36].

“off” the main diagonal is not contained in the diagram. We will return to this observation in the next section.

Finally, the curves in the diagonal dependence diagram are linked to the tail dependence parameters, which focus on local dependence information around the diagonal when p approaches 0 [30,38,46]. In the bivariate case, the lower tail dependence parameter λ_L is the limit of the conditional probability that an individual has a position in dimension j_1 which is lower than or equal to p , given that she has a position in dimension j_2 which is lower than or equal to p , as p approaches 0. The upper tail dependence parameter λ_U , on the other hand, is the limit of the conditional probability that an individual has a position in dimension j_1 which is higher than p , given that she has a position in dimension j_2 which is higher than p , as p approaches 1. Nelsen [38, Theorem 5.4.2] shows in the bivariate case how both tail dependence parameters are related to the diagonal dependence curves, respectively:

$$\lambda_L = \lim_{p \rightarrow 0^+} \frac{D_X(p)}{p} \quad \text{and} \quad \lambda_U = \lim_{p \rightarrow 1^-} \frac{\overline{D}_X(1-p)}{1-p} = \lim_{q \rightarrow 0^+} \frac{\overline{D}_X(q)}{q}.$$

In other words, the tail dependence parameters capture how close the diagonal dependence curves of a random vector X are to the diagonal when p approaches 0. The closer the limit is to the main diagonal, the more tail dependence the random vector exhibits. Tail dependence parameters are useful to study cumulative deprivation or affluence at the very bottom or top of the distribution, when the focus is either on the poorest or on the most affluent in the society.

4 The diagonal dependence ordering

In this section, I define first the downward and upward diagonal dependence ordering based on dominance of the curves in the diagonal dependence diagram. Second, the elementary multivariate rearrangements that underlie these orderings are studied.

If the downward diagonal dependence curve of random vector Y is everywhere above the downward diagonal dependence curve of X , i.e., when the curve of Y is closer to the 45° line, we say that Y dominates X according to the downward diagonal dependence ordering.

Definition 3 (*Downward diagonal dependence ordering*) For all m -dimensional random vectors X and Y with downward diagonal dependence curves D_X and D_Y , we say that Y dominates X according to the *downward diagonal dependence ordering*, if $D_Y(p) \geq D_X(p)$ for all p in $\mathbb{I}$.

In other words, the random vector Y dominates the random vector X according to the downward diagonal dependence ordering if the copula function of Y is above the copula function of X for all position vectors *on the main diagonal*. The latter restriction on the considered position vectors makes the downward diagonal dependence an ordering of local dependence around the main diagonal and considerably weaker than the *lower orthant dependence ordering*, which can be seen as an ordering of global dependence and requires that the copula function of Y is above or equal to the copula function of X for all position vectors.

In fact, the test of non-intersecting downward diagonal dependence curves, which is required for the downward diagonal dependence ordering, looks formally similar to the test for the univariate first order stochastic dominance ordering, which requires that the univariate cumulative distribution functions do not intersect. Thanks to this similarity, statistical tests developed for first order stochastic dominance can be used to test for the downward diagonal dependence ordering as well, see [13] for a recent overview.

Analogously, we say that Y dominates X according to the upward diagonal dependence ordering, if the upward diagonal dependence curve of random vector Y is everywhere above the upward diagonal dependence curve of X .

Definition 4 (*Upward diagonal dependence ordering*) For all m -dimensional random vectors X and Y with upward diagonal dependence curves $\overline{D}_X$ and $\overline{D}_Y$, we say that Y dominates X according to the *upward diagonal dependence ordering*, if $\overline{D}_Y(p) \geq \overline{D}_X(p)$ for all p in $\mathbb{I}$.

The upward diagonal dependence ordering requires the survival function of Y to be above the survival function of X for all position vectors on the main diagonal. Thus, it is an ordering of local dependence around the diagonal. It is a weakening of the *upper orthant dependence ordering* which requires the survival function of Y to be everywhere above or equal to the survival function of X .¹²

In the bivariate case, both dependence orderings are equivalent.¹³ Yet, this equivalence does not hold when $m > 2$. While the downward diagonal dependence ordering takes a downward perspective, the upward diagonal dependence ordering takes an upward perspective to diagonal dependence. Both perspectives are combined in the following ordering.

Definition 5 (*Diagonal dependence ordering*) For all m -dimensional random vectors X and Y with downward diagonal dependence curves D_X and D_Y , and upward diagonal dependence curves $\overline{D}_X$ and $\overline{D}_Y$, we say that Y dominates X according to the *diagonal dependence ordering*, if $D_Y(p) \geq D_X(p)$ and $\overline{D}_Y(p) \geq \overline{D}_X(p)$ for all p in $\mathbb{I}$.


The diagonal dependence ordering focuses on local dependence information around the main diagonal, irrespective of the choice for an upward or downward perspective. It is a weakening of the *concordance ordering* proposed by Joe [29], which combines the lower and upper orthant orders and requires dominance in terms of the copula and survival functions.

To evaluate whether the diagonal dependence orderings are attractive orderings for our purpose of measuring cumulative deprivation and affluence, it is useful to consider the underlying elementary rearrangements. Elementary rearrangements that lead to more global dependence have been studied in the bivariate case by Tchen [53] and Epstein and Tanny [19], following a suggestion by Hamada [28]. Atkinson and Bourguignon [8] provide an application for the measurement of multidimensional inequality. The considered rearrangements shift probability mass ε on the four vertices of a two-dimensional rectangle (see Fig. 4). A positive probability mass ε is shifted from the two white vertices with an odd number of ‘lows’, that is, the vertices (low, high) and (high, low) to the two black vertices with an even number of ‘lows’, that is, (low, low) and (high, high).¹⁴ After the rearrangement (the black situation on Fig. 4), individuals at (low, low) are outranked by individuals at (high, high) and similarly individuals at (high, high) outrank individuals at (low, low), whereas in the initial (white) situation, the considered individuals do not outrank each other. Hence, the copula and survival function have shifted upwards. Tchen [53] and Epstein and Tanny [19] show that the converse is also true in the bivariate case: whenever the copula function (or survival function) of random vector Y is everywhere above the one of random vector X , random vector Y can be obtained from X by a sequence of rearrangements on the corners of a two-dimensional rectangle.

¹² Echoing the similarity between the downward diagonal dependence ordering and univariate first order stochastic dominance, the upward diagonal dependence ordering is formally similar to the univariate first order decumulative stochastic dominance discussed by Bazen and Moyes [10].

¹³ When $m = 2$, we have that $\overline{C}_X(p, p) = 1 - 2p + C_X(p, p)$.

¹⁴ In the following, I adopt the convention that 0 is even.

Fig. 4 A positive 2-rearrangement**Table 1** A positive 3-rearrangement (when $\varepsilon > 0$)

$-\varepsilon$	$+\varepsilon$
$(low, high, high)$	$(high, high, high)$
$(high, low, high)$	$(high, low, low)$
$(high, high, low)$	$(low, high, low)$
(low, low, low)	$(low, low, high)$

Decancq [15] presents a multivariate generalization of the results by Tchen [53] and Epstein and Tanny [19]. He considers elementary rearrangements that shift probability mass ε on the 2^k vertices of a k -dimensional hyperbox, with $2 \leq k \leq m$. The probability mass is shifted from the 2^{k-1} vertices with an odd number of ‘lows’ to the 2^{k-1} vertices with an even number of ‘lows’. He defines positive k -rearrangements, for which a positive probability mass $\varepsilon > 0$ is shifted, and alternating k -rearrangements, for which $(-1)^k \varepsilon > 0$ holds.¹⁵ The two-dimensional example given in Fig. 4 can be referred to as a positive 2-rearrangement (or an alternating 2-rearrangement). When k is even, a positive k -rearrangement is also an alternating k -rearrangement, and vice versa. This equality does not hold when k is odd.

Table 1 gives an example of a positive 3-rearrangement (when $\varepsilon > 0$). While this rearrangement shifts positive probability mass ε to the position vector $(high, high, high)$, probability mass ε is removed from the position vector (low, low, low) . After the rearrangement, more individuals outrank other individuals, while less individuals are outranked. As the probability of outranking has increased after the rearrangement, the survival function shifts upwards, while the copula function shifts downwards (since the probability of being outranked has decreased). In general, Decancq [15] shows that alternating k -rearrangements underlie the lower orthant dependence ordering (i.e., dominance in terms of the copula function), while positive k -rearrangements underlie the upper orthant dependence ordering (i.e., dominance in terms of the survival function), see [16,34] for further discussions.

The described elementary rearrangements on the corners of k -dimensional hyperbox affect (global) dependence as measured by the orthant orderings. They may or may not affect the diagonal dependence curves, which only capture local dependence information around the main diagonal. Only if the main diagonal intersects the hyperbox, as on the highlighted

¹⁵ Müller [34] refers to these rearrangements as Δ -monotone transfers and Δ -antitone transfers, respectively.

segment of the main diagonal in Fig. 4, will the diagonal dependence curves be affected by the rearrangement. Rearrangements that happen “off the diagonal”, on the other hand, will not affect the diagonal dependence curves. Conversely, when there is dominance between the diagonal dependence curves, there exists a sequence of k -rearrangements on the vertices of a k -dimensional hyperbox, which are intersected by the main diagonal.

5 The diagonal dependence index

Based on the area below both curves in the diagonal dependence diagram (i.e., the shaded area of Fig. 3), indices of diagonal dependence can be derived in a natural way.

First, however, I present an intuitive interpretation of the area below the diagonal dependence curves. We have that:¹⁶

$$\int_{\mathbb{I}} D_X(p) dp = \int_{\mathbb{I}^m} C_X(p_1, \dots, p_m) dC_+(p_1, \dots, p_m)$$

and

$$\int_{\mathbb{I}} \bar{D}_X(p) dp = \int_{\mathbb{I}^m} \bar{C}_X(p_1, \dots, p_m) dC_+(p_1, \dots, p_m). \quad (9)$$

In other words, the area under the downward diagonal dependence curve equals the probability that a randomly selected individual in the society described by random vector X is outranked by a randomly selected individual from a perfectly comonotonic society, described by X_+ . The more cumulative deprivation there is in X (according to the downward diagonal dependence ordering), the larger this probability becomes. The area under the upward diagonal dependence curve, on the other hand, equals the probability that a randomly selected individual in X outranks a randomly selected individual from a perfectly comonotonic society. The sum of both areas equals the *probability of concordance* between the random vector X and X_+ (i.e., the probability that a realization of X is outranked by or outranks a realization of X_+).

We start by defining the downward diagonal dependence index, denoted δ_m^- , based on the area below the downward diagonal dependence curve.

Definition 6 (*Downward diagonal dependence index*) For all m -dimensional random vectors X with downward diagonal dependence curve D_X , we say that $\delta_m^-(X)$ is the *downward diagonal dependence index* of X , if

$$\delta_m^-(X) = \frac{2(m+1) \int_{\mathbb{I}} D_X(p) dp - 2}{m-1}. \quad (10)$$

The downward diagonal dependence index is based on the area below the downward diagonal dependence curve, normalized such that $\delta_m^-(X_{\perp}) = 0$ and $\delta_m^-(X_+) = 1$.¹⁷ As we have seen, the index can be interpreted as the normalized probability that a randomly selected individual in X is outranked by a randomly selected individual from X_+ . If X and Y are two random vectors with $D_Y(p) \geq D_X(p)$ for all p in $\mathbb{I}$, then we have that $\delta_m^-(Y) \geq \delta_m^-(X)$. Hence, the downward diagonal dependence index is consistent with the downward diagonal dependence ordering (as well as with the lower orthant dependence ordering).

Similarly, the upward diagonal dependence index, δ_m^+ , can be defined based on the normalized area below the upward diagonal dependence curve.

¹⁶ See [18, Lemma 3.1] and [57, Lemma 4.1] for a formal proof.

¹⁷ This can be checked by observing that $\int_{\mathbb{I}} D_{\perp}(p) dp = 1/(m+1)$ and $\int_{\mathbb{I}} D_+(p) dp = 1/2$.

Definition 7 (*Upward diagonal dependence index*) For all m -dimensional random vectors X with upward diagonal dependence curve $\overline{D}_X$, we say that $\delta_m^+(X)$ is the *upward diagonal dependence index* of X , if

$$\delta_m^+(X) = \frac{2(m+1) \int_{\mathbb{I}} \overline{D}_X(p) dp - 2}{m-1}. \quad (11)$$

The upward diagonal dependence index δ_m^+ equals the normalized probability that a randomly selected individual in X outranks a randomly selected individual from X_+ . Similar to the downward diagonal dependence index, we have that $\delta_m^+(X_{\perp}) = 0$ and $\delta_m^+(X_+) = 1$. The upward diagonal dependence index is consistent with the upward diagonal dependence ordering (and the upper orthant dependence ordering).

While the downward diagonal dependence index has a “downward” perspective that measures how often individuals are outranked by others, the upward diagonal dependence index has an “upward” perspective that measures how often individuals outrank others. When the context at hand does not warrant a specific focus on either perspective, both deprivation indices can be combined by averaging them.

Definition 8 (*Diagonal dependence index*) For all m -dimensional random vectors X with downward diagonal dependence curve D_X and upward diagonal dependence curve $\overline{D}_X$, we say that $\delta_m(X)$ is the *diagonal dependence index* of X , if

$$\delta_m(X) = \frac{\delta_m^-(X) + \delta_m^+(X)}{2} = \frac{(m+1) \int_{\mathbb{I}} [D_X(p) + \overline{D}_X(p)] dp - 2}{m-1}. \quad (12)$$

For the diagonal dependence index δ_m , we also have that $\delta_m(X_{\perp}) = 0$ and $\delta_m(X_+) = 1$. The diagonal dependence index is consistent with the diagonal dependence ordering as well as the concordance dependence ordering.

While, to the best of my knowledge, the downward and upward diagonal dependence indices δ_m^- and δ_m^+ are new to the literature, the diagonal dependence index δ_m is not. It equals the multidimensional generalization of Spearman’s footrule which has been proposed by Úbeda-Flores [57, Theorem 4.1] and which is commonly denoted φ_m .¹⁸

The multidimensional generalization of Spearman’s footrule proposed by Úbeda-Flores [57] belongs to the class of dependence measures that are based on the probability of concordance between X , the random vector at hand, and a reference random vector. This class has been introduced by Nelsen [35,37], and Decancq [16] interprets it in the context of measuring dependence between dimensions of well-being. Specifically, Spearman’s footrule is derived from the probability of concordance between X and a comonotonic reference vector X_+ . In a similar way, other popular dependence measures can be obtained from the probability of concordance between X and other reference random vectors, such as Spearman’s ρ_m (when the reference random vectors equals $X_{\perp}$) or Kendall’s τ_m (when the reference random vector equals X itself), see [16,37,38]. Behboodian et al. [11] have proposed a multivariate extension of Gini’s cograduation index γ that is obtained by choosing the reference random vector equal to the average of the countermonotonic X_- and comonotonic case X_+ .

In the bivariate case, the three diagonal dependence indices are equal (i.e., $\delta_2 = \delta_2^- = \delta_2^+$). When $m > 2$, however, this is not the case. Some societies may exhibit more downward diagonal dependence (or cumulative deprivation) and little upward diagonal dependence (or cumulative affluence), or vice versa. Consider, for instance, the two four-person societies described by the position vectors which are listed in the two columns of Table 1. While there

¹⁸ See [22,41,57] for more extensive discussions of Spearman’s footrule.

is more cumulative deprivation in the society described by the left-hand column, there is more cumulative affluence in the society described by the right-hand column. A decomposition of Spearman's footrule in the downward and upward diagonal dependence indices with their complementary upward and downward perspectives can therefore lead to additional new insights.¹⁹

In view of empirical applications, it is useful to note that Úbeda-Flores [57, p. 786] has suggested an easy-to-implement multivariate sample version of Spearman's footrule φ_m (and, hence, of the diagonal dependence index δ_m). Let r_{ij} be the rank of outcome x_{ij} of individual $i = 1, \dots, n$ in dimension $j = 1, \dots, m$. Spearman's footrule can be estimated by

$$\widehat{\varphi}_m(X) = 1 - \frac{m+1}{m-1} \frac{\sum_{i=1}^n [\max_j (r_{ij}) - \min_j (r_{ij})]}{n^2 - 1}. \quad (13)$$

Genest et al. [22] show that $\widehat{\varphi}_m$ is an asymptotically unbiased estimator of φ_m , with an asymptotic normal distribution. The bivariate version of expression (13) was originally proposed in the work of Spearman [51], who discussed the following measure of rank association:

$$\widehat{\varphi}_2(X_1, X_2) = 1 - \frac{3 \sum_{i=1}^n |r_{i1} - r_{i2}|}{n^2 - 1}. \quad (14)$$

Spearman himself noted that one of the disadvantages of the proposed index is that it is not symmetric under the reversal of one dimension.²⁰ To remedy this asymmetry, Salama and Quade [44] have proposed a symmetric version of the index by considering the average of the footrule index and the footrule index that is obtained by reversing the ranking of one variable. Interestingly, Nelsen and Úbeda-Flores [39] have remarked that the proposed symmetric version of the footrule index coincides with Gini's cograduation index γ_m [23, §98]. The bivariate sample version of Gini's cograduation index, $\widehat{\gamma}_2$, equals

$$\widehat{\gamma}_2(X_1, X_2) = \frac{\sum_{i=1}^n [|n+1-r_{i1}-r_{i2}| - |r_{i1}-r_{i2}|]}{\lfloor n^2/2 \rfloor}. \quad (15)$$

where $\lfloor d \rfloor$ denotes the integer part of d with $d > 0$. A multivariate extension of Gini's cograduation index γ is proposed by Behboodian et al. [11].

6 Conclusion

In the wake of Gini's path-breaking work on inequality measurement more than a century ago, a plethora of inequality measures have been developed, which leaves researchers with a difficult task when choosing the most appropriate measure. A rigorous axiomatic study of the properties that uniquely characterize these inequality measures helps to make this choice. A similar problem arises for researchers who have to select the most appropriate dependence measure. The answer depends largely on the application and research question at hand. When a global perspective on dependence is required, dependence measures such as Kendall's τ_m and Spearman's ρ_m seem most appropriate. When a local perspective focusing on the dependence around the main diagonal is required, however, Spearman's footrule and

¹⁹ Pérez and Prieto [40] advocate the use of an analogous decomposition of Spearman's ρ in a "downward" measure ρ^- and an "upward" measure ρ^+ , which have been discussed by Joe [29], Nelsen [36], and Schmid and Schmidt [47].

²⁰ More recently, Dolati [18] and Taylor [52] discuss this symmetry as a desirable property of a multivariate measure of concordance.

the diagonal dependence indices that are introduced in this paper are useful. When a local but symmetric perspective with respect to both diagonals is required, Gini's cograduation index γ_m appears to be a good choice. In general, however, there seems to be ample room for additional axiomatic work on the question of which properties uniquely characterize these dependence measures. Studying how the dependence measures react to specific elementary rearrangements could be a point of departure for this endeavour.

References

1. Aaberge, R., Atkinson, A.B., Königs, S.: From classes to copulas: wages, capital, and top incomes. *J. Econ. Inequal.* **16**, 295–320 (2018)
2. Aaberge, R., Peluso, E., Sigstad, H.: The dual approach for measuring multidimensional deprivation: theory and empirical evidence. *J. Public Econ.* **177**, 104036 (2019)
3. Alkire, S., Foster, J.: Counting and multidimensional poverty measurement. *J. Public Econ.* **95**, 476–487 (2011)
4. Andreoli, F., Zoli, C.: From unidimensional to multidimensional inequality: a review. *Metron* **78**, 5–42 (2020)
5. Atkinson, A.B.: On the measurement of inequality. *J. Econ. Theory* **2**, 244–263 (1970)
6. Atkinson, A.B.: Multidimensional deprivation: contrasting social welfare and counting approaches. *J. Econ. Inequal.* **1**, 51–65 (2003)
7. Atkinson, A.B.: On lateral thinking. *J. Econ. Inequal.* **9**, 319–328 (2011)
8. Atkinson, A.B., Bourguignon, F.: The comparison of multi-dimensioned distributions of economic status. *Rev. Econ. Stud.* **49**, 183–201 (1982)
9. Atkinson, A.B., Lakner, C.: Capital and labor: the factor income composition of top incomes in the United States, 1962–2006, World Bank Policy Research Working Paper, No. 8268 (2017)
10. Bazen, S., Moyes, P.: Elitism and stochastic dominance. *Soc. Choice Welf.* **39**, 207–251 (2012)
11. Behboodian, J., Dolati, A., Úbeda-Flores, M.: A multivariate version of Gini's rank association coefficient. *Stat. Papers* **48**, 295–304 (2007)
12. Bosmans, K., Decancq, K., Ooghe, E.: What do normative indices of multidimensional inequality really measure? *J. Public Econ.* **130**, 94–104 (2015)
13. Cowell, F.A., Flachaire, E.: Statistical methods for distributional analysis. In: Atkinson, A., Bourguignon, F. (eds.) *Handbook on Income Distribution*, vol. 2, pp. 359–465. Wiley, New York (2015)
14. Dalton, H.: The measurement of the inequality of incomes. *Econ. J.* **30**, 25–49 (1920)
15. Decancq, K.: Elementary multivariate rearrangements and stochastic dominance on a F chet class. *J. Econ. Theory* **147**, 1450–1459 (2012)
16. Decancq, K.: Copula-based measurement of dependence between dimensions of well-being. *Oxf. Econ. Papers* **66**, 681–701 (2014)
17. Decancq, K., Schokkaert, E.: Beyond GDP: using equivalent incomes to measure well-being in Europe. *Soc. Indic. Res.* **126**, 21–55 (2016)
18. Dolati, A., Úbeda-Flores, M.: On measures of multivariate concordance. *J. Probab. Stat. Sci.* **4**, 147–163 (2006)
19. Epstein, L.G., Tanny, S.M.: Increasing generalized correlation: a definition and some economic consequences. *Can. J. Econ.* **13**, 16–34 (1980)
20. Fern ndez-S nchez, J., Úbeda-Flores, M.: Constructions of copulas with given diagonal (and opposite diagonal) sections and some generalizations. *Depend. Model.* **6**, 139–155 (2018)
21. Garc a-Gomez, C., P rez, A., Prieto-Ala , M.: Copula-based analysis of multivariate dependence patterns between dimensions of poverty in Europe *Mimeo* (2019)
22. Genest, C., Ne lelov , J., Ben Ghorbal, N.: Spearman's footrule and Gini's gamma: a review with complements. *J. Nonparametric Stat.* **22**, 937–954 (2010)
23. Gini, C.: L'ammontare e la composizione della ricchezza delle nazioni, vol. 62, Fratelli Bocca (1914)
24. Gini, C.: Reprinted: On the measurement of concentration and variability of characters (2005). *Metron* **63**, 3–38 (1914b)
25. Gini, C.: Measurement of inequality of incomes. *Econ. J.* **31**, 124–126 (1921)
26. Giorgi, G.M.: Bibliographic portrait of the Gini concentration ratio. *Metron* **48**, 183–221 (1990)
27. Giorgi, G.M.: A fresh look at the topical interest of the Gini concentration ratio. *Metron* **51**, 83–98 (1993)
28. Hamada, K.: Comment on Hadar and Russel (1974). In: Balch, M., McFadden, D., Wu, S. (eds.) *Essays on Economic Behavior Under Uncertainty*. North-Holland, Amsterdam (1974)

29. Joe, H.: Multivariate concordance. *J. Multivar. Anal.* **35**, 12–30 (1990)
30. Joe, H.: *Multivariate Models and Dependence Concepts*. Monographs on Statistics and Applied Probability, vol. 73. Chapman and Hall, London (1997)
31. Kolm, S.-C.: Multidimensional egalitarianisms. *Q. J. Econ.* **91**, 1–13 (1977)
32. Maasoumi, E.: The measurement and decomposition of multi-dimensional inequality. *Econometrica* **54**, 991–997 (1986)
33. Miller, D.: Complex equality. In: Miller, D., Walzer, M. (eds.) *Pluralism, Justice and Equality*, pp. 197–225. Oxford University Press, Oxford (1995)
34. Müller, A.: Duality theory and transfers for stochastic order relations. In: Li, H., Li, X. (eds.) *Stochastic Orders in Reliability and Risk*, Lecture Notes in Statistics, vol. 208, pp. 41–57. Springer, New York (2013)
35. Nelsen, R.B.: Copulas and association. In: Dall’Aglio, G., Kotz, S., Salinetti, G. (eds.) *Advances in Probability Distributions with Given Marginals*, pp. 51–74. Kluwer, Dordrecht (1991)
36. Nelsen, R.B.: Nonparametric measures of multivariate association. In: *Distributions with Fixed Marginals and Related Topics*, IMS Lecture Notes, vol. 28. Institute of Mathematical Statistics, Hayward, pp. 223–232 (1996)
37. Nelsen, R.B.: Concordance and copulas: a survey. In: Cuadras, C., Fortiana, J., Lallena, J.M.R. (eds.) *Distributions with Given Marginals and Statistical Modelling*, pp. 169–178. Kluwer, Dordrecht (2002)
38. Nelsen, R.B.: *Introduction to Copulas*. Springer Series in Statistics. Springer, New York (2006)
39. Nelsen, R.B., Úbeda-Flores, M.: The symmetric footrule is Gini’s rank association coefficient. *Commun. Stat. Theory Methods* **33**, 195–196 (2004)
40. Pérez, A., Prieto, M.: Measuring dependence between dimensions of poverty in Spain: an approach based on copulas. In: 2015 Conference of the International Fuzzy Systems Association and the European Society for Fuzzy Logic and Technology (IFSAC-EUSFLAT-15), Atlantis Press (2015)
41. Pérez, A., Prieto-Alaiz, M.: Measuring the dependence among dimensions of welfare: a study based on Spearman’s footrule and Gini’s gamma. *Int. J. Uncertain. Fuzziness Knowl. Based Syst.* **24**, 87–105 (2016)
42. Quinn, C.: Using copulas to measure association between ordinal measures of health and income, Health, Econometrics and Data Group (HEDG) Working Papers 07/24 (2007)
43. Quinn, C.: Measuring income-related inequalities in health using a parametric dependence function, Health, Econometrics and Data Group (HEDG) Working Papers 09/24 (2009)
44. Salama, I.A., Quade, D.: The symmetric footrule. *Commun. Stat. Theory Methods* **30**, 1099–1109 (2001)
45. Sarabia, J.M.: A general definition of the Leimkuhler curve. *J. Inf.* **2**, 156–163 (2008)
46. Schmid, F., Schmidt, R.: Multivariate conditional versions of Spearman’s rho and related measures of tail dependence. *J. Multivar. Anal.* **98**, 1123–1140 (2007a)
47. Schmid, F., Schmidt, R.: Multivariate extensions of Spearman’s rho and related statistics. *Stat. Probab. Lett.* **77**, 407–416 (2007b)
48. Sen, A.K.: *Commodities and Capabilities*. North-Holland, Amsterdam (1985)
49. Sen, A.K.: *Inequality Reexamined*. Russell Sage Foundation; Clarendon Press, New York; Oxford (1992)
50. Sklar, A.: Fonctions de répartition à n dimensions et leurs marges. *Publications de l’Institut de Statistique de L’Université de Paris* **8**, 229–231 (1959)
51. Spearman, C.: Reprinted: The proof and measurement of association between two things (2010). *Int. J. Epidemiol.* **39**, 1137–1150 (1904)
52. Taylor, M.: Multivariate measures of concordance. *Ann. Inst. Stat. Math.* **59**, 789–806 (2007)
53. Tchen, A.: Inequalities for distributions with given marginals. *Ann. Probab.* **8**, 814–827 (1980)
54. Tkach, K., Gigliarano, C.: Multidimensional poverty measurement: dependence between well-being dimensions using copula function. *RIEDS-Rivista Italiana di Economia, Demografia e Statistica-Italian Review of Economics, Demography and Statistics* **72**, 89–100 (2018)
55. Trivedi, P.K., Zimmer, D.M.: Copula modeling: an introduction for practitioners. *Found. Trends Econom.* **1**, 1–111 (2007)
56. Tsui, K.Y.: Multidimensional generalizations of the relative and absolute inequality indices: the Atkinson–Kolm–Sen approach. *J. Econ. Theory* **67**, 251–265 (1995)
57. Úbeda-Flores, M.: Multivariate versions of Blomqvist’s beta and Spearman’s footrule. *Ann. Inst. Stat. Math.* **57**, 781–788 (2005)
58. Walzer, M.: *Spheres of Justice: A Defense of Pluralism and Equality*. Basic Books, New York (1983)
59. Weymark, J.A.: The normative approach to the measurement of multidimensional inequality. In: Farina, F., Savaglio, E. (eds.) *Inequality and Economic Integration*. Routledge, London (2006)